

Bibliography on stable distributions, processes and related topics

John Nolan
jpnolan@american.edu

Original version August 4, 2003
Revised June 10, 2009

The following sections are a start on organizing references on stable distributions by topic. It is far from complete. Starting on page 10 there is an extensive list of papers on stable distributions, many of which are not included in the first section. Some of the papers there do not directly refer to stable distributions. Someday I may have the time to edit those out, but for now please ignore those references. Part of this list was originally provided by Gena Samorodnitsky at Cornell.

I am interested in adding more references that you may have. Please e-mail corrections and additions to the above address, ideally in BibTeX form, especially if you have more than a few additions.

Contents

1	Univariate stable distributions	3
1.1	General references	3
1.2	Computations of stable densities, cdf, etc.	3
1.3	Generalized Central Limit Theorem and Domains of Attraction	3
1.4	Statistical estimation, diagnostics, assessing fit, hypothesis testing	3
2	Application areas	3
2.1	Engineering	3
2.2	Finance, Economics, Value at Risk, Real Estate, Insurance	4
2.3	Network modeling and Queueing Theory	5
2.4	Computer science	5
2.5	Random walks	6
2.6	Physics, astronomy and chemistry	6
2.7	Survival analysis, frailty, reliability	6
2.8	Fractional/anomalous diffusions	6
2.9	Geology and Geophysics	6
2.10	Miscellaneous: rainfall, reliability, extreme values, etc.	6

3	Multivariate stable distributions	7
3.1	General references	7
3.2	Estimation	7
3.3	Computations of multivariate stable densities, cdf, simulation, etc.	7
3.4	Dependence measures	7
3.5	Approximation and metrics	7
3.6	Miscellaneous	7
4	Regression, time series, etc.	8
4.1	Regression	8
4.2	Time series	8
5	Stable processes	8
5.1	General references	8
5.2	Stochastic integrals and series	8
5.3	Path properties	8
5.4	Miscellaneous	9
6	Related distributions and processes	9

1 Univariate stable distributions

1.1 General references

Zolotarev (1986b), Uchaikin and Zolotarev (1999), Samorodnitsky and Taqqu (1994b), Nikias and Shao (1995), Ibragimov and Linnik (1971), Nolan (2009b)

1.2 Computations of stable densities, cdf, etc.

Worsdale (1975), Panton (1992), Nolan (1997), Nolan (1999a), Robinson (2003a), Robinson (2003b), Robinson (2003c), Matsui and Takemura (2004), Matsui (2005), Chekhmenok (2003), Cheng and Liu (1997).

1.3 Generalized Central Limit Theorem and Domains of Attraction

de Haan and Peng (1999), Geluk and de Haan (2000), Geluk and Peng (2000), de Haan et al. (2002)

1.4 Statistical estimation, diagnostics, assessing fit, hypothesis testing

Nolan (2001a), Kogon and Williams (1998), McCulloch (1986), Nikias and Shao (1995), Tsihrintzis and Nikias (1996), Nolan (1998b), Nolan (1999b), Ojeda (2001), Beaulieu et al. (2005), Dufour and Kurz-Kim (2005), Garcia et al. (2004), Fan (2006)

Bayesian MCMC approach Buckle (1993), Buckle (1995).

General information on assessing fit D'Agostino and Stephens (1986), Frain (2007b).

Regression McCulloch (1998a), Nolan and Ojeda (2006).

Estimation of concentration data Benson et al. (2001), Rishmawi (2005)

Characterization problems: Yanushkevichius and Yanushkevichiene (2007)

2 Application areas

2.1 Engineering

The standard models of signal processing are based on Gaussian noise. While this works well in many problems, this assumption is not accurate in some situations where there is impulsive, heavy-tailed noise. In such situations, linear Gaussian filters perform poorly. Using methods based on stable models gives robust non-linear signal processing methods.

General books: Nikias and Shao (1995), Arce (2005)

General: Kuruoglu (1998), Der (2003), Lowen and Teich (1990), Ma and Nikias (1995), Pierce (1997), Tsakalides and Nikias (1995), Keshner (1982),

Tsihrintzis and Nikias (1996), Ma and Nikias (1995), Kuruoglu and Fitzgerald (1998), Kuruoglu et al. (1998), Astola and Neuvo (1992), Kuruoglu et al. (1997), Kuruoglu et al. (1998), Kosko (2006), Gonzalez et al. (2006), Kalluri and Arce (1998) Ilow et al. (1998), Ilow (1995), Ilow (1998), Ilow (1999), Ilow and Hatzinakos (1997), Ilow and Hatzinakos (1998), Nunez et al. (2008), Nolan (2008), Gonzalez et al. (1997), Gonzalez and Nolan (2007).

Stuck (2000) gives an overview of early work on stable laws in signal processing. See also: Stuck (1976a), Stuck (1976b), Stuck (1978), and Newman and Stuck (1979).

Radar processing: Banerjee et al. (1999), Kapoor et al. (1999), Achim et al. (2002), Achim et al. (2003), Amiri and Amindavar (2005), Belkacemi and Marcosa (2007), Messali and Soltani (2007), Tsakalides and Nikias (1999), Tsakalides et al. (1999), Tsakalides et al. (2000), Pierce (1996), Lee (1999), Kuruoglu and Zerubia (2004)

Image processing: Carasso (2002), Carasso (2006), Kuruoglu and Zerubia (2003), Arce (2005)

Telephone land lines: Stuck and Kleiner (1974). Cell phones: Yang and Petropulu (2001), Gonzalez (1997), Aysal (2007), Georgiadis (2000), Georgiadis (2001), Georgiadis (2005)

Acoustics (including sonar and ultrasound): Kidmose (2001), Kidmose (2002), Chitre et al. (2006), Chitre et al. (2004), Chitre et al. (2005), Chitre et al. (2007), Szabo (1994), Kelly and McGough (2007), Kelly et al. (2008), Kelly (2008), Zha and Qiu (2006a), Zha and Qiu (2006b), Kyriakakis et al. (1999), Petropulu et al. (1996), Peterson et al. (2003), Georgiou et al. (1999), Achim et al. (2001), Taroudakis et al. (2006).

2.2 Finance, Economics, Value at Risk, Real Estate, Insurance

The main motivation for considering stable laws in finance is that empirical returns have heavier tails than the normal/Gaussian model predicts. And stable laws allow one to model cumulative returns using the stability of sums: if X_1, X_2, \dots, X_n are returns over one period with an α -stable distribution, then the cumulative return over n time periods $X_1 + X_2 + \dots + X_n$ also has an α -stable distribution. This is true if the terms are independent or dependent stable, but is not true for other models of returns.

References for modeling asset returns: Rachev and Mittnik (2000), Nolan (2003), Mandelbrot (1960), Mandelbrot (1961), Mandelbrot (1963b), Fama (1963), Fama (1965), Fama and Roll (1968), Rachev (2003), McCulloch (1996a), McCulloch (1997), Bidarkota and McCulloch (1998), Peters (1994), Walter (1999), Belkacem et al. (2000), Haas et al. (2005), Lombardi and Calzolari (2005), Ortobelli and Rachev (2005), Borak et al. (2005), Martin et al. (2006), Frain (2007a), Stuck (1976c), Leitch and Paulson (1975), Kozubowski et al. (2003). Jama (2009) looks at returns on the South African exchange.

Option pricing: McCulloch (1996a), Carr and Wu (2003), Cartea and Howison (2003), Cartea and Howison (2007), Vollert (2001), Hurst et al. (1999),

Hauksson and Rachev (2001).

Value at risk: Khindanova et al. (2001), Lamantia et al. (2004), Marinelli et al. (2006), Frain (2008).

Modeling foreign exchange/parallel market rates: Basterfield et al. (2003), Basterfield et al. (2005a), Basterfield et al. (2005b), Fofack and Nolan (2001).

Modeling real estate prices: King and Young (1994), Young and Graff (1995), Graff et al. (1997), Brown (2000), Brown (2004), Brown (2005), Young et al. (2006), Young (2008). The first paper above argues that because of the non-normality of real estate prices, diversification is not a good idea (unless you have a huge portfolio); careful management of property is more important.

Insurance: Asmussen et al. (1997), Embrechts et al. (1997)

De Vany and Walls (1999), De Vany and Walls (2004) and De Vany (2003) argue that the extreme volatility in Hollywood movie revenues can be modeled with stable laws. De Vany (2006) uses truncated stable laws to model home runs in baseball.

Commodity pricing Weron (2005), Jin (2005).

Extension of CAPM to include stable laws, portfolio selection: Fama (1971), Rachev et al. (2005), Bawa et al. (1979), Rachev and Han (2000), Ortobelli et al. (2002), Ortobelli et al. (2004), Stoyanov et al. (2006).

Vector autoregression: Hannsgen (2008) discusses whether there are heavy tailed distributions involved in structural VAR used for policy analysis. The presence of infinite variance makes the use of structural VAR questionable.

Lau and Lau (1993), Lau and Lau (1997), Fielitz and Rozelle (1983)

Ibragimov (2005) discusses consequences of heavy tails for economic models.

Anderson (2006) discusses the “Long Tail” occurring in sales, where many low volume items can account for significant revenue.

Copulas: Prange and Scherer (2006)

Computational issues: Rachev (2004)

2.3 Network modeling and Queueing Theory

Network modeling: Erramilli et al. (1996), Leland et al. (1994), Parulekar and Makowski (1996), Paxson and Floyd (1994), Willinger et al. (1997), Souryal et al. (2003), Wolpert and Taqqu (2005), Mikosch et al. (2002), Beran et al. (1995),

Queueing theory: Heath et al. (1997), Heath et al. (1998), Heath et al. (1999), Volume 33 of Queueing Systems (1999). Boxma and Dumas (1996), Resnick and Samorodnitsky (1997b), Resnick and Samorodnitsky (2001), Resnick and Samorodnitsky (1997a), Szczotka and Woyczyński (2004), Szczotka and Woyczyński (2003)

2.4 Computer science

Indyk (2000), Cormode et al. (2002), Cormode (2003), Cormode and Muthukrishnan (2003), Cormode et al. (2002), Harchol-Balter et al. (1998), Harchol-Balter (1999), Gomes and Selman (1999), Gilbert et al. (2002),

2.5 Random walks

In random environments: Kesten et al. (1975), Mayer-Wolf et al. (2004)

2.6 Physics, astronomy and chemistry

Montroll and Bendler (1984), Montroll and Shlesinger (1982), Metzler and Klafter (2000), Liu and Chen (1994), Williams and Watts (1970), Strobl (1997), Boldyrev and Gwinn (2003), Bendler (1984), Freeman and Chisham (2005), Metzler and Klafter (2002), Kohlrausch (1847), Csörgő et al. (2004), Anderssen et al. (2004), Peach (1981), Hetman et al. (2003)

ben Avraham and Havlin (2000), Ott et al. (1990), Bardou et al. (2002)

2.7 Survival analysis, frailty, reliability

Hougaard (1986), Wassell et al. (1999), Dey and Ravishanker (2000), Dey et al. (1999), Mallick and Ravishankar (2004), Gaver et al. (2004)

2.8 Fractional/anomalous diffusions

Stable densities give the Greens functions for certain fractional differential equations. Gorenflo and Mainardi (1998a), Mainardi et al. (2001), Gorenflo et al. (2007), Gorenflo et al. (2002a), Paradisi et al. (2001), Gorenflo and Mainardi (2001), Gorenflo et al. (2002b), Mainardi et al. (2006), Gorenflo et al. (1999), Gorenflo and Mainardi (1998b), Meerschaert et al. (2002), Ditlevsen (2004)

2.9 Geology and Geophysics

Painter et al. (1995), Gaynor et al. (2000), Painter (2001), Gunning (2002), Velis (2003), Molz et al. (2004), Sahimi and Tajer (2005). Marcus (1970), Li and Mustard (2000), Li and Mustard (2005), Rishmawi (2005), Zaliapin et al. (2005), Meerschaert et al. (2004)

Earthquake modeling: Lavallée and Archuleta (2003)

2.10 Miscellaneous: rainfall, reliability, extreme values, etc.

Modeling rainfall: Menabde and Sivapalan (2000). Reliability testing: Gaver et al. (2004).

Extreme values: ?.

Climatology: Lavallée and Beltrami (2004)

There have been several papers using Lévy flights to describe foraging behavior for different animals, see Viswanathan et al. (1996) and Viswanathan et al. (1999). However, recent work points out some errors in the data used in these papers and questions the relevancy of heavy tailed models for foraging, see Edwards et al. (2007) and Travis (2007).

Scaling laws in human travel Brockmann et al. (2006).

Wrapped stable Jammalamakaka and SenGupta (2001), Gatto and Jammalamadaka (2003), Pewsey (2006)

Tuerlinckx (2004) uses a positive stable law to model a multivariate counting model for response times in psychology.

Heinrich (1987) considers sums of ψ -mixing random variables and a connection with continued fractions. Heinrich et al. (2004) relate stable laws to rounding errors.

3 Multivariate stable distributions

3.1 General references

Samorodnitsky and Taqqu (1994b), overview Nolan (1998a)

3.2 Estimation

Rachev and Xin (1993), Cheng and Rachev (1995), Nolan et al. (2001), Nolan and Panorska (1997), Pivato and Seco (2003)

3.3 Computations of multivariate stable densities, cdf, simulation, etc.

Nolan and Rajput (1995), Abdul-Hamid (1996), Abdul-Hamid and Nolan (1998), ?, Nolan (2005b).

For simulation, see Modarres and Nolan (1994) for discrete spectral measures. Can also simulate radially symmetric and elliptically contoured using sub-Gaussianity, this is used in Nolan (2005b). Sub-stable vectors can be simulated in the same way. And sums of any of the above are stable.

Tails of multivariate stable densities: Hiraba (2003), Watanabe (2007)

3.4 Dependence measures

Chapter 4 of Samorodnitsky and Taqqu (1994b), summary and proposed measures in Nolan (2001b), Boland et al. (2000), Levy. and Taqqu (2005), Samorodnitsky and Taqqu (1993), Mohammadpour et al. (2006)

3.5 Approximation and metrics

Byczkowski et al. (1993), Rachev (1991), Nolan (2007)

3.6 Miscellaneous

Substable: Misiewicz and Takenaka (2002)

4 Regression, time series, etc.

4.1 Regression

McCulloch (1998a), Ojeda (2001), Nolan and Ojeda (2006), LePage et al. (1998), LePage and Podgórski (1996), Kurz-Kim et al. (2005), Paulauskas and Rachev (2003), Blattberg and Sargent (1971),

4.2 Time series

Cline and Brockwell (1985), Davis and Resnick (1986b), Part II of Adler et al. (1998), Calder (1998), Qiou and Ravishanker (1998), Nolan and Ravishanker (2009), Resnick et al. (1999), Resnick et al. (2000a), Section 13.3 of Brockwell and Davis (1991), Andrews et al. (2007)

5 Stable processes

5.1 General references

Samorodnitsky and Taqqu (1994b), Janicki and Weron (1994)

5.2 Stochastic integrals and series

Samorodnitsky and Taqqu (1994b), Rosiński (1995), Kwapien and Woyczyński (1992), Rosiński (1990b), Rosiński (1992), Rosiński (1995), Samorodnitsky and Taqqu (1990c), Al-Khach (1997)

5.3 Path properties

Rosiński (1986), Rosiński (1989), Nolan (1988), Nolan (1989a), Nolan (1989b), Cambanis et al. (1990), Nolan (1991), Rosiński et al. (1991), Rosiński and Samorodnitsky (1993), Samorodnitsky (1988), Samorodnitsky (1993b), Adler (1990)

Laws of the iterated logarithm: Brieman (1968), Mijneer (1975), Oodaira (1973), Albin (1992), Dehling and Taqqu (1989b), Kôno (1983b), Monrad and Rootzén (1995), Taqqu (1977), Taqqu and Czado (1985b).

Level crossings. Gaussian and case: Marcus (1977), Marcus and Shen (1997), Slud (1991), Slud (1992b), Slud (1992a). Stable case: Adler et al. (1993), Adler and Samorodnitsky (1997), Marcus (1989), Michna and Rychlik (1992a), Michna and Rychlik (1992b), Marcus and Shen (1998).

Maxima/extremes: Heyde (1969), Aleškevičienė (1990), Berman (1992), Molchan (2000), Samorodnitsky (2004b), Samorodnitsky (2004a).

5.4 Miscellaneous

Self-similarity: there are several disjoint classes of self-similar stable processes. See Chapter 7 of Samorodnitsky and Taqqu (1994b). Beran (1986). A general review is Taqqu (1986a), Doukhan et al. (2003).

Long memory/long-range dependence: Taqqu (1986a), Beran (1992), Doukhan et al. (2003), Samorodnitsky (2006)

Local nondeterminism and local times: Berman (1973), Berman (1974), Cuzick (1978), Cuzick (1987), Berman (1983), Berman (1987), Monrad and Pitt (1987), Berman (1991), Nolan (1989b), Soltani (1992), Shieh (1991), Shieh (1992), Xu (1995), Khoshnevisan et al. (2006), Xiao (2006)

Potential theory: Doob (1953), Blumenthal and Gettoor (1968), Doob (1984), Jakubowski (2002)

Ergodicity/mixing: Janicki and Weron (1994), Rosiński and Samorodnitsky (1996), Rosiński and Zak (1997)

Ornstein-Uhlenbeck processes: expressions for joint distribution by Wooster (2009)

6 Related distributions and processes

Tempered stable distributions Rosiński (2004). Operator stable laws Jurek and Mason (1993), Meerschaert and Scheffler (2001a).

Weakly stable vectors Mazurkiewicz (2007). α -symmetric multivariate distributions of Cambanis et al. (1983), see Fang et al. (1990).

References

- Aban, I. B. and M. M. Meerschaert (2001). Shifted Hill’s estimator for heavy tails. *Comm. Statist. Simulation Comput.* 30(4), 949–962.
- Aban, I. B. and M. M. Meerschaert (2004). Generalized least-squares estimators for the thickness of heavy tails. *J. Statist. Plann. Inference* 119(2), 341–352.
- Abdul-Hamid, H. (1996). *Approximation of multivariate stable densities*. Ph. D. thesis, American University.
- Abdul-Hamid, H. and J. P. Nolan (1998). Multivariate stable densities as functions of one dimensional projections. *J. Multivar. Anal.* 67, 80–89.
- Abramowitz, M. and I. A. Stegun (1972). *Handbook of Mathematical Functions* (Tenth Printing ed.). U.S. Government Printing Office.
- Achim, A., A. Bezerianos, and P. Tsakalides (2001). Novel bayesian multiscale method for speckle removal in medical ultrasound images. *IEEE Trans. Med. Imag* 20, 772–783.
- Achim, A., A. Bezerianos, and P. Tsakalides (2002). SAR image denoising: a multiscale robust statistical approach. *IEEE Proc. 14-th Intl. Conf. on Digital Signal Processing (DSP 2002), Santorini, Greece II*, 1235–1238.
- Achim, A., P. Tsakalides, and A. Bezerianos (2003). SAR image denoising via Bayesian wavelet shrinkage based on heavy-tailed modeling. *IEEE Transactions on Geoscience and Remote Sensing* 41, 1773–1784.
- Adelman, I. (1965). Long cycles: fact or artefact? *American Economic Review* 55, 444–463.
- Adenstedt, R. (1974). On large-sample estimation for the mean of a stationary random sequence. *The Annals of Statistics* 2(6), 1095–1107.
- Adler, R. (1990). *An introduction to continuity extrema and related topics for general Gaussian processes*. Hayward: Institute of Mathematical Statistics. Vol. 12.
- Adler, R., S. Cambanis, and G. Samorodnitsky (1990). On stable Markov processes. *Stoch. Proc. Appl.* 34, 1–17.
- Adler, R. and G. Samorodnitsky (1987). Tail behavior for the suprema of gaussian processes with a view towards empirical process. *The Annals of Probability* 15, 1339–1351.
- Adler, R. J., R. Feldman, and M. Taqqu (1998). *A Practical Guide to Heavy Tailed Data*. Boston: Birkhäuser.
- Adler, R. J. and G. Samorodnitsky (1993). Super fractional Brownian motion, fractional super Brownian motion and related self-similar (super) processes. *Annals of Probability* 23, 743–766.

- Adler, R. J. and G. Samorodnitsky (1997). Level crossings of absolutely continuous stationary symmetric α -stable processes. *Annals of Applied Probability* 7, 460–493.
- Adler, R. J., G. Samorodnitsky, and T. Gadjich (1993). The expected number of level crossings for stationary, harmonizable, symmetric, stable processes. *The Annals of Applied Probability* 3, 553–575.
- Ahlfors, L. (1979). *Complex Analysis* (3rd Ed. ed.). McGraw-Hill Book Co.
- Ahmed, L., R. León, and F. Proschan (1978). Generalized association with applications in multivariate statistics. Technical Report, Florida State University.
- Akahori, J. (1993). Some formulae for a new type of path-dependent option. Preprint, Tokio University.
- Akgirav, V. and G. Booth (1988). The stable-law model of stock returns. *J. Bus. Econ. Stat.* 6, 51–57.
- Akgiray, V. and C. Lamoureux (1989). Estimation of stable law parameters: a comparative study. *J. Bus. Econ. Stat.* 7, 85–93.
- Al-Khach, R. S. (1997). Espaces de Sobolev et régularité des temps locaux d’un processus strictement α -stable [Sobolev spaces and regularity of local times of a strictly α -stable process]. *C. R. Acad. Sci. Paris Sér. I Math.* 324(4), 447–452.
- Alam, K. and K. Saxena (1982). Positive dependence in multivariate distributions. *Comm. Statist.* A10, 1183–1186.
- Albin, J. (1992). On the general law of iterated logarithm with application to selfsimilar processes and to Gaussian processes in R^n and Hilbert space. *Stoch. Proc. and their Appl.* 41, 1–31.
- Aleškevičienė, A. K. (1990). On the maximum of sums of random variables and the supremum for stable processes. In *Probability theory and mathematical statistics, Vol. I (Vilnius, 1989)*, pp. 35–51. Vilnius: “Mokslas”.
- Amiri, M. V. and H. Amindavar (2005). A new maximum a posteriori cfar based on stability in sea clutter state-space model. *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP ’05)* 5, 601–604.
- Anantharam, V. (1995). On the sojourn time of sessions at an ATM buffer with long-range dependent input traffic. Preprint.
- Anderson, C. (2006). *The Long Tail: Why the Future of Business Is Selling Less of More*. NY, NY: Hyperion.

- Anderson, P. L. and M. M. Meerschaert (1997). Periodic moving averages of random variables with regularly varying tails. *Ann. Statist.* 25(2), 771–785.
- Anderson, T. W. (1971). *The Statistical Analysis of Time Series*. Wiley and Sons.
- Anderssen, R. S., S. A. Husain, and R. J. Loy (2004, August). The Kohlrausch function: properties and applications. *Australian New Zealand Industrial and Applied Mathematics Journal* 45(E), C800–C816.
- Andrews, B., M. Calder, and R. Davis (2007, Nov.). Maximum likelihood estimation for α -stable autoregressive processes. Preprint.
- Andrews, D. W. K. (2001). Testing when a parameter is on the boundary of the maintained hypothesis. *Econometrica* 69(3), 683–734.
- Andrews, S. (1986). Flicker noise: parameter estimation and data analysis. Master’s thesis, Cornell University. Masters thesis.
- Anorina, L. (1979a). A class of operator-stable distributions. *Limit theorems, random processes and their applications* 230, 22–35. In Russian.
- Anorina, L. (1979b). Some properties of operator-stable distributions. *Dokl. Akad. Nauk UzSSR* (12), 3–5. In Russian.
- Anorina, L. (1982). A property of operator-stable distributions. *Limit theorems for random processes and related problems* (190), 15–27. In Russian.
- Anorina, L. (1983). Domains of attraction of component-wise stable distributions. *Izv. Akad. Nauk UzSSR Ser. Fiz.-Mat. Nauk* (1), 9–14. In Russian.
- Antoniadis, A., A. Feuerverger, and P. Goncalves (2004, June). Wavelet based estimation for univariate stable laws. Preprint: online at <http://www-lmc.imag.fr/lmc-sms/Anestis.Antoniadis/publis/paulo.pdf>.
- Araujo, A. and E. Giné (1980). *The Central Limit Theorem for Real and Banach Valued Random Variables*. NY: Wiley.
- Arce, G. R. (2005). *Nonlinear Signal Processing*. Wiley, NY.
- Arkhipov, S. (1989). The density’s function asymptotic representation in the case of multidimensional strictly stable distributions. In V. Kalashnikov and V. Zolotarev (Eds.), *Lecture Notes in Math.*, Volume 1412, pp. 1–21. Springer.
- Arkhipov, S. (2003). Expansions of the density of a stable random vector in the case of discrete spectral measure. In Russian.
- Arnold, B. C. and P. L. Brockett (1992). On distributions whose component ratios are cauchy. *The American Statistician* 46, 25–26.
- Ashbaugh, M., B. S. Rajput, K. Rama-Murthy, and C. Sundberg (1990). Remarks on the positivity of densities of stable laws. Preprint.

- Asmussen, S., H. Schmidli, and V. Schmidt (1997). Tail probabilities for non-standard risk and queueing processes with subexponential jumps. *Advances in Applied Probability*, to appear.
- Astola, J. and Y. Neuvo (1992). Matched median filtering. *IEEE Trans. on Communication* 40(4), 722–729.
- Astrauskas, A. (1982). Stable self-similar fields. *Lithuanian Mathematical Journal* 22(3), 215–221. Translated from *Litovskii Matematicheskii Sbornik (Lieutuvos Matematikos Rinkinys)*.
- Astrauskas, A. (1983a). Limit theorems for quadratic forms of linear processes. *Lithuanian Mathematical Journal* 23(4), 355–361.
- Astrauskas, A. (1983b). Limit theorems for sums of linearly generated random variables. *Lithuanian Mathematical Journal* 23(2), 127–134. Translated from *Litovskii Matematicheskii Sbornik (Lieutuvos Matematikos Rinkinys)*.
- Astrauskas, A., J. Levy, and M. S. Taqqu (1991). The asymptotic dependence structure of the linear fractional Lévy motion. *Lietuvos Matematikos Rinkinys (Lithuanian Mathematical Journal)* 31(1), 1–28.
- Avram, F. (1987). Convergence to the gaussian distribution by graph methods. Preprint.
- Avram, F. (1989). Asymptotics of sums with dependent indices and convergence to the Gaussian distribution. Preprint.
- Avram, F. and L. Brown (1987). A generalized Holder inequality and a generalized Szego theorem. Preprint.
- Avram, F. and M. S. Taqqu (1986a). Different scaling for finite i.i.d. arrays. Preprint.
- Avram, F. and M. S. Taqqu (1986b). Symmetric polynomials of random variables attracted to an infinitely divisible law. *Probab. Th. Rel. Fields* 71, 491–500.
- Avram, F. and M. S. Taqqu (1986c). Weak convergence of moving averages with infinite variance. In E. Eberlein and M. S. Taqqu (Eds.), *Dependence in Probability and Statistics*, pp. 399–415. Boston: Birkhauser.
- Avram, F. and M. S. Taqqu (1987). Noncentral limit theorems and Appell polynomials. *The Annals of Probability* 15, 767–775.
- Avram, F. and M. S. Taqqu (1989). Probability bounds for M-Skorohod oscillations. *Stochastic Processes and their Applications* 33, 63–72.
- Avram, F. and M. S. Taqqu (1992). Weak convergence of sums of moving averages in the α -stable domain of attraction. *The Annals of Probability* 20, 483–503.

- Ayache, A., F. Roueff, and Y. Xiao (2007). Local and asymptotic properties of linear fractional stable sheets. *C. R. Math. Acad. Sci. Paris* 344(6), 389–394.
- Aysal, T. C. (2007). *Filtering and estimation theory first-order, polynomial and decentralized signal processing*. Ph. D. thesis, University of Delaware.
- Baccelli, F. and P. Brémaud (1994). *Elements of Queueing Theory. Palm–Martingale Calculus and Stochastic Recurrences*. Berlin: Springer–Verlag.
- Bachelier, L. (1900). Théorie de la spéculation. *Annales Scientifiques de l’Ecole Normale Supérieure III-17*, 21–86. Translated in *The random character of stock market prices*, Ed. P.H. Cootner, pp. 17–78, Cambridge, MIT Press, 1964.
- Badrikian, A. and S. Chevet (1974). Measures cylindriques, espaces de Wiener et fonctions aléatoires gaussiennes. In *Lecture Notes in Math.*, vol. 379, Berlin and New York. Springer-Verlag.
- Baeumer, B. and M. M. Meerschaert (2001). Stochastic solutions for fractional Cauchy problems. *Fract. Calc. Appl. Anal.* 4(4), 481–500.
- Baker, C. (1973). Zero-one laws for Gaussian measures on Banach spaces. *Transactions of the American Mathematical Society* 186, 291–308.
- Balkema, A. and L. de Haan (1988). Almost sure continuity of stable moving averages processes with index $\neq 1$. *The Annals of Probability* 16, 333–343.
- Banerjee, A., P. Burlina, and R. Chellappa (1999). Adaptive target detection in foliage-penetrating SAR images using alpha-stable models. *IEEE Transactions on Image Processing* 8(12), 1823–1831.
- Bardou, F., J.-P. Bouchaud, A. Aspect, and C. Cohen-Tannoudji (2002). *Lévy Statistics and Laser Cooling: How Rare Events Bring Atoms to Rest*. Cambridge: Cambridge Univ. Press.
- Barndorff-Nielsen, O. (1994). Gaussian Inverse Gaussian processes and the modelling of stock returns. Technical report, Aarhus University.
- Barndorff-Nielsen, O. E., T. Mikosch, and S. I. Resnick (2001). *Lévy Processes: Theory and Applications*. Boston: Birkhäuser.
- Bartels, R. (1977a). Estimation in a first order autoregressive scheme with non-normal stable disturbances. *Journal of Statistical Computation and Simulation* 6, 35–48.
- Bartels, R. (1977b). On the use of limit theorem arguments in economic statistics. *American Statistician* 31, 85–87.
- Bartels, R. (1978). Generating non-normal stable variables using limit theorem properties. *Journal of Statistical Computation and Simulation* 9, 199–212.

- Bartels, R. (1979). Fractiles for the non-symmetric stable distributions. *Journal of Statistical Computation and Simulation* 9, 127–132.
- Bartels, R. (1981). Truncation bounds for infinite expansions for the stable distributions. *Journal of Statistical Computation and Simulation* 12, 293–302.
- Bartels, R. and J. Goodhew (1981). The robustness of the durbin-watson test. *Review of Economics and Statistics* 63, 136–139.
- Bartle, R. (1956). A general bilinear vector integral. *Studia Math.* 15, 337–352.
- Barton, R. J. and H. V. Poor (1987). Signal detection in fractional Gaussian noise-part I: deterministic signals. Preprint.
- Basterfield, D., T. Bundt, and G. Murphy (2003). The stable Paretian hypothesis and the Asian currency crisis. Technical report, Oregon Graduate Institute.
- Basterfield, D., T. Bundt, and G. Murphy (2005a). Risk management and the Asian currency crisis: backtesting stable Paretian value-at-risk. Technical report, Hillsdale College, Department of Economics and Business Administration.
- Basterfield, D., T. Bundt, and G. Murphy (2005b). Unconditional stable distributions vs. GARCH: backtesting value at risk during the Asian currency crisis. Technical report, Hillsdale College, Department of Economics and Business Administration.
- Bawa, V. J., E. J. Elton, and M. J. Gruber (1979). Simple rules for portfolio selection in stable paretian markets. *Finance* 34(4), 1041–1047.
- Beaulieu, M., J.-M. Doufur, and L. Khalaf (2005, November). Exact multivariate tests of asset pricing models with stable asymmetric distributions. Preprint, BundesBank November 2005 Conference.
- Becker, R., J. Chambers, and A. Wilks (1988). *The New S Language*. Pacific Grove, Calif.: Wadsworth.
- Beirlant, J., P. Vynckier, and J. L. Teugels (1996). Tail index estimation, Pareto quantile plots and regression diagnostics. *JASA* 91, 1659–1667.
- Belkacem, L., J. L. Vhel, and C. Walter (2000). Capm, risk and portfolio selection in alpha-stable markets. *Fractals* 8, 99–115.
- Belkacemi, H. and S. Marcosa (2007). Robust subspace-based algorithms for joint angle/doppler estimation in non-gaussian clutter. *Signal Processing* 87(7), 1547–1558.

- Belyaev, K. (1961). Continuity and Hölder's conditions for sample functions of stationary gaussian processes. In *Proceedings 4th Berkeley Sympos. Math. Statist. and Prob.*, pp. 23–33. University of California Press. Volume 2.
- ben Avraham, D. and S. Havlin (2000). *Diffusion and Reactions in Fractals and Disordered Systems*. Cambridge: Cambridge Univ. Press.
- Bendler, J. T. (1984). Lévy (stable) probability densities and mechanical relaxation in solid polymers. *J. Statist. Phys.* 36(5-6), 625–637.
- Benson, D. A., R. Schumer, M. M. Meerschaert, and S. W. Wheatcraft (2001). Fractional dispersion, Lévy motion, and the MADE tracer tests. *Transp. Porous Media* 42(1-2), 211–240.
- Bentkus, V. and D. Surgailis (1981). On some classes of self-similar random fields. *Lithuanian Mat. Journal* 21(2), 53–66.
- Beran, J. (1986). *Estimation, testing and prediction for self-similar and related processes*. Ph. D. thesis, Swiss Federal Institute of Technology, Zurich, Zurich, Switzerland. ETH Nr. 8074.
- Beran, J. (1989). A test of location for data with slowly decaying serial correlations. *Biometrika* 76, 261–269.
- Beran, J. (1990). Recent developments in location estimation and regression for long-memory processes. Preprint.
- Beran, J. (1992). Statistical methods for data with long-range dependence. *Statistical Science* 7(4), 404–416. With discussions and rejoinder, pages 404–427.
- Beran, J. and H. Kunsch (1985). Location estimators for processes with long-range dependence. Preprint.
- Beran, J., R. Sherman, W. Willinger, and M. Taqqu (1995). Long-range dependence in variable-bit-rate video traffic. *IEEE Transactions on Communications* 43, 1566–1579.
- Bergh, C. (1986). The cube of a normal distribution is indeterminate. Preprint.
- Bergström, H. (1952). On some expansions of stable distributions. *Arkiv för Matematik* 2, 375–378.
- Berman, S. (1978). A new kind of tightness of probability measures and its applications to integral functionals of stochastic processes. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 42, 155–162.
- Berman, S. (1979). High level sojourns for strongly dependent Gaussian processes. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 50, 223–236.

- Berman, S. (1984). Sojourns of vector Gaussian processes inside and outside spheres. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 66, 529–542.
- Berman, S. (1986). The supremum of a process with stationary, independent and symmetric increments. *Stoch. Proc. Appl.* 23, 281–290.
- Berman, S. (1992). *Sojourns and Extremes of Stochastic Processes*. Pacific Grove, CA: Wadsworth and Brooks/Cole.
- Berman, S. M. (1973). Local nondeterminism and local times of Gaussian processes. *Bull. Amer. Math. Soc.* 79, 475–477.
- Berman, S. M. (1974). Local nondeterminism and local times of Gaussian processes. *Indiana Univ. Math. J.* 23, 69–94.
- Berman, S. M. (1983). Local nondeterminism and local times of general stochastic processes. *Ann. Inst. H. Poincaré Sect. B (N.S.)* 19(2), 189–207.
- Berman, S. M. (1987). Spectral conditions for local nondeterminism. *Stochastic Process. Appl.* 27(1), 73–84.
- Berman, S. M. (1991). Self-intersections and local nondeterminism of Gaussian processes. *Ann. Probab.* 19(1), 160–191.
- Berntsen, J. and T. O. Espelid (1992). Algorithm 706: DCUTRI: An algorithm for adaptive cubature over a collection of triangles. *ACM Trans. on Math. Software* 18, 329–342.
- Bertoin, J. (1996). *Lévy Processes*. Cambridge: Cambridge University Press.
- Bertoin, J. and R. Doney (1993). Some asymptotic results for transient random walks. Technical Report No. 93/1, Statistical Laboratory, Department of Mathematics, University of Manchester.
- Bhansali, R. (1993). Estimation of the impulse response coefficients of a linear process with infinite variance. *Journal of Multivariate Analysis* 45(2), 274–290.
- Bhattacharya, R., V. Gupta, and E. Waymire (1983). The Hurst effect under trends. *Journal Appl. Probab.* 20, 649–662.
- Bidarkota, P. V. and J. H. McCulloch (1998). Optimal univariate inflation forecasting with symmetric stable shocks. *Journal of Applied Econometrics* 13(5), 659–670.
- Billingsley, P. (1968). *Convergence of Probability Measures*. New York: Wiley.
- Billingsley, P. (1986). *Probability and Measure* (2nd ed.). New York: Wiley.
- Bingham, N., C. Goldie, and J. Teugels (1987). *Regular Variation*. Cambridge University Press.

- Bladt, M. (1992). Multivariate self-similar processes: second order theory. *Journal of Applied Probability*. To appear.
- Blattberg, R. and N. Gonedes (1974). A comparison of the stable and Student distributions as statistical models for stock prices. *Journal of Business* 47, 244–280.
- Blattberg, R. and T. Sargent (1971). *Econometrics* 39, 501–510.
- Bleher, P. (1981). Inversion of Toeplitz matrices. *Trans. Moscow Math. Soc.* 2, 201–229.
- Bleher, P. and J. Sinai (1973). Investigations of the critical point in models of the type of Dyson’s hierarchical model. *Commun. Math. Phys.* 33, 23–42.
- Blumenthal, R. M. and R. K. Gettoor (1968). *Markov processes and potential theory*. Academic Press.
- Boggs, J. M. (1991). Database for the first macrodispersion experiment (MADE-1). Technical Report EPRI EN-7363, Tennessee Valley Authority.
- Boggs, J. M. (1993). Database for the second macrodispersion experiment (MADE-2). Technical Report TR-102072, Tennessee Valley Authority.
- Boland, J., T. Hurd, M. Pivato, and L. Seco (2000). Measures of dependence for multivariate Lévy distributions. In *Disordered and Complex Systems*, Volume 553, London, pp. 289–295. American Institute of Physics.
- Boldyrev, S. and C. Gwinn (2003). Scintillations and Lévy flights through the interstellar medium. *Phys. Rev. Lett.* 91, 131101.
- Bollerslev, T. (1986). Generalized autoregressive conditional heteroskedasticity. *Journal of Econometrics* 31, 307–327.
- Bollerslev, T., R. Chow, and K. Kroner (1992). ARCH modeling in Finance: a review of the theory and empirical evidence. *Journal of Econometrics* 52, 5–59.
- Borak, S., W. Härdle, and R. Weron (2005). Stable distributions. In *Statistical tools for finance and insurance*, pp. 21–44. Berlin: Springer.
- Borell, C. (1984). On polynomial chaos and integrability. *Prob. and Math. Stat.* 3, 191–203.
- Box, G. and G. Jenkins (1976). *Time Series Analysis Forecasting and Control* (Second ed.). San Francisco: Holden-Day.
- Boxma, O. (1996). Regular variation in a multi-source fluid queue. Technical Report BS-R9614, CWI.

- Boxma, O. and V. Dumas (1996). Fluid queues with long-tailed activity period distributions. To appear in a Special Issue of *Stochastic Analysis and Optimization of Communication Systems*.
- Bradley, R. (1986). Basic properties of strong mixing conditions. In E. Eberlein and M. Taquq (Eds.), *Dependence in Probability and Statistics*, pp. 165–192. Birkhäuser.
- Bradley, R. (1990). On ρ -mixing except on small sets. *Pac. J. Math.* 146(2), 217–226.
- Bradley, R. and M. Peligrad (1986). Invariance principles under a 2 part mixing assumption. *Stoch. Proc. Appl.* 22(2), 271–289.
- Brant, R. (1984). Approximate likelihood and probability calculations based on transforms. *Ann. Stat* 12, 989–1005.
- Braverman, M. and G. Samorodnitsky (1995). Functionals of infinitely divisible stochastic processes with exponential tails. *Stoch. Proc. Appl.* 56, 207–231.
- Brcich, R. F., D. R. Iskander, and A. M. Zoubir (2003). The stability test for symmetric alpha stable distributions. Unpublished.
- Breiman, L. (1968). *Probability*. Redding, Mass.: Addison-Wesley.
- Breiman, L. (1992). *Probability*. Philadelphia: SIAM. Reprint of original 1968 edition.
- Brent, R. P. (1971). An algorithm with guaranteed convergence for finding a zero of a function. *Comput. J.* 14, 422–425.
- Bretagnolle, J., D. Dacunha-Castelle, and J. Krivine (1966). Lois stables et espaces L^p . *Ann. Inst. Henri Poincaré* 2, 231–259. Section B.
- Breuer, P. and P. Major (1983). Central limit theorems for non-linear functionals of Gaussian fields. *Journal of Multivariate Analysis* 13, 425–441.
- Brichet, F., J. Roberts, A. Simonian, and D. Veitch (1996). Heavy traffic analysis of a storage model with long range dependent on/off sources. Preprint.
- Brieman, L. (1968). A delicate LIL for non-decreasing stable processes. *Ann Math Stat* 39(6), 1818–1824.
- Brillinger, D. (1972). On the number of solutions of systems of random equations. *Ann. Math. Stat.* 43, 534–540.
- Brindley, J. and J. Thompson (1972). Dependence and aging aspects of multivariate survival. *J. Amer. Statist. Assoc.* 67, 821–829.
- Brockmann, D., L. Hufnagel, and T. Geisel (2006). The scaling laws of human travel. *Nature* 439, 462–465.

- Brockwell, P. and R. Davis (1987). *Time Series: Theory and Methods*. New York: Springer-Verlag.
- Brockwell, P. and R. Davis (1991). *Time Series: Theory and Methods* (Second ed.). New York: Springer-Verlag.
- Brorsen, B. W. and S. R. Yang (1990). Maximum likelihood estimates of symmetric stable distribution parameters. *Commun. Stat. Simula.* 19, 1459–1464.
- Brothers, K. M., W. H. DuMouchel, and A. S. Paulson (1983). Fractiles of the stable laws. Technical report, Rensselaer Polytechnic Institute, Troy, NY.
- Brown, B. M. (1970). Characteristic functions, moments and the central limit theorem. *Ann. Math. Stat.* 41, 658–664.
- Brown, B. M. and T. P. Hettmansperger (1996). Normal scores, normal plots and tests for normality. *JASA* 91, 1668–1675.
- Brown, G. W. and J. W. Tukey (1946). Some distribution of sample means. *Ann. Math. Stat.* 17, 1–12.
- Brown, L. and Y. Rinott (1988). Inequalities for multivariate infinitely divisible processes. *The Annals of Probability* 16, 642–657.
- Brown, R. J. (2000). *Return distributions of private real estate investment*. Ph. D. thesis, University of Pennsylvania.
- Brown, R. J. (2004). Risk and private real estate investments. *J. of Real Estate Portfolio Management* 10(2), 113–127.
- Brown, R. J. (2005). *Private Real Estate Investment : Data Analysis and Decision Making*. Academic Press/Elsevier.
- Buckle, D. J. (1993). *Stable distributions and portfolio analysis: A Bayesian approach via MCMC*. Ph. D. thesis, Imperial College, London.
- Buckle, D. J. (1995). Bayesian inference for stable distributions. *JASA* 90, 605–613.
- Burke, M. D., M. Csörgő, S. Csörgő, and P. Révész (1979). Approximations of the empirical process when parameters are estimated. *Ann. Probab.* 7(5), 790–810.
- Burton, R. and E. Waymire (1984). Scaling limits for point random fields. *Journal of Multivariate Analysis* 15, 237–251.
- Burton, R. and E. Waymire (1985). Scaling limits for associated random measures. *Annals of Probability* 13, 1267–1278.
- Byczkowska, H. and T. Byczkowski (1981). A generalization of the zero-one law for Gaussian measures on metric Abelian groups. *Bull. l'Acad. Polon. Sc., Sér. Math.* 29, 187–191.

- Byczkowska, H. and T. Byczkowski (1988). Zero-one law for subgroups of paths of group-valued stochastic processes. *Studia Math.* 89, 65–73.
- Byczkowski, T. (1977a). Gaussian measures on L_p spaces, $0 \leq p < \infty$. *Studia Math.* 59, 249–261.
- Byczkowski, T. (1977b). Some results concerning Gaussian measures on metric spaces. *Lect. Notes Math.* 656, 1–16.
- Byczkowski, T. (1978). Gaussian measures on metric Abelian groups. in probability measures on groups. proc. oberwolfach. *Lect. Notes Math.* 706, 41–53.
- Byczkowski, T. (1980). Zero-one laws for Gaussian measures on metric Abelian groups. *Studia Math.* 69, 159–189.
- Byczkowski, T. and A. Hulanicki (1983). Gaussian measure of normal subgroups. *The Annals of Probability* 11, 685–691.
- Byczkowski, T., J. P. Nolan, and B. Rajput (1993). Approximation of multidimensional stable densities. *J. Multivar. Anal.* 46, 13–31.
- Byczkowski, T. and B. Rajput (1993). Zero-one laws for semigroups of measures on groups. In S. Cambanis, J. Ghosh, R. Karandikar, and P. Sen (Eds.), *Chaos Expansions, Stochastic Processes, A Festschrift in Honour of Gopinath Kallianpur*, pp. 23–30. Springer Verlag.
- Čačko, J., M. Bílý, and J. Bukovec (1988). *Random Processes: Measurement, Analysis and Simulation*. Amsterdam: Elsevier.
- Calder, M. (1998). *Parameter estimation for noncausal and heavy tailed autoregressive processes*. Ph. D. thesis, Colorado State.
- Cambanis, S., and B. Rajput (1973). Some zero-one laws for Gaussian processes. *The Annals of Probability* 1, 304–312.
- Cambanis, S. (1983). Complex symmetric stable variables and processes. In P. Sen (Ed.), *Contribution to Statistics, Essays in Honor of Norman L. Johnson*, pp. 63–79. North-Holland.
- Cambanis, S. (1984). Similarities and contrasts between Gaussian and other stable signals. In P. Butzer (Ed.), *Fifth Aachen Colloquium on Mathematical Methods in Signal Processing*, Aachen, pp. 113–120. Technische Hochschule Aachen.
- Cambanis, S. (1988). Admissible translates of stable processes: A survey and some new results. Preprint, *Center for Stochastic Processes*, Tech. Report, No. 235.
- Cambanis, S., C. Hardin, Jr., and A. Weron (1984). Ergodic properties of stationary stable processes. Technical Report 59, Center for Stoch. Proc., University of North Carolina, Chapel Hill.

- Cambanis, S., C. Hardin, Jr., and A. Weron (1987). Ergodic properties of stationary stable processes. *Stochastic Proc. Appl.* 24, 1–18.
- Cambanis, S., C. Hardin, Jr., and A. Weron (1988). Innovations and Wold decompositions of stable sequences. *Probab. Th. Rel. Fields* 79, 1–27.
- Cambanis, S. and C. Houdré (1990). Moving averages vs Fourier transforms. Preprint, *Center for Stoch. Proc.* Tech. Report No. 296.
- Cambanis, S., R. Keener, and G. Simons (1983). On α -symmetric multivariate distributions. *J. Multivar. Anal.* 13, 213–233.
- Cambanis, S. and N. Kôno (1976). Convergence en loi et lois du logarithme itéré pour les vecteurs gaussiens. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 36, 241–267.
- Cambanis, S. and M. Maejima (1989). Two classes of self-similar stable processes with stationary increments. *Stoch. Proc. Appl.* 32, 305–329.
- Cambanis, S., M. Maejima, and G. Samorodnitsky (1990). Characterization of linear and harmonizable fractional stable motions. Preprint.
- Cambanis, S. and E. Masry (1991). Wavelet approximation of deterministic and random signals: Convergence properties and rates. Technical Report 352, Center for Stochastic Processes, Univ. of North Carolina.
- Cambanis, S. and G. Miller (1980). Some path properties of pth order and stable processes. *Ann. Prob.* 6, 1148–1156.
- Cambanis, S. and G. Miller (1981). Linear problems in pth order and symmetric stable processes. *SIAM J. Appl. Math.* 41, 43–69.
- Cambanis, S., J. Nolan, and J. Rosiński (1990). On the oscillation of infinitely divisible processes. *Stochastic Proc. Appl.* 35, 87–97.
- Cambanis, S., J. Rosiński, and W. Woyczynski (1985). Convergence of quadratic forms in p-stable random variables and θ_p -radonifying operators. *Ann. Prob.* 13, 885–897.
- Cambanis, S., G. Samorodnitsky, and M. Taqqu (Eds.) (1991). *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*. Boston: Birkhäuser.
- Cambanis, S. and A. R. Soltani (1984). Prediction of stable processes: Spectral and moving average representation. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 66, 593–612.
- Cambanis, S. and A. Taraporevala (1995). Infinitely divisible processes with stable marginals. Unpublished manuscript, UNC Dept. of Statistics.
- Cambanis, S. and W. Wu (1992). Multiple regression on stable vectors. *Journal of Multivariate Analysis* 41, 243–272.

- Cameron, R. and R. Graves (1951). Additive functionals on a space of continuous functions. *Transactions of the American Mathematical Society* 70, 160–176.
- Cameron, R. and W. Martin (1947). The orthogonal development of nonlinear functionals in series of Fourier-Hermite functionals. *Ann. Math.* 48, 385–389.
- Carasso, A. S. (2002). The APEX method in image sharpening and the use of low exponent Lévy stable laws. *SIAM J. Appl. Math.* 63, 593 – 618.
- Carasso, A. S. (2006). APEX blind deconvolution of color hubble space telescope imagery and other astronomical data. *Optical Engineering* 45, 107004.
- Carlson, R. E. and F. N. Fritsch (1991). A bivariate interpolation algorithm for data that are monotone in one variable. *SIAM J. Sci. Statist. Comput.* 12(4), 859–866.
- Carr, P. and L. Wu (2003). Finite moment log stable process and option pricing. *Journal of Finance* 58(2), 753–777.
- Cartea, Á. and S. Howison (2003, August). Distinguished limits of Lévy-stable processes, and applications to option pricing. Preprint available online at http://www.ems.bbk.ac.uk/faculty/cartea/index_html.
- Cartea, Á. and S. Howison (2007, September). Option pricing with Lévy-stable processes generated by Lévy-stable integrated variance. Preprint available online at http://www.ems.bbk.ac.uk/faculty/cartea/index_html.
- Cartier, P. (1971). Introduction à l'étude des mouvements browniens à plusieurs paramètres. In *Séminaire de Probabilités V*, pp. 58–75. New York: Springer Verlag. Lecture Notes in Mathematics, Vol. 191.
- Casella, G. and R. Berger (1990). *Statistical Inference*. Wadsworth and Brooks/Cole.
- Cassandro, M. and G. Jona-Lasinio (1978). Critical point behavior and probability theory. *Adv. in Physics* 27, 913–941.
- Cauchy, A. (1853). Sur les résultats les plus probables. *Comptes Rendus Acad. Sci. Paris* 37, 198–206.
- Chambers, J., C. Mallows, and B. Stuck (1976). A method for simulating stable random variables. *Journal of the American Statistical Association* 71(354), 340–344. Correction in *JASA* 82 (1987), 704.
- Chekhmenok, S. L. (2003). On the calculation of the density and distribution function of the probabilities of strictly symmetric stable random variables. *Vestn. Beloruss. Gos. Univ. Ser. 1 Fiz. Mat. Inform.* (3), 95–98, 110.
- Chen, R. and L. Shepp (1983). On the sum of symmetric random variables. *Amer. Statist.* 37, 237.

- Chen, Z.-G. and E. Hannan (1980). The distribution of the periodogram ordinates. *Journal of Time Series Analysis* 1, 73–82.
- Cheng, B. and P. Robinson (1991). Density estimation in strongly dependent non-linear time-series. *Statistica Sinica* 1, 335–359.
- Cheng, B. and P. Robinson (1992). Semiparametric estimation of time series with strong dependence. Preprint.
- Cheng, B. N. and S. T. Rachev (1995). Multivariate stable securities in financial markets. *Math. Finance* 5, 133–153.
- Cheng, R. C. H. and W. B. Liu (1997). A continuous representation of the family of stable law distributions. *Journal of the Royal Statistical Society B* 59(1), 137–145.
- Chentsov, N. (1957). Lévy’s Brownian motion of several parameters and generalized white noise. *Theory Probabl. Appl.* 2, 265–266.
- Chi, M., E. Neal, and G. Young (1973). Practical application of fractional Brownian motion and noise to synthetic hydrology. *Water Resour. Res.* 9, 1523–1533.
- Chihara, T. (1968). On indeterminate Hamburger moment problems. *Pacific Journal of Mathematics* 27(3), 475–484.
- Chistyakov, V. (1964). A theorem on sums of independent random variables and its applications to branching random processes. *Theory of Probability and its Applications* 9, 640–648.
- Chitre, M. A., J. R. Potter, and S. Ong (2004, November). Underwater acoustic channel characterisation for medium-range shallow water communications. In *Oceans 2004 Conference*, Japan. MTS/IEEE.
- Chitre, M. A., J. R. Potter, and S. Ong (2005). Performance of coded ofdm in very shallow water channels and snapping shrimp noise. In *Oceans 2005 Conference*, Washington, DC. MTS/IEEE.
- Chitre, M. A., J. R. Potter, and S. Ong (2006). Optimal and near-optimal signal detection in snapping shrimp dominated ambient noise. *IEEE J. of Oceanic Engineering* 31(2), 497–503.
- Chitre, M. A., J. R. Potter, and S. Ong (2007). Viterbi decoding of convolutional codes in symmetric alpha-stable noise. *IEEE Trans. on Communications* 55(12), 2230–2233.
- Choquet-Bruhat, Y. (1967). *Problems and solutions in mathematical physics*. San Francisco: Holden-Day.
- Choudhury, G. L. and W. Whitt (1995). Long-tail buffer-content distributions in broadband networks. Preprint.

- Chover, J., P. Ney, and S. Wainger (1973a). Degeneracy properties of subcritical branching processes. *The Annals of Probability* 1, 663–673.
- Chover, J., P. Ney, and S. Wainger (1973b). Functions of probability measures. *J. Analyse Math.* 26, 255–302.
- Chow, Y. and H. Teicher (1988). *Probability Theory: Independence, Interchangeability, Martingales* (2nd ed.). New York: Springer Verlag.
- Christoph, G. and W. Wolf (1992). *Convergence Theorems with a Stable Limit Law*. Berlin: Akademie Verlag.
- Chu, L. (1990). Bandwidth selection for nonparametric regression with long memory noise. Preprint.
- Chui, C. (1992). *An Introduction to Wavelets*. Academic Press, Boston.
- Chung, K. (1974). *A Course in Probability Theory* (2nd ed.). New York: Academic Press.
- Chung, K. and W. Fuchs (1951). On the distribution of values of sums of random variables. *Mem. Amer. Math. Soc.* 6.
- Chung, M., B. Rajput, and A. Torrat (1982). Semistable laws on topological vector spaces. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 60, 209–218.
- Cioczek-Georges, R., M. M. Mandelbrot, G. Samorodnitsky, and M. S. Taqu (1995). Stable fractal class of pulses: the cylindrical case. *Bernoulli* 1, 201–216.
- Cioczek-Georges, R. and M. Taqu (1993). Form of the conditional variance for symmetric stable random variables. Preprint.
- Cioczek-Georges, R. and M. Taqu (1994). How do conditional moments of stable vectors depend on the spectral measure? *Stoch. Proc. Appl.* 54, 95–112.
- Cioczek-Georges, R. and M. Taqu (1995). Necessary conditions for the existence of conditional moments of stable random variables. *Stoch. Proc. Appl.* 56, 233–246.
- Cioczek-Georges, R. and M. S. Taqu (1992). Does asymptotic linearity of the regression extend to stable domains of attraction? Preprint.
- ckauskas, A. R. (1980). A family of stable measures in some Banach spaces. *Lietuvos Matem. Rikninys* 20, 133–145.
- Cline, D. (1983a). *Estimation and linear prediction for regression, autoregression and ARMA with infinite variance data*. Ph. D. thesis, Colorado State University.

- Cline, D. (1983b). Infinite series of random variables with regularly varying tails. Technical Report 83-24, Insitutute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, B.C.
- Cline, D. (1985). Linear prediction of ARMA processes with infinite variance. *Stochastic Processes and their Applications* 19, 281-296.
- Cline, D. (1986). Convolutions tails, product tails and domain of attraction. *Probab. Theory Rel. Fields* 72, 529-557.
- Cline, D. (1987). Convolutions of distributions with exponential and subexponential tails. *J. Austral. Math. Soc.* 43, 347-365. (Series A).
- Cline, D. (1989). Consistency for least squares regression estimators with infinite variance. *J. Stat. Plan. Infer.* 23, 163-179.
- Cline, D. (1994). Intermediate regular and π variation. *Proceedings of London Mathematical Society* 68, 594-616.
- Cline, D. and P. Brockwell (1985). Linear prediction of ARMA processes with infinite variance. *Stochastic Processes and their Applications* 19, 281-296.
- Cline, D. and T. Hsing (1991). Large deviation probabilities for sums and maxima of random variables with heavy or subexponential tails. Preprint, Texas A&M University.
- Cline, D. and G. Samorodnitsky (1994). Subexponentiality of the product of independent random variables. *Stochastic Processes and Their Applications* 49, 75-98.
- Cohen, J. (1974). Superimposed renewal processes and storage with gradual input. *Stochastic Processes and Their Applications* 2, 31-58.
- Cohen, J., S. Resnick, and G. Samorodnitsky (1997). Sample correlations of infinite variance time series models: An empirical and theoretical study. Technical report. Avaliable as ht-cor.ps at <http://www.orie.cornell.edu/genady/techreports>.
- Cohen, J., S. Resnick, and G. Samorodnitsky (1998). Sample correlations of infinite variance time series models: an empirical and theoretical study. *J. Appl. Math. Stochastic Anal.* 11(3), 255-282.
- Cohn, D. (1972). Measurable choice of limit points and the existence of separable and measurable processes. *Z. Wahr. verw. Geb.* 22, 161-165.
- Cools, R., T. O. Espelid, and J. Berntsen (1993). DCUTET: An algorithm for adaptive cubature over a collection of tetrahedrons. To appear in ACM Trans. on Math. Softw.

- Cormode, G. (2003). Stable distributions for stream computations: it's as easy as 0, 1, 2. In *Proceedings of Workshop on Management and Processing of Data Streams (MPDS)*.
- Cormode, G., M. Datar, P. Indyk, and S. Muthukrishnan (2002). Comparing data streams using hamming norms (How to zero in). In *Proceedings of the 28th DLDB Conference, Hong Kong*.
- Cormode, G. and S. Muthukrishnan (2003). Estimating dominance norms of multiple data streams. In *Proceedings of European Symposium on Algorithms*.
- Cornfeld, I., S. Fomin, and Y. G. Sinai (1982). *Ergodic Theory*. Springer-Verlag.
- Cox, D. (1981). Statistical analysis of time series: some recent developments. *Scand. J. Statist.* 8, 93–115.
- Cox, D. (1984). Long-range dependence: a review. In H. David and H. David (Eds.), *Statistics: An Appraisal*, pp. 55–74. Iowa State University Press.
- Cramér, H. (1962). On the approximation to a stable probability distribution. In *Studies in mathematical analysis and related topics*, pp. 70–76. Stanford, Calif.: Stanford Univ. Press.
- Cramér, H. (1963). On asymptotic expansions for sums of independent random variables with a limiting stable distribution. *Sankhyā Ser. A* 25 (1963), 13-24; *addendum, ibid.* 25, 216.
- Cramér, H. and M. Leadbetter (1967). *Stationary and Related Stochastic Processes*. New York: Wiley.
- Cressie, N. (1975). A note on the behavior of stable distributions for small index α . *Z. Wahr. verw. Gebiete* 33, 61–64.
- Crovella, M. and A. Bestavros (1995). Explaining world wide web traffic self-similarity. Preprint available as TR-95-015 from Boston University.
- Crovella, M. and A. Bestavros (1996). Self-similarity in World Wide Web traffic: evidence and possible causes. *Performance Evaluation Review* 24, 160–169.
- Crovella, M., A. Bestavros, and M. Taqqu (1996). Heavy-tailed probability distributions in the world wide web. Preprint.
- Crovella, M. E. and L. Lipsky (1997). Long-lasting transient conditions in simulations with heavy-tailed workloads. In S. Andradottir, K. J. Healy, D. H. Withers, and B. L. Nelson (Eds.), *Proceedings of the 1997 Winter Simulation Conference*. ACM.
- Csorgo, M. (1981). Limit behavior of the empirical characteristic function. *Annals of Probability* 9, 130–144.

- Csörgő, S. (1981a). The empirical characteristic process when parameters are estimated. In *Contributions to probability*, pp. 215–230. New York: Academic Press.
- Csörgő, S. (1981b). Limit behaviour of the empirical characteristic function. *Ann. Probab.* 9(1), 130–144.
- Csörgő, S. (1981c). Multivariate characteristic functions and tail behaviour. *Z. Wahrsch. Verw. Gebiete* 55(2), 197–202.
- Csörgő, S. (1981d). Multivariate empirical characteristic functions. *Z. Wahrsch. Verw. Gebiete* 55(2), 203–229.
- Csörgő, S. (1984). Adaptive estimation of the parameters of stable laws. In *Limit theorems in probability and statistics, Vol. I, II (Veszprém, 1982)*, Volume 36 of *Colloq. Math. Soc. János Bolyai*, pp. 305–367. Amsterdam: North-Holland.
- Csörgő, S. (1987). Testing for stability. In *Goodness-of-fit (Debrecen, 1984)*, Volume 45 of *Colloq. Math. Soc. János Bolyai*, pp. 101–132. Amsterdam: North-Holland.
- Csörgő, S., E. Haeusler, and D. M. Mason (1988). A probabilistic approach to the asymptotic distribution of sums of independent, identically distributed random variables. *Adv. in Appl. Math.* 9(3), 259–333.
- Csörgő, S. and C. R. Heathcote (1987). Testing for symmetry. *Biometrika* 74(1), 177–184.
- Csörgő, S., L. Horváth, and D. M. Mason (1986). What portion of the sample makes a partial sum asymptotically stable or normal? *Probab. Theory Relat. Fields* 72(1), 1–16.
- Csörgő, S. and D. M. Mason (1986). The asymptotic distribution of sums of extreme values from a regularly varying distribution. *Ann. Probab.* 14(3), 974–983.
- Csörgő, T., S. Hegyi, and W. A. Zajc (2004). Bose-Einstein correlations for Lévy stable source distributions. *European Physics J. C* 36, 67 – 78.
- Cunha, A. Bestavros, and M. Crovella (1995). Characteristics of www client-based traces. Preprint available as BU-CS-95-010, Boston University.
- Cuzick, J. (1978). Local nondeterminism and the zeros of Gaussian processes. *Ann. Probability* 6(1), 72–84.
- Cuzick, J. (1987). Correction: “Local nondeterminism and the zeros of Gaussian processes” [*Ann. Probab.* 6 (1978), no. 1, 72–84; MR0488252 (58 #7813)]. *Ann. Probab.* 15(3), 1229.
- Dabrowski, A. and A. Jakubowski (1993). Stable limits for associated random variables. *The Annals of Probability*. To appear.

- D'Agostino, R. B. and M. A. Stephens (1986). *Goodness-of-Fit Techniques*. Marcel Dekker.
- Dahlhaus, R. (1989). Efficient parameter estimation for self similar processes. *Ann. Stat.* 17(4), 1749–1766.
- Dahlhaus, R. (1992). Efficient location and regression estimation for long range dependent regression models. Preprint.
- Daley, D. (1971). The definition of a multidimensional generalization of shot noise. *Journal of Applied Probab.* 8, 128–135.
- Dance, C. R. and E. E. Kuruoğlu (1999). Estimation of the parameters of skewed α -stable distributions. In J. P. Nolan and A. Swami (Eds.), *Proceedings of the ASA-IMS Conference on Heavy Tailed Distributions*.
- Dassios, A. (1995). The distribution of the quantiles of a Brownian motion with drift and the pricing of path-dependent options. *Annals of Applied Probability* 5, 389–398.
- Dassios, A. (1996). Sample quantiles of stochastic processes with stationary and independent increments and of sums of exchangeable random variables. *Annals of Applied Probability* 6, 1041–1043.
- Daubechies, I. (1992). *Ten Lectures on Wavelets*. SIAM Philadelphia. CBMS-NSF series, Volume 61.
- Davis, R. (1983). Stable limits for partial sums of dependent random variables. *The Annals of Probability* 11, 262–269.
- Davis, R., J. Marengo, and S. Resnick (1985). Extremal properties of a class of multivariate moving averages. In *Proceedings of the 45th session of the International Statistical Institute, Vol. 4 (Amsterdam, 1985)*, Volume 51, pp. 185–192.
- Davis, R. and T. Mikosch (1997a). The maximum of the periodogram of a non-gaussian sequence. Preprint.
- Davis, R. and T. Mikosch (1997b). The sample autocorrelations of heavy-tailed stationary processes with applications to arch. *Annals of Statistics*, to appear.
- Davis, R. and S. Resnick (1984). Tail estimates motivated by extreme value theory. *Ann. Statist.* 12, 1467–1487.
- Davis, R. and S. Resnick (1985a). Limit theory for moving averages of random variables with regularly varying tail probabilities. *The Annals of Probability* 13(1), 179–195.
- Davis, R. and S. Resnick (1985b). Limit theory for moving averages of random variables with regularly varying tail probabilities. *Ann. Probab.* 13(1), 179–195.

- Davis, R. and S. Resnick (1985c). More limit theory for the sample correlation function of moving averages. *Stochastic Processes and the Applications* 20, 257–279.
- Davis, R. and S. Resnick (1985d). More limit theory for the sample correlation function of moving averages. *Stochastic Process. Appl.* 20(2), 257–279.
- Davis, R. and S. Resnick (1986a). Limit theory for the sample correlation function of moving averages. In *Dependence in probability and statistics (Oberwolfach, 1985)*, Volume 11 of *Progr. Probab. Statist.*, pp. 417–426. Boston, MA: Birkhäuser Boston.
- Davis, R. and S. Resnick (1986b). Limit theory for the sample covariance and correlation functions of moving averages. *Annals of Statistics* 14, 533–558.
- Davis, R. and S. Resnick (1986c). Limit theory for the sample covariance and correlation functions of moving averages. *Ann. Statist.* 14(2), 533–558.
- Davis, R. and S. Resnick (1996). Limit theory for bilinear processes with heavy-tailed noise. *Annals of Applied Probability* 6, 1191–1210.
- Davydov, Y., I. Molchanov, and S. Zuyev (2005). Strictly stable distributions on convex cones. <http://www.arXiv.org/abs/math.PR/0512196>.
- Davydov, Y. and A. Nagaev (1999). On the approach to simulation of a symmetric stable vector based on discretization of the spectral measure. Publ. IRMA, Lille, 50 XII, 1-14.
- Davydov, Y. and A. Nagaev (2002a). Limit theorems and simulation of stable random vectors. In I. Berkes, E. Csáki, and M. Csörgő (Eds.), *Limit Theorems in Probability and Statistics, Balatonelelle, 1999*, Volume 1, pp. 495–519. János Bolyai Mathematical Society, Budapest.
- Davydov, Y. and A. Nagaev (2002b). On two approaches to approximation of multidimensional stable laws. *J. Multivariate Analysis* 82(1), 210–239.
- Davydov, Y. and A. Nagaev (2004). On the role played by extreme summands when a sum of i.i.d. random vectors is asymptotically α -stable. to appear in *J. Appl. Prob.* 41, 2.
- Davydov, Y. A. (1970). The invariance principle for stationary processes. *Theor. Probability Appl.* 15, 487–498.
- Davydov, Y. A. and V. Paulauskas (1999). On the estimation of the parameters of multivariate stable distributions. *Acta Applicandae Mathematicae* 58, 107–124.
- Dawson, D. and H. Salehi (1980). Spatially homogeneous random evolutions. *Journal of Multivariate Analysis* 10, 141–180.

- de Acosta, A. (1975). Stable measures and seminorms. *The Annals of Probability* 3, 865–875.
- de Acosta, A. (1976). Quadratic zero-one laws for Gaussian measures and the distribution of quadratic forms. *Proceedings of the American Mathematical Society* 54, 319–325.
- de Acosta, A. (1977). Asymptotic behavior of stable measures. *The Annals of Probability* 5, 494–499.
- de Acosta, A. (1980). Exponential moments of vector-valued random series and triangular arrays. *Ann. Prob.* 8, 381–389.
- de Boor, C. (1978). *A Practical Guide to Splines*. New York: Springer-Verlag.
- de Haan, L. (1970). *On Regular Variation and its Application to the Weak Convergence of Sample Extremes*. Mathematisch Centrum Amsterdam.
- de Haan, L. (1978). A characterization of multidimensional extreme-value distributions. *Sankhya Ser. A* 40, 85–88.
- de Haan, L., D. Li, L. Peng, and H. I. Pereira (2002). Alternative conditions for attraction to stable vectors. *Probability and Mathematical Statistics* 22, 303–317.
- de Haan, L. and L. Peng (1999). Exact rates of convergence to a stable law. *J. London Math. Soc. (2)* 59, 1134–1152.
- de Haan, L. and S. Resnick (1998). On asymptotic normality of the Hill estimator. *Stochastic Models* 14(4), 849–866.
- de Haan, L., S. Resnick, H. Rootzén, and C. de Vries (1989). Extremal behaviour of solutions to a stochastic difference equation with application to arch processes. *Stochastic Processes and Their Applications* 32, 213–224.
- de la Pena, V. and S. Montgomery-Smith (1995). Decoupling inequalities for the tail probabilities of multivariate U -statistics. *Annals of Probability* 23, 817–851.
- De Vany, A. (2003). *Hollywood Economics: How extreme uncertainty shapes the film industry*. Routledge.
- De Vany, A. (2006). Steroids, home runs and the law of genius. Online at <http://www.arthurdevany.com/research.html>; to appear in *Economic Inquiry*.
- De Vany, A. and W. D. Walls (1999). Uncertainty in the movie industry: Does star power reduce the terror of the box office? *Journal of Cultural Economics* 23(4), 285–318.
- De Vany, A. and W. D. Walls (2004). Motion picture profit, the stable Paretian hypothesis, and the curse of the superstar. *Journal of Economic Dynamics and Control* 28, 2035–2057.

- Dehling, H., M. Denker, and W. Philipp (1984). Invariance principles for von Mises and U-statistics. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 67, 139–167.
- Dehling, H. and M. Taqqu (1991). Bivariate symmetric statistics of long-range dependent observations. *Journal of Statistical Planning and Inference* 28, 153–165.
- Dehling, H. and M. S. Taqqu (1987). The limit behavior of empirical processes and symmetric statistics for stationary processes. In *Bulletin of the International Statistical Institute*, Tokyo, pp. Book 4, 217–234. Proceedings of the 46th Session of the International Statistical Institute. 52.
- Dehling, H. and M. S. Taqqu (1989a). The empirical process of some long-range dependent sequences with an application to U-statistics. Preprint. To appear in the *Annals of Statistics*.
- Dehling, H. and M. S. Taqqu (1989b). The functional law of the iterated logarithm for the empirical process of some long-range dependent sequences. *Statistics and Probability Letters* 7, 81–85.
- Dekkers, A. and L. de Haan (1993). Optimal choice of sample fraction in extreme-value estimation. *Journal of Multivariate Analysis*.
- Dekkers, A., J. Einmahl, and L. de Haan (1989). A moment estimator for the index of an extreme-value distribution. *Annals of Statistics* 17, 1833–1855.
- Dembo, A., E. Mayer-Wolf, and O. Zeitouni (1995). Exact behavior of Gaussian seminorms. *Stat. Probab. Lett.* 23, 275–280.
- Dembo, A. and O. Zeitouni (1993). *Large Deviations Techniques and Applications*. Boston: Jones and Bartlett Publishers.
- Deo, R. (2000). On estimation and testing goodness of fit for m -dependent stable sequences. *J. of Econometrics* 99(2), 349–372.
- Der, R. (2003). Stable symmetric distributions and their role in the signal separation problem. Technical report, Telecommunications and Signal Processing Laboratory, McGill University.
- Desbiens, J. (1987). Caractérisation d’un espace préhilbertien au moyen de la relation d’orthogonalité de birkhoff-james. In J. Dubois and G. Isac (Eds.), *Les Annales des Sciences Mathématiques du Québec*, pp. 295–303. Groupe des chercheurs en sciences mathématiques.
- DeSilva, B. M. (1978). A class of multivariate symmetric stable distributions. *J. Multivariate Analysis* 8, 335–345.
- DeSilva, B. M. (1979). The quotient of certain stable random variables. *Sankhya Series B* 40, 279–281.

- d'Estampes, L., B. Garel, and D. Tjøstheim (2002). On a new measure of covariation for stable random variables. preprint.
- Devroye, L. (1986). *Non-Uniform Random Variate Generation*. N. Y.: Springer Verlag.
- Devroye, L. (1993). A triptych of discrete distributions related to the stable law. *Statist. Probab. Lett.* 18(5), 349–351.
- Dey, D. and N. Ravishanker (2000). Modeling multivariate survival data with a mixture of positive stable frailties. *Methodology and Computing in Applied Probability* 2, 293–308.
- Dey, D., N. Ravishanker, and Z. Qiou (1999). Multivariate survival analysis with positive stable frailties. *Biometrics* 55, 81–88.
- Diebold, F. and G. Rudebusch (1989). Long memory and persistence in aggregate output. *Journal of Monetary Economics* 24, 189–209.
- Diebold, F. and G. Rudebusch (1991). On the power of Diskery-Fuller tests against fractional alternatives. *Economics Letters* 35, 155–160.
- Dierckx, P., S. Van Leemput, and T. Vermeire (1992). Algorithms for surface fitting using Powell-Sabin splines. *IMA J. Numer. Anal.* 12(2), 271–299.
- Diestel, J. and J. U. Jr. (1977). Vector measures. *Math. Surveys* 15.
- Dishon, M., G. H. Weiss, and J. T. Bendler (1985). Stable law densities and linear relaxation phenomena. *J. Res. National Bureau of Standards* 90, 27 – 39.
- Ditlevsen, P. D. (2004). *Turbulence and Climate Dynamics*. Copenhagen: Frydenberg.
- Dobric, V., M. Marcus, and M. Weber (1988). The distribution of large values of the supremum of a Gaussian process. *Astérisque* 157-158, 95–128.
- Dobrushin, R. (1979). Gaussian and their subordinated self-similar random generalized fields. *Ann. Probability* 7, 1–28.
- Dobrushin, R. and P. Major (1979). Non-central limit theorems for non-linear functions of Gaussian fields. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 50, 27–52.
- Dobrushin, R. and P. Major (1981). On the asymptotic behavior of some self-similar random fields. *Sel. Math. Sov.* 1(3).
- Doney, R. and G. O'Brien (1991). Loud shot noise. *Ann. Appl. Probab.* 1, 88–103.
- Dontchev, A. L., H. D. Qi, L. Qi, and H. Yin (2002). A Newton method for shape-preserving spline interpolation. *SIAM J. Optimization* 13, 588–602.

- Doob, J. (1953). *Stochastic Processes*. Wiley.
- Doob, J. L. (1984). *Classical potential theory and its probabilistic counterpart*, Volume 262 of *Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]*. New York: Springer-Verlag.
- Dor, L. (1976). Potentials and isometric embeddings in l_1 . *Israel J. Math.* 24, 260–268.
- Doukhan, P., P. Massart, and E. Rio (1992). The functional central limit theorem for strong mixing processes. Preprint.
- Doukhan, P., G. Oppenheim, and M. Taqqu (Eds.) (2003). *Theory and Applications of Long-Range Dependence*. Boston: Birkhäuser.
- Dudley, R. (1967). The sizes of compact subsets of Hilbert space and continuity of Gaussian processes. *J. Funct. Analysis* 1, 290–330.
- Dudley, R. (1973). Sample functions of the Gaussian process. *The Annals of Probability* 1, 66–103.
- Dudley, R. (1989). *Real Analysis and Probability*. Wadsworth and Brook/Cole.
- Dudley, R. and M. Kanter (1974). Zero-one laws for stable measures. *Proceedings of the American Mathematical Society* 45, 245–252.
- Duffield, N. and N. O’Connell (1995). Large deviations and overflow probabilities for the general single-server queue, with applications. *Mathematical Proceedings of Cambridge Philosophical Society* 118, 363–374.
- Dufour, J.-M. and J.-R. Kurz-Kim (2005, November). Exact inference and optimal invariant estimation for the tail coefficient of symmetric α -stable distributions. Preprint, BundesBank November 2005 Conference.
- DuMouchel, W. H. (1971). *Stable distributions in statistical inference*. Ph. D. thesis, Univ. Ann Arbor, Univ. Microfilms, Ann Arbor, Mich.
- DuMouchel, W. H. (1973a). On the asymptotic normality of the maximum-likelihood estimate when sampling from a stable distribution. *Ann. Stat.* 1, 948–957.
- DuMouchel, W. H. (1973b). Stable distributions in statistical inference. 1: Symmetric stable distributions compared to other symmetric long-tailed distributions. *JASA* 68, 469–477.
- DuMouchel, W. H. (1975). Stable distributions in statistical inference 2: Information from stably distributed samples. *JASA* 70, 386–393.
- DuMouchel, W. H. (1983). Estimating the stable index α in order to measure tail thickness: A critique. *Ann. Stat.* 11, 1019–1031.

- Dunford, N. and J. Schwartz (1988). *Linear Operators, Part 1: General Theory*. New York: Wiley.
- Dürr, D., S. Goldstein, and J. Lebowitz (1983). Stochastic processes originating in deterministic microscopic dynamics. *J. Stat. Physics* 30, 519–526.
- Durrett, R. (1996). *Probability: Theory and Examples* (2nd ed.). Belmont, California: Duxbury Press.
- Dynkin, E. and A. Mandelbaum (1983). Symmetric statistics, Poisson point processes and multiple Wiener integrals. *Ann. Stat.* 11, 739–745.
- Dyson, F. (1971). An Ising ferromagnet with discontinuous long-range order. *Commun. Math. Physics* 21, 269–283.
- Easton, G. S. and R. E. McCulloch (1990). A multivariate generalization of quantile-quantile plots. *JASA* 85, 376–386.
- Eberhard, J. and P. Horn (1978). Excess 1/f noise in metals. *Phys. Rev. B* 18, 6681–6693.
- Eberlein, E. and U. Keller (1994). Hyperbolic distributions in Finance. Technical report.
- Eberlein, E. and M. S. Taqqu (Eds.) (1986). *Dependence in Probability and Statistics*, Volume 11 of *Progress in Probability and Statistics Series*. Boston: Boston: Birkhauser.
- Edwards, A. M., R. A. Phillips, N. W. Watkins, M. P. Freeman, E. J. Murphy, V. Afanasyev, S. V. Buldyrev, M. G. E. da Luz, E. P. Raposo, H. E. Stanley, and G. M. Viswanathan (2007). Revisiting lévy flight search patterns of wandering albatrosses, bumblebees and deer. *Nature* 449, 1044–1048.
- Edwards, R. (1982). *Fourier Series* (Second ed.), Volume 2. Springer-Verlag.
- Ellis, R. (1988). Inequalities for multivariate compound Poisson distributions. *The Annals of Probability* 16, 658–661.
- Embrechts, P. and C. Goldie (1982). On convolution tails. *Stochastic Processes and Their Applications* 13, 263–278.
- Embrechts, P., C. Goldie, and N. Veraverbeke (1979). Subexponentiality and infinite divisibility. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 49, 335–347.
- Embrechts, P., C. Klüppelberg, and T. Mikosch (1997). *Modelling Extreme Events for Insurance and Finance*. Berlin: Springer-Verlag.
- Embrechts, P. and M. Maejima (2002). *Self-similar Processes*. Princeton University Press.

- Embrechts, P., S. I. Resnick, and G. Samorodnitsky (1999). Extreme value theory as a risk management tool. *N. Am. Actuar. J.* 3(2), 30–41. SOA Seminar: Integrated Approaches to Risk Measurement in the Financial Services Industry (Atlanta, GA, 1997).
- Embrechts, P., L. Rogers, and M. Yor (1995). A proof of Dassios’ representation of the α -quantile of Brownian motion with drift. *Annals of Applied Probability* 5, 757–767.
- Embrechts, P. and G. Samorodnitsky (1995). Sample quantiles of heavy tailed stochastic processes. *Stochastic Processes and Their Applications* 59, 217–233.
- Engle, R. (1982). Autoregressive conditional heteroskedasticity with estimates of the variance of U.K. inflation. *Econometrica* 50, 987–1008.
- Enss, V. (1978). Renormalization group limits for Wick polynomials of Gaussian processes. *Reports of Math. Phys.* 13, 87–99.
- Epps, T. W. (1993). Characteristic functions and their empirical counterparts: geometrical interpretations and applications to statistical inference. *JASA* 47, 33–48.
- Epstein, B. (1948). Some applications of the Mellin transform in statistics. *Ann. Math. Statistics* 19, 370–379.
- Erramilli, A., O. Narayan, and W. Willinger (1996). Experimental queueing analysis with long-range dependent packet traffic. *IEEE/ACM Transactions on Network Computing* 4, 209–223.
- Esary, J., F. Proschan, and D. Walkup (1967). Association of random variables, with applications. *Ann. Math. Statist.* 38, 1466–1474.
- Fama, E. (1971). Risk, return and equilibrium. *The Journal of Political Economy* 79, 30–55.
- Fama, E. and R. Roll (1968). Some properties of symmetric stable distributions. *JASA* 63, 817–83.
- Fama, E. and R. Roll (1971). Parameter estimates for symmetric stable distributions. *Journal of the American Statistical Association* 66, 331–338.
- Fama, E. F. (1963). Mandelbrot and the stable Paretian hypothesis. *Journal of Business* 36, 420–429.
- Fama, E. F. (1965). The behavior of stock market prices. *Journal of Business* 38, 34–105.
- Fan, Z. (2001). *Estimation problems for distributions with heavy tails*. Ph. D. thesis, Universität zu Göttingen.

- Fan, Z. (2004). Estimation problems for distributions with heavy tails. *Journal of Statistical Planning and Inference* 123, 13–40.
- Fan, Z. (2006). Parameter estimation of stable distributions. *Communications in Statistics: Theory and Methods* 35, 245–255.
- Fang, K.-T., S. Kotz, and K. W. Ng (1990). *Symmetric multivariate and related distributions*. New York : Chapman and Hall.
- Feigin, P. and S. Resnick (1996). Pitfalls of fitting autoregressive models for heavy-tailed time series. Available at <http://www.orie.cornell.edu/trlist/trlist.html> as TR1163.ps.Z.
- Feldheim, E. (1937). *Etude de la stabilité des lois de probabilité*. Ph. D. thesis, Faculté des Sciences de Paris, Paris, France.
- Feller, W. (1952). On a generalization of Marcel Riesz' potentials and the semi-groups generated by them. In *Comm. Sém. Math. Univ. Lund, Tome Supplémentaire Dédié à Marcel Riesz*, pp. 74–81. Gauthier-Villars, Paris.
- Feller, W. (1968). *An Introduction to Probability Theory and its Applications* (3rd ed.), Volume 1. Wiley, New York.
- Feller, W. (1971). *An Introduction to Probability Theory and its Applications* (2nd ed.), Volume 2. Wiley, New York.
- Ferguson, T. (1996). *A Course in Large Sample Theory*. Chapman and Hall, London.
- Ferguson, T. and M. Klass (1972). A representation theorem of independent increment processes without Gaussian component. *Ann. Math. Statist.* 43, 1634–1643.
- Fernique, X. (1974). Une démonstration simple du théorème de R.M. Dudley et M. Kanter sur les loi 0-1 pour les mesures stables. In *Lecture Notes in Mathematics, Vol. 381*, pp. 78–79. Springer Verlag.
- Fernique, X. (1975). Régularité des trajectoires des fonctions aléatoires gaussiennes. In *Lecture Notes in Mathematics, Vol. 480*, New York, pp. 1–96. Springer Verlag.
- Fernique, X. (1985). Les vecteurs aléatoires gaussiens et leurs espaces autoreproductifs. Technical Report 34, Technical Report Series of the Laboratory for Research in Statistics and Probabability, University of Ottawa.
- Feuerverger, A. and P. McDunnough (1981a). On efficient inference in symmetric stable laws and processes. In M. Csörgö, D. A. Dawson, N. J. K. Rao, and A. K. Saleh (Eds.), *Statistics and Related Topics*, pp. 109–122. Amsterdam: North-Holland.

- Feuerverger, A. and P. McDunnough (1981b). On the efficiency of empirical characteristic function procedures. *J. Roy. Stat. Soc, ser. B* 43, 20–27.
- Feuerverger, A. and R. A. Mureika (1977). The empirical characteristic function and its applications. *Annals of Statistics* 5, 88–97.
- Fielitz, B. D. and J. P. Rozelle (1983). Stable distributions and the mixtures of distributions hypotheses for common stock returns. *Journal of the American Statistical Association* 78, 28–36.
- Fisher, R. A. (1929). Tests of significance in harmonic analysis. *Proceedings of the Royal Statistical Society, Series A* 125, 54–59.
- Fisher, R. A. and L. H. C. Tippett (1928). Limiting forms of the frequency distribution of the largest or smallest member of a sample. *Proc. Cambridge Philos. Soc.* 24, 180–190.
- Fix, E. (1949). Distributions which lead to linear regression. In *Proceedings of the Berkeley Symposium on Mathematical Statistics and Probability 1945-46*, Berkeley. University of California Press.
- Flandrin, P. (1989a). On the spectrum of fractional Brownian motions. *IEEE Trans. on Info. Theory* IT-35(1), 197–199.
- Flandrin, P. (1989b). Some aspects of nonstationary signal processing with emphasis on time-frequency and time-scale methods. In J. Combes, A. Grossman, and P. Tchamitchian (Eds.), *Wavelets*, pp. 68–98. Springer-Verlag.
- Flandrin, P. (1989c). Time-dependent spectra for nonstationary stochastic process. In G. Longo and B. Picinbono (Eds.), *Time and frequency representation of signals and systems*, pp. 69–124. Springer-Verlag.
- Flandrin, P. (1990). Scale-invariant Wigner spectra and self-similarity. In L. T. Gorres, E. Masgrau, and M. Lagunas (Eds.), *Signal Processing V: Theories and Applications*, pp. 149–152. Elsevier.
- Flandrin, P. (1991). Fractional Brownian motion and wavelets. In M. Farge, J. Hung, and J. Vassilicos (Eds.), *Fractals and Fourier Transforms-New Developments and New Applications*. Oxford University Press.
- Flandrin, P. (1992a). Time-scale analyses and self-similar stochastic processes. In *Proceedings of the NATO Advanced Study Institute on “Wavelets and their Applications,” Il Ciocio (Italy)*.
- Flandrin, P. (1992b). Wavelet analysis and synthesis of fractional Brownian motion. *IEEE Trans. on Info. Theory* IT-38(2), 910–917.
- Flandrin, P. and O. Rioul (1990). Affine smoothing of the Wigner-Ville distribution. In *IEEE Int. Conf. on Acoust., Speech and Signal Proc.*, Albuquerque (NM), pp. 2455–2458. ICASSP-90.

- Fofack, H. and J. Nolan (1999). Extremes, modes and other characteristics of stable distributions. *Extremes* 2, 39–58.
- Fofack, H. and J. P. Nolan (2001). Distribution of parallel exchange rates in African countries. *J. Intl. Money and Finance* 20, 987–1001.
- Föllmer, H. and M. Schweizer (1993). A microeconomic approach to diffusion models for stock prices. *Math. Finance* 3, 1–23.
- Fortus, M. (1983). Canonical correlations and canonical functionals for a stationary random process with a power spectral density. *Soviet Math. Doklady* 28(1), 280–283.
- Fougères, A.-L., J. P. Nolan, and H. Rootzen (2009). Models for dependent extremes using stable mixtures. *Scandinavian Journal of Statistics To appear*, ?
- Fox, C. (1961). The G and H -functions as symmetrical Fourier kernels. *Trans. Amer. Math. Soc.* 98, 395–429.
- Fox, R. and M. S. Taqqu (1985). Non-central limit theorems for quadratic forms in random variables having long-range dependence. *Annals of Probability* 13, 428–446.
- Fox, R. and M. S. Taqqu (1986). Large-sample properties of parameter estimates for strongly dependent stationary Gaussian time series. *Annals of Statistics* 14, 517–532.
- Fox, R. and M. S. Taqqu (1987a). Central limit theorems for quadratic forms in random variables having long-range dependence. *Prob. Th. and Rel. Fields* 24, 213–240.
- Fox, R. and M. S. Taqqu (1987b). Multiple stochastic integrals with dependent integrators. *Journal of Multivariate Analysis* 21, 105–127.
- Frain, J. C. (2007a). Maximum likelihood estimates of regression coefficients with alpha-stable residuals and day of week effects in total returns on equity indices. Trinity Economics Papers TEP-0108, Trinity College Dublin, Department of Economics.
- Frain, J. C. (2007b). Small sample power of tests of normality when the alternative is an α -stable distribution. Trinity Economics Papers TEP-0207, Trinity College Dublin, Department of Economics.
- Frain, J. C. (2008). Value at Risk (VaR) and the α -stable distribution. Trinity Economics Papers TEP-0308, Trinity College Dublin, Department of Economics.
- Freedman, D. (1983). *Markov Chains*. New York: Springer-Verlag.

- Freedman, D. and D. Lane (1980). The empirical distribution of fourier coefficients. *Annals of Statistics* 8, 1244–1251.
- Freedman, D. and D. Lane (1981). The empirical distribution of the fourier coefficients of a sequence of independent, identically distributed long-tailed random variables. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 58, 21–39.
- Freeman, M. P. and G. Chisham (2005). On the probability distributions of SuperDARN Doppler spectral width measurements inside and outside the cusp. *Geophysical Research Letters* 31, doi:10.1029/2003GL019074.
- Frisch, U., P. Sulem, and M. Nelkin (1978). A simple dynamical model of intermittent fully developed turbulence. *J. Fluid Mech.* 87, 719–736.
- Fristedt, B. (1974). Sample functions of stochastic processes with stationary independent increments. *Advances in Probability* 3. Marcel Dekker.
- Fritsch, F. N. (1982). PCHIP final specifications, Report UCID-30194. Technical report, Lawrence Livermore National Laboratory.
- Fritsch, F. N. and J. Butland. *SIAM J. Sci. Stat. Computing* (2).
- Gache, N., P. Flandrin, and D. Garreau (1991). Fractal dimension estimators for fractional Brownian motions. In *IEEE Int. Conf. on Acoust., Speech and Signal Proc.*, Toronto, pp. 3557–3560. ICASSP-91.
- Gadrich, T. and R. Adler (1993). Parameter estimation for ARMA processes with symmetric stable innovations. Preprint.
- Gangolli, R. (1967). Lévy’s brownian motion of several parameters. *Annales de l’Institut Henri Poincaré* 3B, 121–226.
- Garcia, R., E. Renault, and D. Veredas (2004). Estimation of stable distributions by indirect inference. Preprint, UNC Econ Dept.
- Garsia, A. and J. Lamperti (1963). A discrete renewal theorem with infinite mean. *Commentarii Mathematici Helvetici* 36, 221–234.
- Gatto, R. and S. R. Jammalamadaka (2003). Inference for wrapped symmetric alpha stable circular models. *Sanhkya* 65, 333–355.
- Gautschi, W. (1979). Algorithm 542: Incomplete gamma functions. *ACM Trans. on Math. Softw* 5, 482–489.
- Gaver, D. P., P. A. Jacobs, and E. A. Seglie (2004). Reliability growth by “Test-Analyze-Fix-Test” with Bayesian and success-run stopping rules. Technical report, Naval Postgraduate School.
- Gawronski, W. (1984). On the bell-shape of stable densities. *Ann. Prob.* 12, 230–242.

- Gawronski, W. (1988). Asymptotic forms for the derivatives of one-sided stable laws. *Ann. Prob.* 16, 1348–1364.
- Gawronski, W. and M. Wiessner (1992). Asymptotics and inequalities for the mode of stable laws. *Statistics and Decisions* 10, 183–197.
- Gaynor, G., E. Y. Chang, S. L. Painter, and L. Paterson (2000). Application of lévy random fractal simulation techniques in modelling reservoir mechanisms in the kumaruk river field, north slope, alaska. *SPE Reservoir Eval. and Eng.* 3(3), 263–271.
- Geluk, J. L. and L. de Haan (1987). *Regular variation, extensions and Tauberian theorems*. AMSTERDAM: CWI Tract 40.
- Geluk, J. L. and L. de Haan (2000). Stable probability distributions and their domains of attraction: a direct approach. *Prob. and Math. Stat.* 20(1), 169–188.
- Geluk, J. L. and L. Peng (2000). Second order regular variation and the domain of attraction of stable distributions. *Analysis* 20, 359–371.
- Geluk, J. L., L. Peng, and C. G. de Vries (2000). Convolutions of heavy-tailed random variables and applications to portfolio diversification and MA(1) times series. *Adv. Appl. Prob.* 32, 1011–1026.
- Geman, D. and J. Horowitz (1973). Occupation times for smooth stationary processes. *The Annals of Probability* 1, 131–137.
- Genz, A. (1991). An adaptive numerical integration algorithm for simplices. In E. d. N. A. Shirwana and J. A. Kapenga (Eds.), *Computing in the 90s, Proceedings of the First Great Lakes Computer Science Conference*, Lecture Notes in Computer Science, pp. 279–292. Springer-Verlag. Volume 507.
- Georgiadis, A. (2000). *Adaptive Equalisation for Impulsive Noise Environments*. Ph. D. thesis, Univ. Edinburgh, Electrical & Electronics Engineering Dept.
- Georgiadis, A. (2001). Adaptive bayesian decision feedback equaliser for alphastable noise environments. *Signal Processing Journal* 81(8), 1603–1623.
- Georgiadis, A. (2005). Stochastic gradient algorithms for equalisation in alpha stable noise. *Signal Processing Journal* 86(4), 835–845.
- Georgiou, P. G., P. Tsakalides, and C. Kyriakakis (1999). Alpha-stable modeling of noise and robust time- delay estimation in the presence of impulsive noise. *IEEE Transactions On Multimedia* 1(3), 291–301.
- Gertsbakh, I. B. (1984). Asymptotic methods in reliability: a review. *Advances in Applied Probability* 16, 147–175.
- Geweke, J. and S. Porter-Hudak (1983). The estimation and application of long memory time series models. *J. Time Series Analysis* 4, 221–238.

- Gilbert, A., S. Guha, P. Indyk, Y. Kotidis, S. Muthukrishnan, and M. Strauss (2002). Fast, small-space algorithms for approximate histogram maintenance. In *ACM Symposium on Theory of Computing 2002*.
- Giné, E. and M. Hahn (1983). On stability of probability laws with univariate stable marginals. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 64, 157–165.
- Giné, E., V. Mandrekar, and J. Zinn (1979). On sums of independent random variables with values in l_p ($2 \leq p < \infty$). In A. Beck (Ed.), *Probability in Banach Spaces 2*, Volume 707 of *Lecture Notes in Mathematics*, pp. 111–124. Springer–Verlag.
- Ginovian, M. (1982). On the asymptotical estimation of the maximum likelihood of parameters of the spectrum of a stationary time series. In *Limit Theorems in Probability and Statistics*, Volume 36, pp. 457–497. Amsterdam: North-Holland.
- Giraitis, L. (1983). On the convergence of some non-linear transformation of Gaussian sequences to self-similar processes. *Lithuanian Mat. Journal* 23(1), 31–39.
- Giraitis, L. (1984). Asymptotic distribution of spectral estimates of Ito-Wiener integrals. *Lithuanian Mat. Journal* 24(3), 98–104.
- Giraitis, L., S. A. Molchanov, and D. Surgailis (1993). Long memory shot noises and limit theorems with application to Burgers’ equation. In *New directions in time series analysis, Part II*, Volume 46 of *IMA Vol. Math. Appl.*, pp. 153–176. New York: Springer.
- Giraitis, L. and D. Surgailis (1984). A limit theorem for triangular array of symmetric statistics. In R. S. Krylov and A. Novikov (Eds.), *Statistics and Control of Stochastic Processes*, pp. 147–166. Steklov Seminar: New York: Optimization Software.
- Giraitis, L. and D. Surgailis (1986). Multivariate Appell polynomials and the central limit theorem. In E. Eberlein and M. Taqqu (Eds.), *Dependence in Probability and Statistics*. New York: Birkhauser.
- Giraitis, L. and D. Surgailis (1989). A limit theorem for polynomials of linear processes with long range dependence. *Lietuvos Matematikos Rinkinyys* 29, 290–311.
- Giraitis, L. and D. Surgailis (1990a). Clt for quadratic forms in strongly dependent linear variables and application to asymptotical normality of Whittle’s estimate. *Prob. Th. Rel. Fields* 86.
- Giraitis, L. and D. Surgailis (1990b). On shot noise processes with long range dependence. In B. Grigelionis, Y. Prohorov, V. Sazonov, and V. S. cius (Eds.), *Probability Theory and Mathematical Statistics. Proceedings of the*

- Fifth Vilnius Conference June 25-July 1, 1989*, Utrecht, the Netherlands, pp. 401–408. VSP BV Press. Vol. 2.
- Gisselquist, R. (1973). A continuum of collision process limit theorems. *Ann. of Probab.* 1, 231–239.
- Gnedenko, B. V. (1943). Sur la distribution limite du terme maximum d’une serie aleatoire. *Ann. Math.* 44, 423–453.
- Gnedenko, B. V. and A. Kolmogorov (1954). *Limit distributions for sums of independent random variables*. Addison-Wesley.
- Gneiting, T. (1997). Normal scale mixtures and dual probability densities. *Journal of Statistical Computation and Simulation* 59, 375–384.
- Goldie, C. M. (1978). Subexponential distributions and dominated-variation tails. *Journal of Applied Probability* 15(2), 440–442.
- Goldman, A. (1984). Estimations analytiques concernant the movement brownian fractionnaire à plusieurs parametres. *Comptes Rendus Acad. Sci. Paris I*(5), 91–93.
- Gomes, C. and B. Selman (1999). Heavy-tailed distributions in computational methods. In J. P. Nolan and A. Swami (Eds.), *Proceedings of the ASA-IMS Conference on Heavy Tailed Distributions*.
- Gomide, F. (1978). Markovian inputs and the Hurst phenomenon. *J. Hydrology* 37, 23–45.
- Gonçalvès, P. and P. Flandrin (1992). Bilinear time-scale analysis applied to local scaling exponents estimation. In *IEEE International Conference on Wavelets and Applications*, Toulouse.
- Gonzalez, J. (1997). *Robust Techniques for Wireless Communications in Non-Gaussian Environments*. PhD Electrical Engin., University of Delaware, USA.
- Gonzalez, J. G., D. W. Griffith, and G. R. Arce (1997, July). Zero-order statistics: A signal processing framework for very impulsive processes. In *IEEE Signal Processing Workshop on Higher-Order Statistics, Banff, Alberta, Canada*. IEEE.
- Gonzalez, J. G. and J. P. Nolan (2007). Stable filters. Technical Report.
- Gonzalez, J. G., J. L. Paredes, and G. R. Arce (2006). Zero-order statistics: A mathematical framework for processing and characterization of very impulsive signals. *IEEE Trans. on Signal Processing* 54(10), 3839–3851.
- Gorenflo, R., G. De Fabritiis, and F. Mainardi (1999). Discrete random walk models for symmetric Lévy-Feller diffusion processes. In *Proceedings of the International Workshop on Econophysics and Statistical Finance (Palermo, 1998)*, Volume 269, pp. 79–89.

- Gorenflo, R. and F. Mainardi (1998a). Fractional calculus and stable probability distributions. *Arch. Mech.* 50, 377–388.
- Gorenflo, R. and F. Mainardi (1998b). Random walk models for space-fractional diffusion processes. *Fract. Calc. Appl. Anal.* 1(2), 167–191.
- Gorenflo, R. and F. Mainardi (2001). *Problems in Mathematical Physics*, Chapter Random walk models approximating symmetric space-fractional diffusion processes, pp. 120–145. Boston: Birkhäuser Verlag.
- Gorenflo, R., F. Mainardi, D. Moretti, G. Pagnini, and P. Paradisi (2002a). Discrete random walk models for space-time fractional diffusion. *Chemical Physics* 284, 521–541.
- Gorenflo, R., F. Mainardi, D. Moretti, G. Pagnini, and P. Paradisi (2002b). Fractional diffusion: probability distributions and random walk models. *Phys. A* 305(1-2), 106–112. Non extensive thermodynamics and physical applications (Villasimius, 2001).
- Gorenflo, R., F. Mainardi, and A. Vivoli (2007). Continuous time random walk and parametric subordination in fractional diffusion. To appear in *Chaos, Solitons and Fractals*, E-print [arXiv:condmat/0701126](https://arxiv.org/abs/condmat/0701126).
- Gorodetskii, V. (1977). On convergence to semi-stable Gaussian processes. *Theory of Probability and its Applications* 22, 498–508.
- Gradshteyn, I. and I. Ryzhik (2000). *Table of Integrals, Series, and Products*. Academic Press.
- Graf, H. (1983). *Long-range correlations and estimation of the self-similarity parameter*. Ph. D. thesis, ETH Zurich, Zurich.
- Graf, H., F. Hampel, and J. Tacier (1984). *The problem of unsuspected serial correlations*, Volume 26 of *Lecture Notes in Statistics*. Springer: New York: Springer: New York. 127-145.
- Graff, R. A., A. Harrington, and M. Young (1997). The shape of Australian real estate return distributions and comparisons to the United States. *Journal of Real Estate Research* 14, 291–308.
- Granger, C. (1980). Long memory relationships and aggregation of dynamic models. *J. Econometrics* 14, 227–238.
- Granger, C. and R. Joyeux (1980). An introduction to long-memory time series and fractional differencing. *J. Time Series Analysis* 1, 15–30.
- Granger, C. W. H. and D. Orr (1972). Infinite variance and research strategy in time series analysis. *JASA* 67, 275–285.
- Gray, H., N. Zheng, and W. Woodward (1989). On generalized fractional processes. *Journal of Time Series Analysis* 10, 233–257.

- Greene, M. and B. Fielitz (1977). Long-term dependence in common stock returns. *J. Financial Economics* 4, 339–349.
- Greene, M. and B. Fielitz (1979). The effect of long-term dependence on risk return models of common stocks. *Operations Research* 27, 944–951.
- Greenwood, P. (1969). The variation of a stable path is stable. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 14, 140–148.
- Grenander, U. (1950). Stochastic processes and statistical inference. *Ark. Mat.* 1, 195–277.
- Grenander, U. and G. Szego (1958). *Toeplitz forms and their applications*. New York: Chelsea.
- Gross, A. (1994). Some mixing conditions for stationary symmetric stable stochastic processes. *Stoch. Proc. Appl.* 51, 277–295.
- Gross, A. and J. Robertson (1993). Ergodic properties of random measures on stationary sequences of sets. *Stoch. Proc. Appl.* 46, 249–265.
- Gross, A. and A. Weron (1995). On measure-preserving transformations and spectral representations of stationary symmetric stable processes. *Studia Mathematica* 114, 275–287.
- Guillaume, D., M. Dacorogna, R. Davé, U. Müller, R. Olsen, and O. Pictet (1994). From the bird’s eye to the microscope: a survey of new stylized facts of the intra-daily foreign exchange markets. A discussion paper by the O&A Research Group.
- Gunning, J. (2002). On the use of multivariate levy-stable random field models for geological heterogeneity. *Mathematical Geology* 34(1), 43–62.
- Gupta, V. and E. Waymire (1990). Multiscaling properties of spatial rainfall and river flow distributions. Preprint. To appear in *J. of Geophysical Research: Atmosphere*.
- Gusarov, G. G. (1998). *Mathematical modelling of random point distributions with large-scale correlations of fractal type*. Ph.D. Thesis, Ulyanovsk State University, Russia. In Russian.
- Haas, M., S. Mittnik, M. Paoletta, and S. Stude (2005, November). Stable mixture GARCH models. Preprint, BundesBank November 2005 Conference.
- Hall, P. (1981a). A comedy of errors: the canonical form for a stable characteristic function. *Bull. London Math. Soc.* 13, 23–27.
- Hall, P. (1981b). On the rate of convergence to a stable law. *J. London Math. Soc.* 23, 179–192.

- Hall, P. (1981c). Two-sided bounds on the rate of convergence to a stable law. *Z. Wahrsch. Verw. Gebiete* 57, 349–364.
- Hall, P. (1982). On some simple estimates of an exponent of regular variation. *J. Roy. Stat. Assoc.* 44, 37–42. Series B.
- Hall, P. (1984). On unimodality and rates of convergence for stable laws. *London Math. Soc. (2)* 30, 371–384.
- Hall, P. (1988). *Introduction to the Theory of Coverage Processes*. New York: Wiley.
- Hall, P. and J. Hart (1989a). Convergence rates in density estimation for data from infinite-order moving average processes. Preprint.
- Hall, P. and J. Hart (1989b). Nonparametric regression with long-range dependence. Preprint.
- Hamdan, H. N. (2001). *Characterizing and approximating scale mixtures*. Ph. D. thesis, American University.
- Hamdan, H. N. and J. P. Nolan (1999). Approximating variance mixtures of normals. In *Proceedings of Conference in Heavy Tailed Distributions in Economics, Engineering and Statistics*. American University. CD-ROM.
- Hamdan, H. N. and J. P. Nolan (2004a). Approximating infinite scale mixtures. In A. C. Krinik and R. J. Swift (Eds.), *Stochastic Processes and Functional Analysis: A Volume of Recent Advances in Honor of M. M. Rao*, Volume 238, pp. 161 – 169. New York: Marcel Dekker.
- Hamdan, H. N. and J. P. Nolan (2004b). Estimating the parameters of infinite scale mixtures or normals. In *Proceedings of the 36th Symposium on the Interface: Computing Science and Statistics*.
- Hamdan, H. N., J. P. Nolan, D. Kristen, and M. Wilson (2005). Using scale mixtures of normals to model continuously compounded returns. *Journal of Modern Applied Statistical Methods* 4(1), 214–226.
- Hampel, F. (1978). Modern trends in the theory of robustness. *Math. Operationsforsch. Statist. Ser. Statist.* 9(425-442).
- Hampel, F. (1987, September). Data analysis and self-similar processes. In *Proceedings of the 46th Session of the International Statistical Institute*, Tokyo, Japan. International Statistical Institute.
- Hampel, F., E. Ronchetti, P. Rousseeuv, and W. Staehl (1986). *Robust Statistics*. New York: Wiley.
- Hannsgen, G. (2008, October). Do the innovations in a monetary var have finite variances? The Levy Economics Institute of Bard College.

- Harchol-Balter, M. (1999). The effect of heavy-tailed job size distributions on computer system design. In J. P. Nolan and A. Swami (Eds.), *Proceedings of the ASA-IMS Conference on Heavy Tailed Distributions*.
- Harchol-Balter, M., M. Crovella, and C. Murta (1998). On choosing a task assignment policy for a distributed server system. In *Proceedings of Performance Tools '98, Lecture Notes in Computer Science Vol 1469*, pp. 231–242. Springer.
- Hardin Jr., C. (1981). Isometries on subspaces of l^p . *Indiana Univ. Math. J.* 30, 449–465.
- Hardin Jr., C. (1982a). On the linearity of regression. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 61, 293–302.
- Hardin Jr., C. (1982b). On the spectral representation of symmetric stable processes. *Journal of Multivariate Analysis* 12, 385–401.
- Hardin Jr., C. (1984). Skewed stable variables and processes. Technical Report 79, Center for Stoch. Proc., University of North Carolina, Chapel Hill.
- Hardin Jr., C., G. Samorodnitsky, and M. Taqqu (1991a). Non-linear regression of stable random variables. *The Annals of Applied Probability* 1, 582–612.
- Hardin Jr., C., G. Samorodnitsky, and M. Taqqu (1991b). Numerical computations of non-linear stable regression functions. In S. Cambanis, G. Samorodnitsky, and M. Taqqu (Eds.), *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*, Boston, pp. 143–180. Birkhäuser.
- Harris, T. (1965). Diffusion with collisions between particles. *J. Appl. Probability* 2, 323–338.
- Harris, T. and H. Robbins (1953). Ergodic theory of markov chains admitting an infinite invariant measure. *Proc. Natl. Acad. Sci.* 39, 860–864.
- Hasofer, A. (1986). Distribution of the maximum of a Gaussian process by Monte Carlo. Tech. Report 147, Center for Stoch. Process, UNC Chapel Hill.
- Hauksson, H. A. and S. T. Rachev (2001). The GARCH-stable option pricing model. *Mathematical and Computer Modelling* 34, 1199–1212.
- Hauser, R. and H. Matzinger (1995). Conditional distributions of stable vectors. In preparation.
- Hazard, W. and E. Siebert (2001). *Stable probability measures on Euclidean spaces and on locally compact groups*, Volume 531 of *Mathematics and its Applications*. Dordrecht: Kluwer Academic Publishers. Structural properties and limit theorems.

- Heath, D., S. Resnick, and G. Samorodnitsky (1997). Patterns of buffer overflow in a class of queues with long memory in the input stream. *The Annals of Applied Probability* 7, 1021–1057.
- Heath, D., S. Resnick, and G. Samorodnitsky (1998). Heavy tails and long range dependence in on/off processes and associated fluid models. *Mathematics of Operations Research* 23, 145–165.
- Heath, D., S. Resnick, and G. Samorodnitsky (1999). How system performance is affected by the interplay of averages in a fluid queue with long range dependence induced by heavy tails. *Ann. Appl. Probab.* 9(2), 352–375.
- Heathcote, C. R. (1977). The integrated squared error estimation of parameters. *Biometrika* 64, 255–264.
- Heinrich, L. (1987). Rates of convergence in stable limit theorems for sums of exponentially ψ -mixing random variables with an application to metric theory of continued fractions. *Math. Nachr.* 131, 149–165.
- Heinrich, L., F. Pukelsheim, and U. Schwingenschlögl (2004). Sante-Laguë’s chi-square divergence for rounding probabilities and its convergence to a stable law. *Statistics and Decisions* 22, 43–59.
- Helland, K. and C. Van Atta (1978). The “Hurst phenomenon” in grid turbulence. *J. Fluid Mech.* 85(part 3), 573–589.
- Hesterberg, T. (2003). z-z plots. Private communication.
- Hetman, P., B. Szabat, K. Weron, and D. Wodzinski (2003). On the Rajagopal relaxation-time distribution and its relationship to the Kohlrausch-Williams-Watts relaxation function. *Journal of Non-Crystalline Solids* 330(1–3), 66–74.
- Heyde, C. C. (1969). On the maximum of sums of random variables and the supremum functional for stable processes. *J. Appl. Probability* 6, 419–429.
- Hill, B. (1975). A simple general approach to inference about the tail of a distribution. *Ann. Statist.* 3, 1163–1174.
- Hiraba, S. (2003). Asymptotic estimates for densities of multi-dimensional stable distributions. *Tsukuba J. Math.* 27(2), 261–287.
- Ho, H. and T. Sun (1987). A central limit theorem for non-instantaneous filters of a stationary Gaussian process. *Journal of Multivariate Analysis* 22, 144–155.
- Hoffmann-Jørgensen, J. (1973). Existence of a measurable modification of stochastic processes. *Z. Wahr. verw. Geb.* 25, 205–207.
- Hoffmann-Jørgensen, J. (1994). Stable densities. *Theor. Prob. Appl.* 38, 350–355.

- Hoffmann-Jørgensen, J., L. Shepp, and R. Dudley (1979). On the lower tail of gaussian seminorms. *The Annals of Probability* 7, 319–342.
- Holt, D. and E. Crow (1973). Tables and graphs of the stable probability density functions. *J. of Research of the National Bureau of Standards* 77B, 143–198.
- Holtsmark, J. (1919). Über die Verbreiterung von Spektrallinien. *Ann. der Physik* 58, 577–630.
- Hong, Y. (1999). Hypothesis testing in time series via the empirical characteristic function: a generalized spectral density approach. *JASA* 94, 1201 – 1220.
- Hosking, J. (1981). Fractional differencing. *Biometrika* 68(1), 165–176.
- Houdré, C. and P. Marchal (2004). On the concentration of measure phenomenon for stable and related random vectors. *Ann. Probab.* 32(2), 1496–1508.
- Hougaard, P. (1986). A class of multivariate failure time distributions. *Biometrika* 73, 671–678.
- Hougaard, P. (2000). *Analysis of Multivariate Survival Data*. Springer, New York.
- Hsing, T., J. Hüsler, and M. Leadbetter (1988). On the exceedance point process for a stationary sequence. *Probability Theory and Related Fields* 78, 97–112.
- Hsing, T. and J. Teugels (1989). Extremal properties of shot noise processes. *Advances in Applied Probability* 21, 513–525.
- Hudson, W. N. and J. D. Mason (1981). Operator-stable distributions on R^2 with multiple exponents. *Annals of Probability* 9(3), 482–489.
- Hughes, B., M. Shlesinger, and E. Montroll (1981). Random walks with self-similar clusters. *Proc. Nat. Acad. Sci. USA* 78, 3287–3291.
- Hunt, G. (1951). Random Fourier transforms. *Trans. Amer. Soc. Civil Engineers* 116, 770–808.
- Hurst, H. (1951). Long-term storage capacity of reservoirs. *Transactions of the American Society of Civil Engineers* 116, 770–808.
- Hurst, H. (1956). Methods of using long-term storage in reservoirs. *Proceedings of the Institution of Civil Engineers, Part I* 5, 519–577.
- Hurst, S. R., E. P. E., and S. T. Rachev (1999). Option pricing for a logstable asset price model. *Mathematical and Computer Modelling* 29, 105–119.
- Ibragimov, I. (1982). Hitting probability of a Gaussian vector with values in a hilbert space in a sphere of a small radius. *J. Soviet Math.* 20, 2164–2174.

- Ibragimov, I. and K. Chernin (1959). On the unimodality of stable laws. *Theory Prob. Appl.* 4, 417–419.
- Ibragimov, I. A. and Y. V. Linnik (1971). *Independent and stationary sequences of random variables*. Groningen: Wolters-Nordhoff.
- Ibragimov, R. (2005, November). On the robustness of economic models to heavy-tailedness assumptions. Preprint, BundesBank November 2005 Conference.
- Ilow, J. (1995). *Signal Processing in Alpha-Stable Noise Environments: Noise Modeling, Detection and Estimation*. Ph. D. thesis, University of Toronto, Canada. Dept. of Electrical Engineering and Computer Engineering.
- Ilow, J. (1998). Analytic alpha-stable noise modeling in a poisson field of interferers or scatters. *IEEE Trans. on Signal Processing* 46(6), 1601–1611.
- Ilow, J. (1999). Blind channel identification with α -stable inputs based on the multivariate empirical characteristic function. In J. P. Nolan and A. Swami (Eds.), *Proceedings of the ASA-IMS Conference on Heavy Tailed Distributions*.
- Ilow, J. and D. Hatzinakos (1997). Detection in alpha-stable noise environments based on prediction. *Int. J. of Adaptive Control and Signal Processing* 17(7).
- Ilow, J. and D. Hatzinakos (1998). Applications of the empirical characteristic function to estimation and detection problems. *Signal Processing* 65(2), 199–219.
- Ilow, J., D. Hatzinakos, and A. N. Venetsanopoulos (1998, April). Performance of FH SS radio networks with interference modeled as a mixture of Gaussian and alpha-stable noise. *IEEE Trans. Commun.* 46(4), 509–520.
- IMSL (1991). *IMSL User's Manual, Version 2.0*. Houston: IMSL.
- Indyk, P. (2000). Stable distributions, pseudorandom generators, embeddings and data stream computation. In *Proceedings of the 41st IEEE Symposium on Foundations of Computer Science*. IEEE Computer Society.
- Inglot, T. (1979). An elementary approach to the zero-one laws for Gaussian measures. *Coll. Math.* 40, 319–325.
- Isobe, E. and S. Sato (1983). Wiener-Hermite expansion of a process generated by an Itô stochastic differential equation. *J. Appl. Prob.* 20, 754–765.
- Istas, J. (1991). Coefficients d'ondelettes d'un processus gaussien stationnaire. *Comptes Rendus Acad. Sc. Paris* 312, 893–896.
- Itô, K. (1951). Multiple Wiener integral. *J. Math. Soc. Japan* 3, 157–169.

- Itô, K. (1967). Spectral type of the shift transformation of differential processes with stationary increments. *Transactions of the American Mathematical Society* 81, 106–134.
- Itô, K. (1969). *Stochastic Processes*, Volume 16. Aarhus University Lecture Notes Series.
- Itô, K. and N. Nisio (1968). On the oscillation functions of Gaussian processes. *Math. Scand.* 22, 209–223.
- Jacobs, P. A. (1986). First passage times for combinations of random loads. *SIAM Journal on Applied Mathematics* 46, 643–656.
- Jain, N. (1971). A zero-one law for Gaussian processes. *Proceedings of the American Mathematical Society* 29, 585–587.
- Jain, N. and G. Kallianpur (1972). Oscillation functions of a multiparameter Gaussian process. *Nagoya Math.* 47, 15–28.
- Jakubowski, A. (1991). *Asymptotic Independent Representations for Sums and Order Statistics of Stationary Sequences*. Toruń, Poland: Uniwersytet Mikołaja Kopernika.
- Jakubowski, A. (1993). Minimal conditions in p -stable limit theorems. *Stochastic Processes and their Applications* 44, 291–327.
- Jakubowski, T. (2002). The estimates for the Green function in Lipschitz domains for the symmetric stable processes. *Probability and Mathematical Statistics* 22, 419 – 441.
- Jama, S. (2009, March). An alternative model for multivariate stable distributions. M sc., Univ. of Cape Town, South Africa.
- James, R. (1947). Inner products in normed linear spaces. *Bulletin of AMS*, 559–566.
- Jamison, B. and S. Orey (1970). Subgroups of sequences and paths. *Proceedings of the American Mathematical Society* 24, 739–744.
- Jammalamakaka, S. R. and A. SenGupta (2001). *Topics in circular statistics*. Singapore: World Scientific.
- Janacek, G. (1982). Determining the degree of differencing for time series via the long spectrum. *Journal of Time Series Analysis* 3, 177–183.
- Janicki, A. and A. Weron (1994). *Simulation and Chaotic Behavior of α -Stable Stochastic Processes*. New York: Marcel Dekker.
- Janssen, A. (1982a). Some zero-one laws for semistable and selfdecomposable measures on locally convex spaces. In *Probability Measures on Groups. Proc. Oberwolfach*, pp. 236–246. Springer-Verlag. Lecture Notes in Math. 928.

- Janssen, A. (1982b). Zero-one laws for infinitely divisible measures on groups. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 60, 119–138.
- Janssen, A. (1984). A survey about zero-one laws for probability measures on linear spaces and locally compact groups. In *Lecture Notes in Math.*, pp. 551–553. Springer-Verlag. 1064.
- Jedidi, W. (2003). Stable processes: mixing and distributional properties. Preprint online at <http://www.stochastik.uni-freiburg.de/DYNSTOCH/FRresearch.html>.
- Jelenković, P. and A. Lazar (1996). Multiplexing on/off sources with subexponential on–periods. Technical Report CTR 457-96-23, Columbia University.
- Jelenković, P. and A. Lazar (1997). Asymptotic results for multiplexing subexponential on–off sources. Technical report, Columbia University.
- Jelenković, P. and A. Lazar (1998). Subexponential asymptotics of a markov–modulated random walk with queueing applications. *Journal of Applied Probability* 35, 1–23.
- Jin, H. J. (2005). Heavy tailed behavior of commodity price distribution and optimal hedging demand. Dept. of Ag-Business and Applied Economics, North Dakota State University. To appear in *J. Risk and Insurance*.
- Joag-Dev, K., M. Perlman, and L. Pitt (1983). Association of normal random variables and Slepian’s inequality. *The Annals of Probability* 11, 451–455.
- Jona-Lasinio, G. (1977). Probabilistic approach to critical phenomena. In M. Levy and P. Mitter (Eds.), *New Developments in Quantum Field Theory and Statistical Mechanics, Gargese 1976*, New York, pp. 419–466. Plenum.
- Jones, B., T. Sulkin, and H. Larsen (2003). Policy punctuations in american political institutions. *American Political Science Review* 97, 151–169.
- Jørgensen, B. (1997). *The theory of dispersion models*, Volume 76 of *Monographs on Statistics and Applied Probability*. London: Chapman & Hall.
- Jurek, Z. and J. D. Mason (1993). *Operator-Limit Distributions in Probability Theory*. New York: Wiley.
- Jurek, Z. J. and J. D. Mason (1995). Operator-limit distributions in probability theory. *SIAM Review* 37(1), 131–132.
- Jurlewicz, A., A. Weron, and K. Weron (1996). Asymptotic behaviour of stochastic systems with conditionally exponential decay property. *Appl. Math* 23, 379–394.
- Kagan, Y. Y. and F. Schoenberg (2001). Estimation of the upper cutoff parameter for the tapered Pareto distribution. *J. Appl. Probab.* 38A, 168–185. David Vere-Jones’s Festschrift.

- Kakutani, S. (1939). Some characterizations of Euclidean space. *Japan J. Math* 16, 93–97.
- Kalinauskaite, N. (1970a). On some expansions for the multidimensional stable densities. *Lithuanian Math. J.* 10, 726–731.
- Kalinauskaite, N. (1970b). On some expansions for the multidimensional stable densities with parameter $\alpha > 1$. *Lithuanian Math. J.* 10, 490–495.
- Kalinauskaitė, N. (1971). The exponential decrease of certain multidimensional stable densities. *Litov. Matem. Sbornik* 11(3), 557–561. In Russian.
- Kallenberg, O. (1974). Series of random processes without discontinuities of the second kind. *The Annals of Probability* 2, 729–737.
- Kallenberg, O. (1988). Spreading and predictable sampling in exchangeable sequences and processes. *The Annals of Probability* 16, 508–534.
- Kallenberg, O. (1992). Some time change representations of stable integrals, via predictable transformations of local martingales. *Stoch. Proc. and their Appl.* 40, 199–223.
- Kallenberg, O. and J. Szulga (1989). Multiple integration with respect to Poisson and Lévy processes. *Probability Theory and Related Fields* 83, 101–134.
- Kallianpur, G. (1970). Zero-one laws for Gaussian processes. *Transactions of the American Mathematical Society* 149, 199–211.
- Kallianpur, G. (1980). *Stochastic Filtering Theory*. New York: Springer-Verlag.
- Kalluri, S. and G. R. Arce (1998). Adaptive weighted myriad filter algorithms for robust signal processing in α -stable noise environments. *IEEE Trans. Signal Processing* 46(2), 322–334.
- Kanter, M. (1972). Linear sample spaces and stable processes. *J. Funct. Analysis* 9, 441–459.
- Kanter, M. (1973). The L^p norm of sums of translates of a function. *Transactions of the American Mathematical Society* 179, 35–47.
- Kanter, M. (1976a). On the unimodality of stable densities. *Ann. Prob.* 4, 1006–1008.
- Kanter, M. (1976b). Probability inequalities for convex sets. *Journal of Multivariate Analysis* 6, 222–236.
- Kapoor, B., A. Banerjee, G. A. Tsihrintzis, and N. Nandhakumar (1999). UWB radar detection of targets in foliage using alpha-stable clutter models. *IEEE Transactions on Aerospace and Electronic Systems* 35(3), 819–834.

- Karlin, S. and Y. Rinott (1982). Applications of ANOVA type decompositions for comparisons of conditional variance statistics including Jackknife estimates. *Annals of Stat.* 10, 485–501.
- Karr, A. (1986). *Point Processes and Their Statistical Inference*. New York and Basel: Marcel Dekker.
- Kawahara, Y. and M. Maejima (1986). Functional limit theorems for weighted sums of i.i.d. random variables. *Probab. Th. Rel. Fields* 72, 161–183.
- Kawahara, Y. and M. Maejima (1988). Weighted sums of i.i.d. random variables attracted to integrals of stable processes. *Prob. Th. Rel. Fields* 78, 75–96.
- Kawahara, Y., M. Maejima, and W. Vervaat (1988). Log-fractional stable processes. *Stoch. Proc. Appl.* 30, 329–339.
- Kashyap, R. and K. Eom (1988). Estimation in long-memory time series models. *J. of Time Series Analysis* 9, 35–41.
- Kaspi, H. and M. Rubinovitch (1975). The stochastic behavior of a buffer with non-identical input lines. *Stochastic Processes and Their Applications* 3, 73–88.
- Kawata, T. (1972). *Fourier Analysis in Probability Theory*. Academic Press.
- Kelley, J. (1955). *General Topology*, Volume 27 of *Graduate Texts in Mathematics*. New York: Springer Verlag.
- Kelly, J. F. (2008). *Transient ultrasonic fields in power law attenuation media*. Ph. D. thesis, Michigan State University, Electrical Engineering.
- Kelly, J. F. and R. J. McGough (2007, April). Transient Green’s function solutions to the Szabo wave equation. Preprint, Michigan State University, Dept. Electrical and Computer Engineering.
- Kelly, J. F., M. M. Meerschaert, and R. J. McGough (2008). Analytical time-domain Greens functions for power law media. *J. Acoust. Soc. America* 124(5).
- Kemperman, J. (1977). On the FKG-inequality for measures on a partially ordered space. *Indagationes Mathematicae* 39, 313–331.
- Keshner, M. (1982). 1/f noise. *Proc. IEEE* 70, 212–218.
- Kesten, H. (1973). Random difference equations and renewal theory for products of random matrices. *Acta Mathematica* 131, 207–248.
- Kesten, H., M. V. Kozlov, and F. Spitzer (1975). A limit law for random walk in a random environment. *Compositio Math.* 30, 145–168.

- Kesten, H., P. Ney, and F. Spitzer (1966). The Galton–Watson process with mean one and finite variance. *Theory of Probability and Its Applications* 11, 513–540.
- Kesten, H. and F. Spitzer (1979). A limit theorem related to a new class of self-similar processes. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 50, 5–25.
- Khinchine, A. (1938). *Predelnye zakony dlya summ nezavisimyykh sluchainykh velichin*. Moscow-Leningrad: GONTI.
- Khinchine, A. and P. Lévy (1936). Sur les lois stables. *Comptes Rendus Acad. Sci. Paris* 202, 374–376.
- Khindanova, I. and Z. Atakhanova (2002). Stable modeling in energy risk management. *Mathematical Methods of Operations Research* 55(2), 225–245.
- Khindanova, I., S. Rachev, and E. Schwartz (2001). Stable modeling of value at risk. *Mathematical and Computer Modelling* 34(9-11), 1223–1259.
- Khoshnevisan, D., D. Wu, and Y. Xiao (2006). Sectorial local non-determinism and the geometry of the Brownian sheet. *Electron. J. Probab.* 11, no. 32, 817–843 (electronic).
- Kidmose, P. (2001). Dependent components analysis using the spectral measure for alpha-stable distributions. *IEEE-EUASIP Workshop on Nonlinear Signal and Image Processing CD-ROM NSIP-2001*, (file cr1126.pdf).
- Kidmose, P. (2002). *Blind separation of heavy tailed signals*. Ph. D. thesis, Danish Technical University.
- Kim, J. R., S. Mittnik, and S. T. Rachev (1996). Econometrics with α -stable innovation processes. preprint.
- Kim, L. and A. Nagaev (1974). The non-symmetric problem of large deviations. *Izv. Akad. Nauk UzSSR, Ser. Fiz. Mat. Nauk* 6, 58–59. In Russian.
- Kim, L. and A. Nagaev (1975). The non-symmetric problem of large deviations. *Teor. Veroyatnost. i Primenen* 20(1), 58–68. In Russian.
- Kim, M. and A. Tewfik (1990). Multiscale signal detection in fractional Brownian motion. *SPIE* 1348, 462–470.
- King, D. A. and M. S. Young (1994). Why diversification doesn't work. *Real Estate Review* 25(2), 6–12.
- Kingman, J. (1964). Recurrence properties of processes with stationary independent increments. *J. Austral. Math. Soc.* 4, 223–228.
- Kipnis, C., J. Lebowitz, E. Prescutti, and H. Spohn (1983). Self-diffusion for particles with stochastic collisions in one dimension. *J. Stat. Physics* 30, 107–121.

- Klebanov, L., T. Kozubowski, and S. Rachev (2006). *Ill-Posed Problems in Probability and Stability of Random Sums*. NY: Nova Science.
- Klebanov, L. B., G. M. Manija, and I. A. Melamed (1984). A problem of zolotarev and analogs of infinitely divisible and stable distributions in a scheme for summing a random number of random variables. *Theory of Probability and its Applications* 29, 791–794.
- Klebanov, L. B., S. T. Rachev, and M. Safarian (2000). Local prelimit theorems and their applications to finance. *Appl. Math. Lett.* 13(5), 73–78.
- Klebanov, L. B., S. T. Rachev, and G. J. Szekely (1999). Pre-limit theorems and their applications. *Acta Appl. Math.* 58(1-3), 159–174. Limit theorems of probability theory (Vilnius, 1999).
- Klüppelberg, C. and T. Mikosch (1992a). Parameter estimation for ARMA models with infinite variance innovations. Preprint.
- Klüppelberg, C. and T. Mikosch (1992b). Some limit theory for the normalized periodogram of p -stable moving average processes. *Stochastic Processes and Their Applications* 47, 323–344.
- Klüppelberg, C. and T. Mikosch (1993). Spectral estimates and stable processes. *Stochastic Processes and Their Applications* 47, 323–344.
- Klüppelberg, C. and T. Mikosch (1994). Some limit theory for the self-normalised periodogram of stable processes. *Scand. J. Statist.* 21(4), 485–491.
- Klüppelberg, C. and T. Mikosch (1995a). Delay in claim settlement and ruin probability approximations. *Scand. Actuar. J.* 2, 154–168.
- Klüppelberg, C. and T. Mikosch (1995b). Explosive Poisson shot noise processes with applications to risk reserves. *Bernoulli* 1, 125–148.
- Klüppelberg, C. and T. Mikosch (1995c). Modelling delay in claim settlement. *Scand. Actuar. Journal*, 154–168.
- Klüppelberg, C. and T. Mikosch (1996a). Gaussian limit fields for the integrated periodogram. *Ann. Appl. Probab.* 6(3), 969–991.
- Klüppelberg, C. and T. Mikosch (1996b). The integrated periodogram for stable processes. *Ann. Statist.* 24(5), 1855–1879.
- Klüppelberg, C. and T. Mikosch (1996c). Parameter estimation for a misspecified ARMA model with infinite variance innovations. In *Proceedings of the XVI Seminar on Stability Problems for Stochastic Models, Part II (Eger, 1994)*, Volume 78, pp. 60–65.

- Klüppelberg, C. and T. Mikosch (1996d). Self-normalized and randomly centered spectral estimates. In *Athens Conference on Applied Probability and Time Series Analysis, Vol. II (1995)*, Volume 115 of *Lecture Notes in Statist.*, pp. 259–271. New York: Springer.
- Klüppelberg, C. and T. Mikosch (1997). Large deviations of heavy-tailed random sums with applications in insurance and finance. *J. Appl. Probab.* *34*(2), 293–308.
- Klüppelberg, C., T. Mikosch, and A. Schärf (2003). Regular variation in the mean and stable limits for Poisson shot noise. *Bernoulli* *9*(3), 467–496.
- Kogon, S. M. and D. B. Williams (1998). Characteristic function based estimation of stable parameters. In R. Adler, R. Feldman, and M. Taqu (Eds.), *A Practical Guide to Heavy Tailed Data*, pp. 311–338. Boston, MA.: Birkhäuser.
- Kohlrausch, R. (1847). Ueber das Dellmann'sche elektrometer. *Ann. Physics (Leipzig)* *12*, 393.
- Kojo, K. (1991). Canonical representations of α s-processes and their applications to $m(t)$ -processes. Master's thesis, Nagoya University, Nagoya, Japan. Dept. of Math.
- Kojo, K. and S. Takenaka (1993). On canonical representations of stable m_t -processes. *Probability and Mathematical Statistics*. To appear.
- Kokoszka, P. and K. Podgórski (1993). Ergodicity and weak mixing of semistable processes. *Probability and Mathematical Statistics*. To appear.
- Kokoszka, P. and M. Taqu (1991). New classes of self-similar symmetric stable random fields. Preprint.
- Kokoszka, P. and M. Taqu (1992). Asymptotic dependence of stable self-similar processes of Chentsov type. In M. H. R.M. Dudley and J. Kuelbs (Eds.), *Probability in Banach Spaces, 8: Proceedings of the Eighth International Conference*, Boston, pp. 152–165. Birkhäuser.
- Kokoszka, P. and M. Taqu (1993a). Asymptotic dependence of moving average type self-similar stable random fields. To appear in *Nagoya Math. J.*
- Kokoszka, P. and M. Taqu (1993b). Infinite variance stable ARMA processes. To appear in *Journal of Time Series Analysis*.
- Kokoszka, P. and M. Taqu (1993c). New classes of self-similar symmetric stable random fields. *J. Theoretical Prob..* To appear.
- Kokoszka, P. and M. Taqu (1995). Fractional ARIMA with stable innovations. *Stochastic Processes and Their Applications* *60*, 19–47.
- Kokoszka, P. and M. Taqu (1996a). Infinite variance stable moving averages with long memory. *Journal of Econometrics* *73*, 79–99.

- Kokoszka, P. and M. Taqqu (1996b). Parameter estimation for infinite variance fractional arima. *Annals of Statistics* 24, 1880–1913.
- Koldobsky, A. (1991). Generalized Lévy representation of norms and isometric embeddings into l_p -spaces. Preprint.
- Kolmogorov, A. (1940). Wiensche spiralen und einige andere interessante kurven in Hilbertschen raum. *C.R. (Doklady) Acad. Sci. USSR (N.S.)* 26, 115–118.
- Kolmogorov, A. (1941). Local structure of turbulence in an incompressible liquid for very large Reynolds numbers. *C.R. Doklady Acad. Sci. URSS (N.S.)* 30, 299–303.
- Kôno, N. (1983a). Approximate upper functions of Gaussian processes. *J. Math. Kyoto Univ.* 23, 195–209.
- Kôno, N. (1983b). Iterated log type strong limit theorems for self-similar processes. *Proc. Japan Acad. Ser. A* 59(A), 85–87.
- Kôno, N. and M. Maejima (1991). Self-similar stable processes with stationary increments. In S. Cambanis, G. Samorodnitsky, and M. Taqqu (Eds.), *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*, Boston, pp. 275–295. Birkhäuser.
- Kosko, B. (2006). *Noise*. NY, NY: Viking.
- Kotz, S., T. J. Kozubowski, and K. Podgórski (2001). *The Laplace Distribution and Generalizations: A Revisit with Applications to Communications, Economics, Engineering, and Finance*. Boston: Birkhäuser.
- Kotz, S. and S. Nadarajah (2000). *Extreme Value Distributions: Theory and Applications*. London: Imperial College Press.
- Koutrouvelis, I. A. (1980). Regression type estimation of the parameters of stable laws. *JASA* 75, 918–928.
- Koutrouvelis, I. A. (1981). An iterative procedure for the estimation of the parameters of stable laws. *Commun. Statist. Simula* 10, 17–28.
- Kozubowski, T. J. (1994). Representation and properties of geometric stable laws. In A. et al. (Ed.), *Approximation, Probability, and Related Fields*, pp. 321–337. New York: Plenum.
- Kozubowski, T. J. (1995). Characterization of multivariate geometric stable distributions. Preprint.
- Kozubowski, T. J. and J. P. Nolan (2008). Infinite divisibility of skew Gaussian and Laplace laws. *Statistics and Probability Letters* 78, 654–660.

- Kozubowski, T. J., A. K. Panorska, and S. T. Rachev (2003). *Handbook of Heavy Tailed Distributions in Finance*, Volume 1 of *Handbooks in Finance*, Chapter Statistical Issues in Modelling Multivariate Stable Portfolios, pp. 131–167. Amsterdam: Elsevier.
- Kozubowski, T. J., K. Podgórski, and G. Samorodnitsky (1999). Tails of Lévy measure of geometric stable random variables. *Extremes* 1(3), 367–378.
- Kozubowski, T. J. and S. T. Rachev (1994). The theory of geometric stable distributions and its use in modeling financial data. *European Journal of Operational Research* 74, 310–324.
- Krakowiak, W. (1978). Zero-one laws for stable and semi-stable measures on Banach spaces. *Bull. l'Acad. Polon. Sc., Ser. Math.* 27, 1045–1049.
- Krakowiak, W. and J. Szulga (1986a). Random multilinear forms. *The Annals of Probability* 14, 955–973.
- Krakowiak, W. and J. Szulga (1986b). Summability and contractivity of random multilinear forms. Preprint 86-61, Case Western Reserve University.
- Krakowiak, W. and J. Szulga (1988a). Hypercontraction principle and random multilinear forms. *Prob. Theory Rel. Fields* 77, 325–342.
- Krakowiak, W. and J. Szulga (1988b). A multiple stochastic integral with respect to a strictly p-stable measure. *The Annals of Probability* 16, 764–777.
- Krakowiak, W. and J. Szulga (1988c). On a p-stable multiple integral. I. *Prob. Theory Rel. Fields* 78, 437–448.
- Kratz, M. and S. I. Resnick (1996). The QQ-estimator and heavy tails. *Comm. Statist. Stochastic Models* 12(4), 699–724.
- Krengel, U. (1985). *Ergodic Theorems*. Berlin, New York: De Gruyter.
- Kreyzig, E. (1989). *Introductory Functional Analysis with Applications*. Wiley & Sons.
- Krivine, J. (1965). Plongement des espaces normes dans les l_p pour $p > 2$. *Comptes Rendus Acad. Sci. Paris* 261, 4307–4310.
- Küchler, U., K. Neumann, M. S. rensen, and A. Streller (1994). Stock returns and hyperbolic distributions. Technical report, Humboldt Universität zu Berlin.
- Kuelbs, J. (1973). A representation theorem for symmetric stable processes and stable measures on H . *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 26, 259–271.
- Kuelbs, J. and W. Li (1993). Metric entropy and the small ball problem for Gaussian measures. *J. Funct. Analysis* 116, 133–157.

- Kuno, A. and K. Ikegaya (1973). A statistical investigation of acoustic power radiated by a flow of random point sources. *J. Acoustic Soc. Japan* 29, 662–671.
- Künsch, H. (1981). Thermodynamics and statistical analysis of Gaussian random fields. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 58, 407–421.
- Kuruoglu, E. and J. Zerubia (2003). Skewed alpha-stable distributions for modelling textures. *Pattern Recognition Letters* 24(1-3), 339–348.
- Kuruoglu, E. and J. Zerubia (2004). Modeling SAR images with a generalization of the Rayleigh distribution. *IEEE Transactions on Image Processing* 13(4), 527–533.
- Kuruoglu, E. E. (?a). ? ? ?, ?
- Kuruoglu, E. E. (?b). ? ? ?, ?
- Kuruoglu, E. E. Submitted to IEEE Transactions on Signal Processing.
- Kuruoglu, E. E. (1995). Signal estimation in non-Gaussian noise using polynomial filters. Master’s thesis, Cambridge University, UK.
- Kuruoglu, E. E. (1998). *Signal processing in α -stable noise environments: a least ℓ_p -norm approach*. Ph. D. thesis, Cambridge University. Department of Engineering.
- Kuruoglu, E. E. and W. J. Fitzgerald (1998, June). Identification of nonlinear autoregressive processes with symmetric alpha-stable innovations. Submitted to IEEE Transactions on Signal Processing.
- Kuruoglu, E. E., W. J. Fitzgerald, and P. J. W. Rayner (1998). Near optimal detection of signals in impulsive noise modelled with a symmetric alpha-stable distribution. *IEEE Communications Letters* 2(10), 282–284.
- Kuruoglu, E. E., P. J. W. Rayner, and W. J. Fitzgerald (1997). Least ℓ_p -norm estimation of autoregressive model coefficients of symmetric alpha-stable processes. *IEEE Signal Processing Letters* 4(7), 201–203.
- Kuruoglu, E. E., P. J. W. Rayner, and W. J. Fitzgerald (1998). Least ℓ_p -norm impulsive noise cancellation with polynomial filters. *Signal Processing* 69(1), 1–14.
- Kurz-Kim, J.-R., S. T. Rachev, G. Samorodnitsky, and S. Stoyanov (2005, November). Asymptotic distribution of unbiased linear estimators in the presence of heavy-tailed stochastic regressors and residuals. Preprint, BundesBank November 2005 Conference.
- Kuske, R. and J. B. Keller (2001). Rate of convergence to a stable law. *SIAM Jour. Appl. Math.* 61(4), 1308–1323.

- Kwapień, S. (1987). Decoupling inequalities for polynomial chaos. *The Annals of Probability* 15, 1062–1072.
- Kwapień, S. and N. Woyczyński (1987). Double stochastic integrals, random quadratic forms and random series in Orlicz spaces. *The Annals of Probability* 15, 1072–1096.
- Kwapień, S. and N. Woyczyński (1992). *Random Series and Stochastic Integrals: Single and Multiple*. Boston: Birkhäuser.
- Kyriakakis, C., P. Tsakalides, and T. Holman (1999). Surrounded by sound. *IEEE Signal Processing Magazine* 16(11), 55–66.
- Laha, R. and V. Rohatgi (1979). *Probability Theory*. New York: Wiley & Sons.
- Laha, R. and V. Rohatgi (1982). Operator self-similar stochastic processes in r_d . *Stoch. Proc. Appl.* 12, 73–84.
- Lai, T. and W. Stout (1978). The law of the iterated logarithm and upper-lower class tests for partial sums of stationary Gaussian sequences. *Ann. Prob.* 6, 731–750.
- Lai, T. and W. Stout (1980). Limit theorems for sums of dependent random variables. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 51, 1–14.
- Lamantia, F., S. Ortobelli, and S. Rachev (2004). Value at risk with stable distributed returns. Preprint: University of Bergamo.
- Lambert, P. and J. K. Lindsey (1999). Analysing financial returns by using regression models based on non-symmetric stable distributions. *Applied Statistics* 48, 409–424.
- Lamberton, D. and B. Lapeyre (1991). *Introduction au Calcul Stochastique appliqué à la Finance*. Paris: SMAI.
- Lamperti, J. (1962). Semi-stable stochastic processes. *Transaction of the American Mathematical Society* 1962, 62–78.
- Lamperti, J. (1972). Semi-stable Markov processes i. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 22, 205–225.
- Lamperti, J. (1996). *Probability, A Survey of the Mathematical Theory* (Second ed.). New York: J. Wiley.
- Land, R. and N. Xank (1983). Strongly correlated random fields as observed by a random walker. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 64, 327–340.
- Lau, H. and A. Lau (1997). The confounding effects of distribution mixtures on some basic methods for handling stable-paretian distributions. *European Journal of Operational Research* 100, 60–71.

- Lau, H.-S. and A. H.-L. Lau (1993). The reliability of the stability-under-addition test for the stable-pareto hypothesis. *J. Statist. Comput. Simul.* 48, 67–80.
- Lavallée, D. and R. J. Archuleta (2003). Stochastic modeling of slip spatial complexities for the 1979 imperial valley, california, earthquake. *Geophysical Research Letters* 30.
- Lavallée, D. and H. Beltrami (2004). Stochastic modeling of climatic variability in dendrochronology. *Geophysical Research Letters* 31.
- Lawrence, A. and N. Kottegoda (1977). Stochastic modelling of riverflow time series. *J. Royal Statist. Soc. A* 140,(1), 1–47.
- Leadbetter, M., G. Lindgren, and H. Rootzén (1983). *Extremes and Related Properties of Random Sequences and Processes*. New York: Springer Verlag.
- Ledoux, M. and M. Talagrand (1991). *Probability in Banach Spaces: Isoperimetry and Processes*. Springer Verlag.
- Lee, M.-L., S. Rachev, and G. Samorodnitsky (1990). Association of stable random variables. *The Annals of Probability* 18, 1759–1764.
- Lee, M.-L., S. Rachev, and G. Samorodnitsky (1993). Dependence of stable random variables. In M. Shaked and Y. Tong (Eds.), *Stochastic Inequalities*, pp. 219–234. IMS.
- Lee, R.-Y. (1999, June). Radar signal/image processing enhancements using alpha-stable techniques. Technical Report DTIC No. ADA327774, Naval Air Warfare Center, Patuxent River, MD.
- Leitch, R. A. and A. S. Paulson (1975). Estimation of stable law parameters: Stock price behaviour application. *J. Amer. Stat. Assoc.* 70, 690–697.
- Leland, W., M. Taqqu, W. Willinger, and D. Wilson (1993a). Ethernet traffic in self-similar stochastic modelling of packet traffic data. Preprint.
- Leland, W., M. Taqqu, W. Willinger, and D. Wilson (1993b). On the self-similar nature of Ethernet traffic. *ACM/SIGCOMM Computer Communications Review*. Proceedings of the ACM/SIGCOMM93. To appear.
- Leland, W., M. Taqqu, W. Willinger, and D. Wilson (1994). On the self-similar nature of Ethernet traffic (extended version). *IEEE/ACM Transactions on Networking* 2, 1–15.
- Leonenko, N. (1990). Sojourns of multidimensional Gaussian random fields with dependent components. *Computers Math. Appl.* 19(1), 101–108.
- Leonenko, N. and E. Orsingher (1992). Limit theorems for solutions of Burgers equation with Gaussian and non-Gaussian initial conditions. preprint, Dipartimento di Statistica, Probabilità e Statistiche Applicate.

- Lepage, R. (1980). Multidimensional infinitely divisible variables and processes. part i: stable case. Technical report 292, Department of Statistics, Stanford University.
- LePage, R. (1980). Multidimensional infinitely divisible variables and processes. Part II. *Springer Lecture Notes in Math.* 860, 279–284.
- LePage, R. (1987). Predicting transforms of stable noise and other Gaussian mixtures. Tech Report 193, Center for Stochastic Processes, UNC, Chapel Hill. Revised and published as “Conditional moments for coordinates of stable vectors” in “Springer Lecture Notes in Math.” Vol 1391 (1990), 148–152.
- LePage, R. (1990a). Conditional moments for coordinates of stable vectors. *Springer Lecture Notes in Math.* 1391, 148–152.
- LePage, R. (1990b). Multidimensional infinitely divisible variables and processes. Part I: Stable Case. *Springer Lecture Notes in Math.* 1391, 153–163.
- LePage, R. and K. Podgórski (1996). Resampling permutations in regression without second moments. *J. Multivariate Anal.* 57(1), 119–141.
- LePage, R., K. Podgorski, M. Ryznar, and A. White (1998). Bootstrapping signs and permutations for regression with heavy-tailed errors: a robust resampling. See Adler et al. (1998), pp. 339–359.
- LePage, R., M. Woodroffe, and J. Zinn (1981). Convergence of a stable distribution via order statistics. *Ann. Prob.* 9, 624–632.
- Lettenmaier, D. and S. Burgess (1977). Operational assessment of hydro-logical models of long-term persistence. *Water Resour. Res.* 13, 113–124.
- Levy, J. and M. Taqqu (1987). On renewal processes having stable inter-renewal intervals and stable rewards. *Les Annales des Sciences Mathématiques du Québec* 11, 95–110.
- Levy, J. and M. Taqqu (1991). A characterization of the asymptotic behavior of stationary stable processes. In S. Cambanis, G. Samorodnitsky, and M. Taqqu (Eds.), *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*, Boston, pp. 181–198. Birkhäuser.
- Levy, J. and M. Taqqu (2005, November). The asymptotic codifference and covariation of log-fractional stable noise. Preprint, BundesBank November 2005 Conference.
- Lévy, P. (1924). Théorie des erreurs la loi de Gauss et les lois exceptionnelles. *Bulletin Soc. Math. France* 52, 49–85.
- Lévy, P. (1925). *Calcul des Probabilités*. Paris: Gauthier-Villars.
- Lévy, P. (1954). *Théorie de l'addition des variables aléatoires*. Paris: Gauthier-Villars. Originally appeared in 1937.

- Lévy, P. (1965). *Processus stochastiques et mouvement brownien*. Paris: Gauthier-Villars. Originally appeared in 1948.
- Lévy, P. (1966). Fonctions Browniennes dans l'espace Euclidien et dans l'espace de Hilbert. In F. David (Ed.), *Research Papers in Statistics*, pp. 189–223. Wiley.
- Lévy, P. (1970). *Quelques aspects de la pensée d'un mathématicien*. 9 rue de Médicis, Paris 6^e: Albert Blanchard.
- Lewandowski, M., M. Ryznar, and T. Zak (1992a). Stable measure of a small ball. *Proceedings of the American Mathematical Society* 115, 489–494.
- Lewandowski, M., M. Ryznar, and T. Zak (1992b). Stable measure of a small ball. *Proc. Amer. Math. Soc.* 115(2), 489–494.
- Lewandowski, M., M. Ryznar, and T. Zak (1995). Anderson inequality is strict for Gaussian and stable measures. *Proc. Amer. Math. Soc.* 123(12), 3875–3880.
- Lewandowski, M. and T. Zak (1987). On the density of the distribution of p -stable seminorms, $0 < p < 1$. *Proc. Amer. Math. Soc.* 100(2), 345–351.
- Lewis, P. (1964). A branching Poisson process model for the analysis of computer failure pattern. *Journal Royal Stat. Soc., Ser. B* 26, 398–456.
- Li, L. and J. Mustard (2000). Compositional gradients across mare-highland contacts: importance and geological implication of lateral transport. *J of Geophysical Research* 105(E8), 20431 – 20450.
- Li, L. and J. Mustard (2005). On lateral mixing efficiency of lunar regolith. Preprint, Geology Dept., Brown University.
- Li, W. and A. McLeod (1986). Fractional time series modelling. *Biometrika* 73, 217–221.
- Liechty, J. C., D. K. J. Lin, and J. P. McDermott (2003). Single-pass low-storage arbitrary quantile estimation for massive data sets. *Statistics and Computing* 13, 91–100.
- Likhanov, N., B. Tsybakov, and N. D. Georganas (1995). Analysis of an atm buffer with self-similar (“fractal”) input traffic. *Proceedings of the 14th Annual IEEE INFOCOM*, 985–992.
- Linde, W. (1984). Extension of slepian lemma to p -stable measures. In *Probability Theory on Vector Spaces III*, New York. Springer Verlag. Lecture Notes in Mathematics, Vol. 1080.
- Linde, W. (1986). *Probability in Banach Spaces-Stable and Infinitely Divisible Distributions*. Chichester: Wiley.

- Linde, W., V. Mandrekar, and A. Weron (1980). p -stable measures and absolutely summing operators. In A. Weron (Ed.), *Probability Theory on Vector Spaces II. Proceedings*, pp. 167–178. Springer Verlag. Lecture Notes in Mathematics. Vol. 828.
- Linde, W. and P. Mathé (1983). Conditional symmetries of stable measures on \mathbb{R}^{*n} . *Ann. Inst. H. Poincaré* 19, 57–69.
- Liu, F.-S. and W.-F. Chen (1994). A new universal theory of non-exponential relaxation. *Journal of Physics D: Applied Physics* 27(4), 845–847.
- Liu, Z., P. Nain, D. Towsley, and Z.-L. Zhang (1997). Asymptotic behavior of a multiplexer fed by a long-range dependent process. Technical Report CMPSRI 97-16, University of Massachusetts at Amherst.
- Lo, A. (1991). Long-term memory in stock market prices. *Econometrica* 59, 1279–1313.
- Loève, M. (1977). *Probability Theory*, Volume 1. New York: Springer-Verlag.
- Logan, B., C. Mallows, S. Rice, and L. Shepp (1973). Limit distributions of self-normalized sums. *Ann. Probability* 1, 788–809.
- Lombardi, M. J. and G. Calzolari (2005, November). Indirect estimation of α -stable stochastic volatility models. Preprint, BundesBank November 2005 Conference.
- Loretan, M. and P. Phillips (1994). Testing the covariance stationarity of heavy-tailed time series. *J. Empirical Finance* 1, 211–248.
- Lou, J. (1985). Some properties of a special class of self-similar processes. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 68, 493–502.
- Louie, D. and B. Rajput (1979). Support and seminorm integrability theorems for r -semistable probability measures on locally convex topological vector spaces. *Lecture Notes in Mathematics*, Vol. 828. Springer-Verlag, New York.
- Louie, D., B. Rajput, and A. Tortrat (1980). A zero-one dichotomy theorem for r -semistable laws on infinite dimensional linear spaces. *Sankhyā, Ser. A* 42, 9–18.
- Lovejoy, S. (1982). Area-perimeter relation for rain and cloud areas. *Science* 216, 185–187.
- Lovejoy, S. and B. Mandelbrot (1985). Fractal properties of rain, and a fractal model. *Tellus* 37(A), 209–232.
- Lovejoy, S. and D. Schertzer (1982). Buoyancy, shear, scaling and fractals. Preprint.

- Lovejoy, S. and D. Schertzer (1986a). Scale invariance in climatological temperatures and the local spectral plateau. *Annales Geophysicae* 4 (B4), 401–410.
- Lovejoy, S. and D. Schertzer (1986b). Scale invariance, symmetries, fractals and stochastic simulations of atmospheric phenomena. *Bull. Am. Meteorological Soc.* 67(1), 21–32.
- Lowen, S. and M. Teich (1990). Power-law shot noise. *IEEE Trans. on Info. Theory* IT-36(6), 1302–1318.
- Lukacs, E. (1970). *Characteristic functions*. London: Charles Griffin and Co.
- Lundahl, T., W. Ohley, S. Kay, and R. Siffert (1986). Fractional Brownian motion: A maximum likelihood estimator and its application to image texture. *IEEE Trans Pattern Anal. Machine Intell.* MI-5(3), 152–161.
- Ma, X. and C. Nikias (1995). On blind channel identification for impulsive signal environments. In *Proceedings ICASSP 1995*. IEEE.
- MacNeil, I. (1978). Properties of sequences of partial sums of polynomial regression residuals with applications to tests for change of regression at unknown time. *The Annals of Statistics* 6, 422–433.
- Maejima, M. (1981). Some sojourn time problems for strongly dependent Gaussian processes. *Z. Wahrscheinlichkeitstheorie Verw. Geb.* 57, 1–14.
- Maejima, M. (1982). Some limit theorems for sojourn times of strongly dependent Gaussian processes. *Z. Wahrscheinlichkeitstheorie Verw. Geb.* 60, 359–380.
- Maejima, M. (1983a). On a class of self-similar processes. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 62, 235–245.
- Maejima, M. (1983b). A self-similar process with nowhere bounded sample paths. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 65, 115–119.
- Maejima, M. (1983c). Some limit theorems for sojourn times of strongly dependent Gaussian processes. *Z. Wahrscheinlichkeitstheorie Verw. Geb.* 62, 235–245.
- Maejima, M. (1985). Sojourns of multidimensional Gaussian processes with dependent components. *Yokohama Math. J.* 33, 121–130.
- Maejima, M. (1986a). A remark on self-similar processes with stationary increments. *Canadian J. Statist.* 14, 81–82.
- Maejima, M. (1986b). Sojourns of multidimensional Gaussian processes. In E. Eberlein and M. Taqqu (Eds.), *Dependence in Probability and Statistics*, Boston, pp. 91–108. Birkhäuser.

- Maejima, M. (1986c). Some sojourn time problems for 2-dimensional Gaussian processes. *Journal of Multivariate Analysis* 18, 52–69.
- Maejima, M. (1989). Self-similar processes and limit theorems. *Sugaku Expositions* 2, 103–123.
- Maejima, M. and T. Rachev (1987). An ideal metric and the rate of convergence to a self-similar process. *The Annals of Probability* 15(2), 708–727.
- Mainardi, F., Y. Luchko, and G. Pagnini (2001). The fundamental solution of the space-time fractional diffusion equation. *Fractional Calculus and Applied Analysis* 4, 153–192.
- Mainardi, F., G. Pagnini, and R. Gorenflo (2006). Mellin convolution for subordinated stable processes. *J. Math. Sci. (N. Y.)* 132(5), 637–642.
- Major, P. (1981a). Limit theorems for non-linear functionals of Gaussian sequences. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 57, 129–158.
- Major, P. (1981b). *Multiple Wiener-Itô Integrals*, Volume 849 of *Springer Lecture Notes in Mathematics*. New York: Springer Verlag.
- Major, P. (1982). On renormalizing Gaussian fields. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 59, 515–533.
- Major, P. and D. Szasz (1980). On the effect of collisions on the motion of an atom in R^1 . *Ann. Probability* 8, 1068–1078.
- Malevich, T. and B. Abdalimov (1977). Stable limit distributions for U-statistics. *Th. of Prob. and Applic.* 22, 370–377.
- Mallat, S. (1989). A theory for multiresolution signal decomposition: the wavelet representation. *IEEE Trans. Pattern Anal. Machine Intell. PAMI-11* (7), 674–693.
- Mallick, M. and N. Ravishankaer (2004, November). Bivariate positive stable frailty models. Stat Dept., U. Conn.
- Mandelbaum, A. and M. Taqqu (1984). Invariance principle for symmetric statistics. *The Annals of Statistics* 12, 483–496.
- Mandelbrot, B. (1960). The Pareto-Lévy law and the distribution of income. *International Economic Review* 1, 79–106.
- Mandelbrot, B. (1961). Stable Paretian random functions and the multiplicative variation of income. *Econometria* 29, 517–543.
- Mandelbrot, B. (1962). Sur certain prix spéculatifs: faits empiriques et modèle basé sur les processus stables additifs de Paul Lévy. *Comptes Rendus*. 254, 3968–3970.

- Mandelbrot, B. (1963a). New methods in statistical economics. *Journal of Political Econ.* 71, 421–440.
- Mandelbrot, B. (1963b). The variation of certain speculative prices. *Journal of Business* 26, 394–419.
- Mandelbrot, B. (1965a). Self-similar error clusters in communications systems and the concept of conditional systems and the concept of conditional stationarity. *I.E.E.E. Trans of Communications Technology COM-13*, 71–90.
- Mandelbrot, B. (1965b). Une classe de processus stochastiques homothétiques a soi; application a loi climatologique de H.E. Hurst. *Comptes Rendus Acad. Sci. Paris* 240, 3274–3277.
- Mandelbrot, B. (1967). The variation of some other speculative prices. *Journal of Business* 40, 393–413.
- Mandelbrot, B. (1969). Long-run linearity, locally Gaussian processes, H-spectra and infinite variances. *International Econom. Rev.* 10, 82–113.
- Mandelbrot, B. (1971). A fast fractional Gaussian noise generator. *Water Resour. Res.* 7, 543–553.
- Mandelbrot, B. (1972a). Broken line process derived as an approximation to fractional noise. *Water Resour. Res.* 8, 1354–1356.
- Mandelbrot, B. (1972b). Statistical methodology for non-periodic cycles: from the covariance to r/s analysis. *Ann. Econom. Soc. Measurement* 1, 259–290.
- Mandelbrot, B. (1974). Intermittent turbulence in self-similar cascades; divergence of high moments and dimension of the carrier. *J. Fluid Mechanics* 62, 331–358.
- Mandelbrot, B. (1975a). Fonctions aléatoires pluri-temporelles: approximation poissonienne du cas brownien et généralisations. *Comptes Rendus Acad. Sci. Paris* 280A, 1075–1078.
- Mandelbrot, B. (1975b). Limit theorems on the self-normalized range for weakly and strongly dependent processes. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 31, 271–285.
- Mandelbrot, B. (1984). Fractals in physics: squig clusters, diffusions, fractal measures and the unicity of fractal dimensionality. *J. of Stat. Phys.* 34, 895–930.
- Mandelbrot, B. and M. Taqqu (1979). Robust R/S analysis of long-run serial correlation. In *Proceedings of the 42nd Session of the International Statistical Institute*, Manila. Bulletin of the I.S.I. Vol.48, Book 2, pp. 69-104.
- Mandelbrot, B. and M. Taylor (1967). On the distribution of stock price differences. *Operations Research* 15, 1057–1062.

- Mandelbrot, B. and J. Van Ness (1968). Fractional Brownian motions, fractional noises and applications. *SIAM Review* 10, 422–437.
- Mandelbrot, B. and J. Wallis (1968). Noah, Joseph and operational hydrology. *Water Resources Research* 4, 909–918.
- Mandelbrot, B. and J. Wallis (1969a). Computer experiments with fractional Gaussian noises, parts 1,2,3. *Water Resour. Res.* 5, 228–267.
- Mandelbrot, B. and J. Wallis (1969b). Robustness of the rescaled range r/s in the measurement of noncyclic long-run statistical dependence. *Water Resour. Res.* 5, 967–988.
- Mandelbrot, B. and J. Wallis (1969c). Some long-run properties of geophysical records. *Water Resour. Res.* 5, 321–340.
- Mandelbrot, B. B. (1976). Intermittent turbulence and fractal dimension: kurtosis and the spectral exponent $5/3 + b$. In R. Teman (Ed.), *Turbulence and Navier Stokes Equations*, New York, pp. 121–145. Springer. Springer Lecture Notes in Mathematics, Volume 565.
- Mandelbrot, B. B. (1982). *The Fractal Geometry of Nature*. San Francisco: W.H. Freeman and Co.
- Manneville, P. (1980). Intermittency, self-similarity and $1/f$ spectrum in dissipative dynamical systems. *Le Journal de Physique* 41, 1235–1242.
- Mansfield, P., S. T. Rachev, and G. Samorodnitsky (2001). Long strange segments of a stochastic process. *Ann. Appl. Probab.* 11(3), 878–921.
- Mantegna, R. N. (1994). Fast, accurate algorithm for numerical simulation of Lévy stable stochastic processes. *Physical Review E* 49(5), 4677 – 4683.
- Marchal, P. (2005). Measure concentration for stable laws with index close to 2. *Electron. Comm. Probab.* 10, 29–35 (electronic).
- Marcus, A. H. (1970). Distribution and covariance function of elevations on a cratered planetary surface. *The Moon* 1, 297–337.
- Marcus, D. J. (1983). Non-stable laws with all projections stable. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 64, 139–156.
- Marcus, M. (1989). Some bounds for the expected number of level crossings of symmetric harmonizable p -stable processes. *Stoch. Proc. Appl.* 33, 217–231.
- Marcus, M. and G. Pisier (1981). *Random Fourier Series with Applications to Harmonic Analysis*, Volume 101 of *Annals of Math. Studies*. Princeton Univ. Press.
- Marcus, M. and G. Pisier (1984a). Characterization of almost surely continuous p -stable random Fourier series and strongly stationary processes. *Acta Mathematica* 152, 245–301.

- Marcus, M. and G. Pisier (1984b). Some results on the continuity of stable processes and the domain of attraction of continuous stable processes. *Ann. Funct. Henri-Poincarè* 20, 177–199.
- Marcus, M. and G. Pisier (1985). Stochastic processes with sample paths in exponential Orlicz spaces. .
- Marcus, M. and K. Shen (1997). Bounds for the expected number of level crossings of certain harmonizable infinitely divisible processes. Preprint.
- Marcus, M. and W. Wołczyński (1979). Stable measures and central limit theorems in spaces of stable type. *Transactions of the American Mathematical Society* 251, 71–102.
- Marcus, M. B. (1977). Level crossings of a stochastic process with absolutely continuous sample paths. *The Annals of Probability* 5, 52–71.
- Marcus, M. B. (1981). Weak convergence of the empirical characteristic function. *The Annals of Probability* 9, 194–201.
- Marcus, M. B. (1987). ξ -radial processes and random Fourier series. *Memoirs of the American Mathematical Society* 368.
- Marcus, M. B. and K. Shen (1998). Bounds for the expected number of level crossings of certain harmonizable infinitely divisible processes. *Stochastic Process. Appl.* 76(1), 1–32.
- Mardia, K. V. and P. E. Jupp (2000). *Directional Statistics*. NY, NY: Wiley.
- Marinelli, C., S. D’Addona, and S. Rachev (2006). A Comparison of Some Univariate Models for Value-at-Risk and Expected Shortfall. *SSRN eLibrary*.
- Marohn, F. (1999). Estimating the index of a stable law via the POT-method. *Statistics and Probability Letters* 41, 413–423.
- Marques, M. (1987). *A study on Lebesgue decomposition of measures induced by stable processes*. Ph. D. thesis, University of North Carolina Chapel Hill.
- Marshall, A. W. and I. Olkin (1988). Families of multivariate distributions. *J. Amer. Statist. Assoc.* 83(403), 834–841.
- Marshall, A. W. and I. Olkin (1990). Multivariate distributions generated from mixtures of convolution and product families. In H. Block, A. Sampson, and T. Savits (Eds.), *Topics in Statistical Dependence*, pp. 371–393. IMS. Institute of Mathematical Statistics Lecture Notes - Monograph Series. Vol. 16.
- Martin, R. D., S. Rachev, and F. Siboulet (2006). Phi-alpha optimal portfolios and extreme risk management. Preprint, FinAnalytica Inc.
- Maruyama, G. (1970). Infinitely divisible processes. *Theory Prob. Appl.* 15(1), 1–22.

- Maruyama, G. (1982). Applications of the multiplication of the Itô-Wiener expansions to limit theorems. *Proc. Japan Acad.* 58(A), 388–390.
- Mason, D. (1988). A strong invariance theorem for the tail empirical process. *Ann. Inst. Henri Poincaré* 24, 491–506.
- Mason, D. and T. Turova (1994). Weak convergence of the Hill estimator process. In J. Galambos, J. Lechner, and Simiu (Eds.), *Extreme Value: Theory and Applications*. Dordrecht, Holland: Kluwer Academic Publishers.
- Mathai, A. M. (1993). *A Handbook of Generalized Special Functions for Statistical and Physical Sciences*. New York: Oxford University Press.
- Matsui, M. (2005). Fisher information matrix of general stable distributions close to the normal distribution. Technical report, University of Tokyo. <http://arxiv.org/abs/math/0502559>.
- Matsui, M. and A. Takemura (2004, August). Some improvements in numerical evaluation of symmetric stable density and its derivatives. Technical Report CIRJE-F-292, University of Tokyo, Graduate School of Economics. <http://arxiv.org/abs/math/0408321>.
- Matsui, M. and A. Takemura (2007). Integral representations of one dimensional projections for multivariate stable densities. Preprint at: arXiv:math/0608570.
- Mayer-Wolf, E., A. Roitershtein, and O. Zeitouni (2004). Limit theorems for one-dimensional transient random walks in Markov environments. *Ann. Inst. H. Poincaré Probab. Statist.* 40(5), 635–659.
- Mayer-Wolf, E. and O. Zeitouni (1993). The probability of small Gaussian ellipsoids and associated conditional moments. *The Annals of Probability* 21, 14–24.
- Mazurkiewicz, G. (2005). On $S\alpha S$ density function. *Discussiones Mathematicae. Probability and Statistics* 25(1), 91–101.
- Mazurkiewicz, G. (2007). Weakly stable vectors and magic distribution of S. Cambanis, R. Keener and G. Simons. *Applied Mathematical Sciences. Journal for Theory and Applications* 1(17-20), 975–996.
- McConnell, T. (1986). Triple integration with respect to stable processes. Preprint.
- McConnell, T. and M. Taquq (1984). Double integration with respect to symmetric stable processes. Technical Report 618, Cornell University.
- McConnell, T. and M. Taquq (1986a). Decoupling inequalities for multilinear forms in symmetric random variables. *Annals of Probability* 14, 943–954.

- McConnell, T. and M. Taqqu (1986b). Dyadic approximations of double integrals with respect to symmetric stable processes. *Stoch. Proc. and their Applic. 22*, 323–331.
- McConnell, T. and M. Taqqu (1987). Decoupling of Banach-valued multilinear forms in independent symmetric Banach-valued random variables. *Prob. Th. and Rel. Fields 75*, 499–507.
- McCulloch, J. H. (1985). The precision of var forecasts with symmetric stable disturbances. Preprint, Economics Department, Ohio State University.
- McCulloch, J. H. (1986). Simple consistent estimators of stable distribution parameters. *Communications in Statistics. Simulation and Computation 15*, 1109–1136.
- McCulloch, J. H. (1994). Estimation of bivariate stable spectral densities. Technical Report, Department of Economics, Ohio State University.
- McCulloch, J. H. (1996a). Financial applications of stable distributions. In G. S. Maddala and C. R. Rao (Eds.), *Handbook of Statistics*, Volume 14. New York: North-Holland.
- McCulloch, J. H. (1996b). On the parameterization of the afocal stable distributions. To appear in Bull. of the London Math. Soc.
- McCulloch, J. H. (1997). Measuring tail thickness to estimate the stable index alpha: A critique. *J. Bus. Econ. Stat. 15*, 74–81.
- McCulloch, J. H. (1998a). Linear regression with stable disturbances. In R. Adler, R. Feldman, and M. Taqqu (Eds.), *A Practical Guide to Heavy Tails: Statistical Techniques for Analyzing Heavy Tailed Distributions*, pp. 359–378. Boston: Birkhäuser.
- McCulloch, J. H. (1998b). Maximum likelihood estimation of symmetric stable parameters. Technical Report, Department of Economics, Ohio State University.
- McCulloch, J. H. (1998c). Numerical approximation of the symmetric stable distribution and density. In R. Adler, R. Feldman, and M. Taqqu (Eds.), *A Practical Guide to Heavy Tails: Statistical Techniques for Analyzing Heavy Tailed Distributions*, pp. 489–500. Boston: Birkhäuser.
- McCulloch, J. H. (2003). The risk-neutral measure under log-stable uncertainty. Technical Report, Department of Economics, Ohio State University.
- McCulloch, J. H. and D. Panton (1998). Tables of the maximally-skewed stable distributions. In R. Adler, R. Feldman, and M. Taqqu (Eds.), *A Practical Guide to Heavy Tails: Statistical Techniques for Analyzing Heavy Tailed Distributions*, pp. 501–508. Boston: Birkhäuser.

- McKean, Jr., H. (1963). Brownian motion with a several dimensional time. *Theory of Probability and its Applications* 8, 357–378.
- McKean, Jr., H. (1973a). Geometry of differential space. *Ann. Prob.* 1, 197–206.
- McKean, Jr., H. (1973b). Wiener’s theory of non-linear noise. *Stochastic Differential Equations, SIAM-AMS Proc.* 6, 191–209.
- McLeod, A. and K. Hipel (1983). Perspectives in long-memory modelling. Preprint.
- McLeod, A. I. and K. W. Hipel (1978). Preservation of the rescaled adjusted range, parts 1,2,3. *Water Resour. Res.* 14, 491–518.
- Meerschaert, M., T. Kozubowski, F. Molz, and S. Lu (2004). Fractional laplace model for hydraulic conductivity. *Geophysical Research Letters* 31, L08501.
- Meerschaert, M. M., D. A. Benson, H.-P. Scheffler, and B. Baeumer (2002). Stochastic solution of space-time fractional diffusion equations. *Phys. Rev. E* (3) 65(4), 041103, 4.
- Meerschaert, M. M. and H.-P. Scheffler (1997a). Spectral decomposition for generalized domains of semistable attraction. *J. Theoret. Probab.* 10(1), 51–71.
- Meerschaert, M. M. and H.-P. Scheffler (1997b). The structure of generalized domains of semistable attraction. *Statist. Probab. Lett.* 33(4), 367–372.
- Meerschaert, M. M. and H.-P. Scheffler (1998). A simple robust estimation method for the thickness of heavy tails. *J. Statist. Plann. Inference* 71(1-2), 19–34.
- Meerschaert, M. M. and H.-P. Scheffler (1999a). Moment estimator for random vectors with heavy tails. *J. Multivariate Anal.* 71(1), 145–159.
- Meerschaert, M. M. and H.-P. Scheffler (1999b). Sample covariance matrix for random vectors with heavy tails. *J. Theoret. Probab.* 12(3), 821–838.
- Meerschaert, M. M. and H.-P. Scheffler (2000). Moving averages of random vectors with regularly varying tails. *J. Time Ser. Anal.* 21(3), 297–328.
- Meerschaert, M. M. and H.-P. Scheffler (2001a). *Limit distributions for sums of independent random vectors*. New York: John Wiley & Sons Inc.
- Meerschaert, M. M. and H.-P. Scheffler (2001b). Sample cross-correlations for moving averages with regularly varying tails. *J. Time Ser. Anal.* 22(4), 481–492.
- Meerschaert, M. M. and J. A. Veeh (1993). The structure of the exponents and symmetries of an operator stable measure. *J. Theoret. Probab.* 6(4), 713–726.

- Mejia, J., I. Iturbe-Rodriguez, and D. Dawdy (1978). Streamflow simulation 2: The broken line process as a potential model for hydrological simulation. *Water Resour. Res.* 8, 931–941.
- Menabde, M. and M. Sivapalan (2000). Modeling of rainfall time series and extremes, using bounded random cascades and Levy-stable distributions. *Water Resources Research* 36, 3293–3300.
- Messali, Z. and F. Soltani (2007). Performance of distributed cfar processors in pearson distributed clutter. *EURASIP Journal on Advances in Signal Processing* 2007, 1–7.
- Metzler, R. and J. Klafter (2000). The random walk guide to anomalous diffusion: a fractional dynamics approach. *Physics Reports* 339, 1–77.
- Metzler, R. and J. Klafter (2002). From stretched exponential to inverse power-law: fractional dynamics, cole-cole relaxation processes, and beyond. *J. Non-Crystalline Solids* 305, 81–87.
- Michael, J. R. (1983). The stabilized probability plot. *Biometrika* 70, 11–17.
- Michaliček, J. (1972a). Der Anziehungsbereich von operator-stabilen Verteilungen im R_2 . *Z. Wahrscheinlichkeitstheorie und Verw. Gebiete* 25, 57–70.
- Michaliček, J. (1972b). Die Randverteilungen der operator-stabilen Masse im 2-dimensionalen Raum. *Z. Wahrscheinlichkeitstheorie und Verw. Gebiete* 21, 135–146.
- Michna, Z. and I. Rychlik (1992a). Characteristics of upcrossings for stable processes. Technical report, Department of Math. Stat., Lund Institute of Technology.
- Michna, Z. and I. Rychlik (1992b). Expected number of level crossings for certain symmetric α -stable processes. *Communications in Statistics - Stochastic Models* 11, 1–19.
- Mihalas, D. (1978). *Stellar Atmospheres* (2nd ed.). San Francisco: Freeman.
- Mijnheer, J. (1975). Sample path properties of Stable Processes. In *Mathematical Centre Tracts*. Amsterdam: Mathematical Centrum. Vol. 59.
- Mikosch, T. (1997). Heavy tailed modelling in insurance. *Comm. in Stat.-Stochastic Models*, 799–896.
- Mikosch, T., T. Gadrich, C. Klüppelberg, and R. J. Adler (1995). Parameter estimation for ARMA models with infinite variance innovations. *Ann. Statist.* 23(1), 305–326.
- Mikosch, T., S. Resnick, H. Rootzén, and A. Stegeman (2002). Is network traffic approximated by stable Lévy motion or fractional Brownian motion? *Ann. Appl. Probab.* 12(1), 23–68.

- Mikosch, T., S. Resnick, and G. Samorodnitsky (2000a). The maximum of the periodogram for a heavy-tailed sequence. *Ann. Probab.* 28(2), 885–908.
- Mikosch, T., S. Resnick, and G. Samorodnitsky (2000b). The maximum of the periodogram for a heavy-tailed sequence. *Ann. Probab.* 28(2), 885–908.
- Mikosch, T. and I. K. Klyuppelberg (1995). On strong consistency of estimators for infinite variance time series. *Teor. Imovir. Mat. Stat.* (53), 116–125.
- Miller, G. (1978). Properties of certain symmetric stable distributions. *Journal of Multivariate Analysis* 8, 346–360.
- Misiewicz, J. K. and S. Takenaka (2002). Some remarks on $S\alpha S$, β - substable random vectors. *Probability and Mathematical Statistics* 22, 253 – 258.
- Mitra, S. S. (1981). Distribution of symmetric stable laws of index 2^{-n} . *Ann. Prob.* 9, 710–711.
- Mitra, S. S. (1982). Stable laws of index 2^{-n} . *Ann. Prob.* 10, 857–859.
- Mittnik, S. and S. Rachev (1993). Modeling asset returns with alternative stable distributions. *Economics Reviews* 12, 261–330.
- Mittnik, S. and S. T. Rachev (1991). Alternative multivariate stable distributions and their applications to financial modeling. In S. C. et al. (Ed.), *Stable processes and related topics*, pp. 107–119. Boston, MA: Birkhäuser.
- Miura, R. (1992). A note on look-back options based on order statistics. *Hitotsubashi Journal of Commerce and Management* 27, 15–28.
- Modarres, R. and J. P. Nolan (1994). A method for simulating stable random vectors. *Computational Statistics* 9, 11–19.
- Mohammadpour, A., A. Mohammad-Djafari, and J. P. Nolan (2006). A randomness test for stable data. In *CompStat 2006*, Rome, Italy.
- Mohammadpour, A. and A. R. Soltani (2000). Exchangeable stable random vectors and their simulations. *Comput. Statist.* 15(2), 205–217.
- Mohammadpour, A. and A. R. Soltani (2004). On simulating exchangeable sub-Gaussian random vectors. *Statist. Probab. Lett.* 69(1), 29–36.
- Mohr, D. (1981). *Modelling data as a fractional Gaussian noise*. Ph. D. thesis, Princeton University, New Jersey.
- Molchan, G. M. (2000). On the maximum of stable Lévy processes. *Teor. Veroyatnost. i Primenen.* 45(2), 380–386.
- Molchanov, I. (2006a). Convex geometry of max-stable distributions. <http://www.arXiv.org/abs/math.PR/0603423>.

- Molchanov, I. (2006b). Convex geometry, stability and extreme values. Private correspondence.
- Molz, F. J., H. Rajaram, and S. L. Lu (2004). Stochastic fractal-based models of heterogeneity in subsurface hydrology: Origins, applications, limitations, and future research questions. *Reviews of Geophysics* 42(1), Article Number: RG1002.
- Monrad, D. and L. D. Pitt (1987). Local nondeterminism and Hausdorff dimension. In *Seminar on stochastic processes, 1986 (Charlottesville, Va., 1986)*, Volume 13 of *Progr. Probab. Statist.*, pp. 163–189. Boston, MA: Birkhäuser Boston.
- Monrad, D. and H. Rootzén (1995). Small values of gaussian processes and functional laws of the iterated logarithm. *Probab. Theory and Related Fields* 101, 173–192.
- Montroll, E. W. and J. T. Bendler (1984). On Lévy (or stable) distributions and the Williams-Watt model of dielectric relaxation. *Journal of Statistical Physics* 34, 129–162.
- Montroll, E. W. and M. F. Shlesinger (1982). On 1/f noise and other distributions with long tails. *Proc. Nat. Acad. Sci. USA* 79, 3380–3383.
- Moran, P. (1964). On the range of cumulative sums. *Ann. Inst. Stat. Math.* 16, 109–112.
- Mori, T. (1992). Representational of linearly additive random fields. *Probab. Theory Relat. Fields* 92, 91–115.
- Mukherjee, M. C. and M. Sambandham (2002). Random trigonometric polynomials with stable distributions. In *Proceedings of Neural, Parallel, and Scientific Computations. Vol. 2*, Atlanta, GA, pp. 79–82. Dynamic.
- Müller, U., M. Dacorogna, R. Davé, R. Olsen, O. Pictet, and J. von Weizsäcker (1995). Volatilities of different time resolutions - analyzing the dynamics of market components. *Journal of Empirical Finance*, to appear.
- Nagaev, A. (1969a). Integral limit theorems for large deviations when cramer’s condition is not fulfilled i,ii. *Theory of Probability and Its Applications* 14, 51–64 and 193–208.
- Nagaev, A. (1969b). Limit theorems for large deviations where cramer’s conditions are violated. *Izv. Akad. Nauk UzSSR Ser. Fiz.-Mat. Nauk* 6, 17–22. In Russian.
- Nagaev, A. (1978). Integral theorems for sums of ladder epochs. pp. 110–122. In Russian.
- Nagaev, A. (1979a). Local theorems for sums of ladder epochs. pp. 162–171. In Russian.

- Nagaev, A. (1983a). On the asymmetric large deviations problem in the case of a stable limit law. *Teor. Veroyatnost. i Primenen* 34(4), 637–647. In Russian; English translation: *Theory Probab. Appl.*, Vol. 28, 4, 670–680.
- Nagaev, A. (1983b). *A representation of the generating function of a ladder pair*, pp. 158–161. Fan, Tashkent. In Russian.
- Nagaev, A. (1985). The domain of attraction of the joint distribution of a ladder pair in the case of a recurrent random walk. *Izv. Akad. Nauk UzSSR, Ser. Fiz. Mat. Nauk* 3, 32–35.
- Nagaev, A. (1996). Limit theorems in testing stability. *Journ. of Math. Sciences* 78(1), 95–101.
- Nagaev, A. (1998). The cramer large deviations when the extreme conjugate distribution is heavy-tailed. *Prob. Theory Appl.* (3), 456–475. In Russian.
- Nagaev, A. (2000). On non-parametric estimation of the poisson spectral measure of a stable law. *Journal of Math. Sciences* 106(2), 2854–2859.
- Nagaev, A. (2002). Asymptotic properties of stable densities and the asymmetric large deviation problems. PUB. IRMA, LILLE, 57 X, 1-11.
- Nagaev, A. (2003a). Asymptotic properties of stable densities and the asymmetric large deviation problems. *Statistics and Probability Letters* 61(4), 29 – 438.
- Nagaev, A. (2003b). Asymptotic properties of the multidimensional stable densities and the asymmetric large deviation problems. Preprint.
- Nagaev, A. and I. Khamdamov (2002). On the role of extreme summands in sum of random variables. *Prob. Theory Appl.* 47(3), 575–583. In Russian.
- Nagaev, A. and T. Schreiber (2000). Remarks on a problem of non-parametric statistics of elliptically contoured distributions. Publ. IRMA, Lille, Vol. 50, No. 1, 1–8.
- Nagaev, A. and S. Shkolnik (1983a). *An invariant classification procedure*, pp. 161–169. Fan, Tashkent. In Russian.
- Nagaev, A. and S. Shkolnik (1983b). On a family of distributions concerned with stable laws. *UzNIINTI* 87, D, 1–16, In Russian.
- Nagaev, A. and S. Shkolnik (1984). On invariant estimation of the characteristic index of stable distributions. *UzNIINTI*, no. 233, D, 1–22 (In Russian).
- Nagaev, A. and S. Shkolnik (1985a). A family of probability distributions. *Mat. Zametki* 37(4), 594–598. In Russian; English translation: *Math. Notes*, vol. 37, 3-4 (1985), 328–330.

- Nagaev, A. and S. Shkolnik (1985b). Some properties of the ratio of two random variables with stable distributions. *Izv. Akad. Nauk UzSSR, Ser. Fiz. Mat. Nauk* 1, 35–40. In Russian.
- Nagaev, A. and S. Shkolnik (1987). Properties of mode of spectral positive stable distributions. In *Stability problems for stochastic models. Varna, 1985, Lecture Notes in Math., 1233*, pp. 69–78. Springer, Berlin-New York.
- Nagaev, A. and S. Shkolnik (1988). Some properties of symmetric stable distributions that are close to the normal distribution. *Teor. Veroyatnost. i Primenen.* 33(1), 150–154. In Russian; English Translation: *Theory Probab. Appl.*, Vol. 33, 1 (1988), 139–144.
- Nagaev, A. and S. Shkolnik (1989). *Stability problems for stochastic models. Sukhumi, 1987, Lecture Notes in Math., 1412*, Chapter Some asymptotic properties of the stable laws, pp. 229–238. Springer, Berlin.
- Nagaev, A. and S. Shkolnik (1995). Asymptotic properties of symmetric stable distributions with small index. *Journ. of Math. Sciences* 76(2), 2299–2306.
- Nagaev, A. and S. Tkachuk (1974). Conditions under which the ladder epoch belongs to the domain of attraction of a stable law. In *Random processes and statistical inference*, Number 4, pp. 118–123. Fan, Tashkent. In Russian.
- Nagaev, A. and A. Zaigraev (2003). New large deviation local theorem for sums of i.i.d. random vectors when the limit distribution is α -stable.
- Nagaev, S. (1979b). Large deviations of sums of independent random variables. *Annals of Probability* 7, 745–789.
- Nagaev, S. (1994). On accuracy of approximation with stable laws. In Grigelionis and et al. (Eds.), *Probab. Theory and Math. Statist. B.*, pp. 591–604.
- Nelder, J. A. and R. Mead (1965). A simplex method for function minimization. *Computer Journal* 7, 308–313.
- Nelsen, R. B. (1999). *An introduction to copulas*, Volume 139 of *Lecture Notes in Statistics*. New York: Springer-Verlag.
- Newman, C. (1981). Self-similar random fields in mathematical physics. In G. Goldin and R. Wheeler (Eds.), *Measure Theory and Applications*.
- Newman, C. M. and B. W. Stuck (1979). Optimal sampling of independent increment processes. *Stochastics* 2, 213–225.
- Nikias, C. L. and M. Shao (1995). *Signal Processing with Alpha-Stable Distributions and Applications*. New York: Wiley.
- Nolan, J. P. (1988). Path properties of index- β stable fields. *Annals of Probability* 16, 1596–1607.

- Nolan, J. P. (1989a). Continuity of symmetric stable processes. *Journal of Multiv. Analysis* 29, 84–93.
- Nolan, J. P. (1989b). Local nondeterminism and local times for stable processes. *Prob.Th. and Rel. Fields* 82, 387–410.
- Nolan, J. P. (1991). Bounded stationary stable processes and entropy. In S. Cambanis, G. Samorodnitsky, and M. Taqqu (Eds.), *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*, Boston, pp. 101–105. Birkhäuser.
- Nolan, J. P. (1997). Numerical calculation of stable densities and distribution functions. *Commun. Statist. -Stochastic Models* 13, 759–774.
- Nolan, J. P. (1998a). Multivariate stable distributions: approximation, estimation, simulation and identification. In R. J. Adler, R. E. Feldman, and M. S. Taqqu (Eds.), *A Practical Guide to Heavy Tails*, pp. 509–526. Boston: Birkhauser.
- Nolan, J. P. (1998b). Parameter estimation and data analysis for stable distributions. In *IEEE Proceedings of the 31st Asilomar Conference on Signal Processing*.
- Nolan, J. P. (1998c). Parameterizations and modes of stable distributions. *Statistics and Probability Letters*. 38, 187–195.
- Nolan, J. P. (1999a). An algorithm for evaluating stable densities in Zolotarev’s (M) parameterization. *Mathematical and Computer Modelling* 29, 229–233.
- Nolan, J. P. (1999b). Fitting data and assessing goodness-of-fit with stable distributions. In J. P. Nolan and A. Swami (Eds.), *Proceedings of the ASA-IMS Conference on Heavy Tailed Distributions*.
- Nolan, J. P. (2001a). Maximum likelihood estimation of stable parameters. In O. E. Barndorff-Nielsen, T. Mikosch, and S. I. Resnick (Eds.), *Lévy Processes: Theory and Applications*, pp. 379–400. Boston: Birkhäuser.
- Nolan, J. P. (2001b). Measures of dependence for symmetric stable distributions. In *Proceedings of the 2001 IEEE-EURASIP Workshop on Nonlinear Signal and Image Processing*.
- Nolan, J. P. (2003). *Modeling financial distributions with stable distributions*, Volume 1 of *Handbooks in Finance*, Chapter 3, pp. 105–130. Amsterdam: Elsevier.
- Nolan, J. P. (2005a). Identification of stable measures. In progress.
- Nolan, J. P. (2005b). Multivariate stable densities and distribution functions: general and elliptical case. Preprint, BundesBank November 2005 Conference.
- Nolan, J. P. (2006). Multivariate elliptically contoured stable distributions: theory and estimation. Submitted.

- Nolan, J. P. (2007). Metrics for multivariate stable distributions. Preprint.
- Nolan, J. P. (2008, July). Advances in nonlinear signal processing for heavy tailed noise. Intl. Workshop in Applied Probability 2008.
- Nolan, J. P. (2009a). Multivariate stable cumulative probabilities in polar form and related functions. In progress.
- Nolan, J. P. (2009b). *Stable Distributions - Models for Heavy Tailed Data*. Boston: Birkhäuser. Unfinished manuscript, Chapter 1 online at academic2.american.edu/~jpnolan.
- Nolan, J. P. and D. Ojeda (2006). Linear regression with general stable errors. Preprint.
- Nolan, J. P., A. Panorska, and J. H. McCulloch (2001). Estimation of stable spectral measures. *Mathematical and Computer Modelling* 34, 1113–1122.
- Nolan, J. P. and A. K. Panorska (1997). Data analysis for heavy tailed multivariate samples. *Comm. in Stat. - Stochastic Models* 13, 687–702.
- Nolan, J. P. and B. Rajput (1995). Calculation of multidimensional stable densities. *Commun. Statist. - Simula.* 24, 551–556.
- Nolan, J. P. and N. Ravishanker (2009). Simultaneous prediction intervals for ARMA proceses with stable time innovations. *J. of Forecasting*.
- Nolan, J. P. and A. Swami (Eds.) (1999). *Proceedings of the ASA-IMS Conference on Heavy Tailed Distributions*, Washington, DC.
- Norvaisa, R. and G. Samorodnitsky (1992). Stable processes with sample paths in Orlicz spaces. *Annals of Probability* 22, 1904–1929.
- Nunez, R. C., J. G. Gonzalez, G. R. Arce, and J. P. Nolan (2008). Fast and accurate computation of the myriad filter via branch-and-bound search. *IEEE Transactions on Signal Processing* 56, 3340–3346.
- O’Brien, G. and W. Vervaat (1983). Marginal distributions of self-similar processes with stationary increments. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 64, 129–138.
- O’Brien, G. and W. Vervaat (1985). Self-similar processes with stationary increments generated by point processes. *Ann. Prob.* 13, 28–52.
- Ocone, D. (1983). Multiple integral expansions for nonlinear filtering. *Stochastics* 10, 1–30.
- Officer, R. (1972). The distribution of stock returns. *Journal of the American Statistical Association* 76, 807 – 812.
- Ojeda, D. (2001). *Comparative study of stable parameter estimators and regression with stably distributed errors*. Ph. D. thesis, American University.

- Olshen, R. (1967). Asymptotic properties of the periodogram of a discrete stationary process. *J. of Applied Prob.* 4, 508–528.
- Oodaira, H. (1973). The law of the iterated logarithm for Gaussian processes. *Ann. Prob.* 1, 954–967.
- Orey, S. (1971). *Limit Theorems for Markov Chain Transition Probabilities*. London: Van Nostrand Reinold.
- Ortobelli, S., I. Huber, and E. Schwartz (2002). Portfolio selection with stable distributed returns. *Mathematical Methods of Operations Research* 55, 265–300.
- Ortobelli, S. and S. Rachev (2005, November). Risk management and dynamic portfolio selection with stable praetian distributions. Preprint, BundesBank November 2005 Conference.
- Ortobelli, S., S. T. Rachev, I. Huber, and A. Biglova (2004). *Handbook of Computational and Numerical Methods in Finance*, Chapter Optimal Portfolio Selection and Risk Management: A Comparison between the Stable Paretian Approach and the Gaussian one, pp. 197–252. Boston: Birkhäuser.
- Ott, A., J.-P. Bouchaud, D. Langevin, and W. Urbach (1990). Anomalous diffusion in “living polymers”: a genuine lévy flight. *Phys. Rev. Letters* 65, 2201–2204.
- Painter, S. (2001). Flexible scaling model for use in random field simulation of hydraulic conductivity. *Water Resources Research* 37(5), 1155–1163.
- Painter, S., G. Geresford, and L. Paterson (1995). On the distribution of seismic reflection coefficients and seismic amplitudes. *Geophysics* 60(4), 1187–1194.
- Palmowski, Z. and T. Rolski (1996). The superposition of alternating on-off flows and a fluid model. Technical Report 82, University of Wrocław.
- Panorska, A. K. (1996). Generalized stable models for financial asset returns. *Journal of Computational and Applied Mathematics* 70, 111–114.
- Panton, D. (1992). Cumulative distribution function values for symmetric standardized stable distributions. *Statist. Simula.* 21, 458–492.
- Paradisi, P., R. Cesari, F. Mainardi, and F. Tampieri (2001). The fractional fick’s law for non-local transport processes. *Physica A* 293, 130–142.
- Parulekar, M. and A. M. Makowski (1996). Tail probabilities for a multiplexer with a self-similar traffic. *Proceedings of the 15th Annual IEEE INFOCOM*, 1452–1459.
- Parzen, E. (1962). *Stochastic Processes*. San Francisco: Holden-Day.

- Paulauskas, V. J. (1976). Some remarks on multivariate stable distributions. *J. Multivar. Anal.* 6, 356–368.
- Paulauskas, V. J. and S. T. Rachev (2003). Maximum likelihood estimators in regression models with infinite variance innovations. *Statistical Papers* 4, 47 – 65.
- Paulson, A. S. and T. A. Delehanty (1993). Tables of the fractiles of the stable law. Technical report, Rensselaer Polytechnic Institute, Troy, NY.
- Paulson, A. S., E. W. Holcomb, and R. Leitch (1975). The estimation of the parameters of the stable laws. *Biometrika* 62, 163–170.
- Paxson, V. and S. Floyd (1994). Wide area traffic: the failure of Poisson modelling. *IEEE/ACM Transactions on Networking* 3, 226–244.
- Peach, G. (1981). Theory of the pressure broadening and shift of spectral lines. *Advances in Physics* 30(3), 367–474.
- Peiris, M. and B. Perera (1988). On prediction with fractionally differenced ARIMA models. *Journal of Time Series Analysis* 9, 215–220.
- Percival, D. (1983). *The statistics of long memory processes*. Ph. D. thesis, University of Washington.
- Peters, E. E. (1994). *Fractal Market Analysis*. NY: Wiley.
- Petersen, K. (1983). *Ergodic Theory*. Cambridge: Cambridge University Press.
- Peterson, J., P. Georgiou, and C. Kyriakakis (2003). The use of fractional lower-order statistics in acoustical environments. In *Thirty-Seventh Asilomar Conference on Signals, Systems and Computers*, Volume 1, pp. 781–785. IEEE.
- Petropulu, A. P., R. Wang, and K. Piccoli (1996, Nov.). Modeling the ultrasound backscattered signal using α -stable distributions. In *Ultrasonics Symposium*, Volume 2, pp. 1093 – 1096. IEEE.
- Petrov, V. (1975). *Sums of Independent Random Variables*. New York: Springer-Verlag.
- Petrov, V. (1995). *Limit Theorems of Probability Theory*. Oxford: Oxford University Press.
- Pewsey, A. (2006). The wrapped stable family of distributions as a flexible model for circular data. Preprint.
- Pickands, III, J. (1975). Statistical inference using extreme order statistics. *Ann. Stat.* 3, 119–131.
- Pierce, R. D. (1996). RCS characterization using the alpha-stable distribution. In *Proceedings of the National Radar Conference*, pp. 154–159. IEEE Press.

- Pierce, R. D. (1997). Application of the positive α stable distribution. In *Signal Processing Workshop on Higher-Order Statistics*. IEEE Press.
- Piessens, R., E. deDoncker Kapenga, C. W. Überhuber, and D. K. Kahaner (1983). *QUADPACK: A subroutine package for automatic integration*. New York: Springer-Verlag.
- Pipiras, V., M. S. Taqqu, and P. Abry (2007). Bounds for the covariance of functions of infinite variance stable random variables with applications to central limit theorems and wavelet-based estimation. *Bernoulli* 14(4), 1091–1123.
- Pisier, G. (1983). Some applications of the metric entropy condition to harmonic analysis. In *Banach Spaces, Harmonic Analysis and Probability*, pp. 123–154. University of Connecticut: Springer Verlag. Lecture Notes in Math. Vol. 995.
- Pitman, E. J. G. (1980). Subexponential distribution functions. *Journal of Australian Mathematical Society, Series A* 29, 337–347.
- Pitt, L. (1978). Local times for gaussian vector fields. *Indiana Univ. Math. Journal* 27, 309–330.
- Pitt, L. (1982). Positively correlated normal variables are associated. *The Annals of Probability* 10, 496–499.
- Pittel, B., W. A. Woyczyński, and J. A. Mann (1990). Random tree type partitions as a model for acyclic polymerization: Holtsmark (3/2-stable) distribution of the supercritical gel. *Ann. Prob.* 18, 319–341.
- Pivato, M. (2001). *Analytical methods for multivariate stable probability distributions*. Ph. D. thesis, Toronto, Mathematics Department.
- Pivato, M. and L. Seco (2003). Estimating the spectral measure of a multivariate stable distribution via spherical harmonic analysis. *J. Multivar. Anal.* 87(2), 219–240.
- Plikusas, A. (1980). Estimation of cumulants and large deviations for certain nonlinear transformations of a stationary Gaussian process. *Lithuanian Mat. Journal* 20(2), 150–156.
- Plikusas, A. (1981). Some properties of the multiple Itô integral. *Lithuanian Mat. Journal* 21(2), 184–191.
- Płonka, A. (1991). Developments in dispersive kinetics. *Prog. Reaction Kinetics* 16, 157–333.
- Płonka, A. and A. Paszkiewicz (1992). Kinetics in dynamically disordered systems: Time scale dependence of reaction patterns in condensed media. *J. Chem. Phys.* 96, 1128–1133.

- Podgórski, K. (1992). A note on ergodic symmetric stable processes. *Stochastic Processes and their Applications* 43, 355–362.
- Pollard, D. (1984). *Convergence of Stochastic Processes*. Springer-Verlag.
- Pólya, G. (1923). Herleitung des Gauss'schen Fehlergesetzes aus einer Funktionalgleichung. *Math. Zeit.* 18, 96–108.
- Powell, M. J. D. (1989). TOLMIN: A Fortran package for linearly constrained optimization calculations. Tech. Report 1989/NA02, Cambridge University, Numerical Analysis Group.
- Powell, M. J. D. (2004). The NEWUOA software for unconstrained optimization without derivatives. Tech. Report 2004/NA08, Cambridge University, Numerical Analysis Group. Online at www.damtp.cam.ac.uk.
- Praetz, P. (1972). The distribution of share price changes. *Journal of Business* 45, 49–55.
- Prange, D. and W. Scherer (2006). Correlation smile matching with alpha-stable distributions and fitted archimedean copula models. Dresnder Kleinwort Wasserstein, Preprint http://www.defaultrisk.com/pp_corr_46.htm.
- Press, S. J. (1972a). *Applied Multivariate Analysis*. New York: Holt, Rinehart and Winston.
- Press, S. J. (1972b). Estimation in univariate and multivariate stable distributions. *JASA* 67, 842–846.
- Press, W. H., S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery (1992a). *Numerical recipes in C* (Second ed.). Cambridge: Cambridge University Press. The art of scientific computing.
- Press, W. H., S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery (1992b). *Numerical recipes in FORTRAN* (Second ed.). Cambridge: Cambridge University Press. The art of scientific computing, With a separately available computer disk.
- Priestley, M. B. (1981). *Spectral Analysis and Time Series*, Volume I and II. New York: Academic Press.
- Prokhorov, Y. (1959). An extremal problem in probability theory. *Theory of Probability and Its Applications* 4, 201–204.
- Prudnikov, A. P., Y. A. Brychkov, and O. I. Marichev (1990). *Integrals and Series*, Volume 3. New York: Gordon and Breach Science Publishers. Translation from the original 1986 Russian edition.
- Qiou, Z. and N. Ravishanker (1998). Bayesian inference for time series with stable innovations. *J. Times Series Analysis* 19, 235–249.

- Rachev, S. and G. Samorodnitsky (1993). Option pricing formulae for speculative prices modelled by subordinated stochastic processes. *Serdica* 19, 175–190.
- Rachev, S. and G. Samorodnitsky (1994). Geometric stable distributions in banach spaces. *J. Theoretical Probability* 7, 351–374.
- Rachev, S. and G. Samorodnitsky (1995). Limit laws for a stochastic process and random recursion arising in probabilistic modelling. *Advances in Applied Probability* 27, 185–202.
- Rachev, S. J., J. R. Kim, and S. Mittnik (1997). Econometric modelling in the presence of heavy-tailed innovations. *Comm. in Stat.- Stochastic Models* 13, 841–886.
- Rachev, S. T. (1991). *Probability metrics and the stability of stochastic models*. New York: Wiley.
- Rachev, S. T. (2003). *Handbook of Heavy Tailed Distributions in Finance*. Amsterdam: Elsevier.
- Rachev, S. T. (Ed.) (2004). *Handbook of Computational and Numerical Methods in Finance*. Birkhäuser.
- Rachev, S. T., F. J. Fabozzi, and C. Menn (2005). *Fat-Tailed and Skewed Asset Return Distributions : Implications for Risk Management, Portfolio Selection, and Option Pricing*. New York: Wiley.
- Rachev, S. T. and S. Han (2000). Portfolio management with stable distributions. *Mathematical Methods of Operations Research* 51, 341–352.
- Rachev, S. T. and S. Mittnik (2000). *Stable Paretian Models in Finance*. New York, NY: Wiley.
- Rachev, S. T. and G. Samorodnitsky (2001). Long strange segments in a long-range-dependent moving average. *Stochastic Process. Appl.* 93(1), 119–148.
- Rachev, S. T., E. Schwartz, and I. Khindanova (2003). *Handbook of Heavy Tailed Distributions in Finance*, Chapter Stable modeling of market and credit value at risk, pp. 249–328. Elsevier/North-Holland.
- Rachev, S. T. and H. Xin (1993). Test for association of random variables in the domain of attraction of multivariate stable law. *Probab. Math. Statist.* 14(1), 125–141.
- Rajagopal, A., K. Ngai, R. Rendell, and S. Teitler (1983). Nonexponential decay in relaxation phenomena. *J. Stat. Phys.* 30, 285–292.
- Rajput, B. (1972). Gaussian measures on L_p spaces, $1 \leq p \leq \infty$. *Journal of Multivariate Analysis* 2, 382–403.

- Rajput, B. (1997). An estimate of the semi-stable measure of small balls in Banach space. In *Lecture Notes in Pure and Applied Mathematics*, Volume 186, pp. 171–178. Riverside, CA: Marcel Dekker.
- Rajput, B., D. Louie, and A. Tortrat (1981). Une loi zéro-un pour une class de mesures sur les groupes. *Ann. Inst. Henri Poincaré* 17, 331–335.
- Rajput, B. and K. Rama-Murthy (1987). Spectral representation of semistable processes, and semistable laws on Banach spaces. *Journal of Multivariate Analysis* 21, 139–157.
- Rajput, B., K. Rama-Murthy, and T. Zak (1994). Supports of semistable probability measures on locally convex spaces. *Journal of Theoretical Probability* 7, 931–942.
- Rajput, B. and J. Rosiński (1989). Spectral representations of infinitely divisible processes. *Probability Theory and Related Fields* 82, 451–488.
- Rajput, B. and A. Tortrat (1980). Un théoreème de probabilité zéro ou un dans un groupe mesurable ou topologique quelconque. *C. R. Acad. Sc. Paris* 290, Sér. A, 251–254.
- Rajput, B. S., K. Rama-Murthy, and T. Żak (1994). Supports of semi-stable probability measures on locally convex spaces. *J. Theoret. Probab.* 7(4), 931–942.
- Ramachandran, B. (1969). On characteristic functions and moments. *Sankhya* 31(Series A), 1–12.
- Ramachandran, B. and C. Rao (1968). Some results on characteristic functions and characterizations of the normal and generalized stable laws. *Sankhya* 30(Series A), 125–140.
- Ramanathan, J. and O. Zeitouni (1991). On the wavelet transform of fractional Brownian motion. *IEEE Trans. on Info. Theory* IT-37(4), 1156–1158.
- Rao, C. R. (1965). *Linear Statistical Inference and its Applications*. New York: John Wiley.
- Rao, C. R., D. N. Shanbhag, T. Sapatinas, and M. B. Rao (2008). Some properties of extreme stable laws and related infinitely divisible random variables. *J. Statist. Plann. Inference* To appear, ?
- Rao, M. M. and Z. D. Ren (1991). *Theory of Orlicz Spaces*. New York: Marcel Dekker.
- Reed, M. and B. Simon (1972). *Methods of Modern Mathematical Physics. I: Functional Analysis*. New York: Academic Press.
- Reiss, R.-D. and M. Thomas (2001). *Statistical Analysis of Extreme Values* (2 ed.). Basel: Birkhäuser.

- Resnick, S. (1986). Point processes, regular variation and weak convergence. *Advances in Applied Probability* 18, 66–138.
- Resnick, S. (1987). *Extreme Values, Regular Variation and Point Processes*. New York: Springer-Verlag.
- Resnick, S. (1988). Association and multivariate extreme value distributions. In C. Heyde (Ed.), *Gani Festschrift: Studies in Statistical Modelling and Statistical Science*. Statistical Society of Australia.
- Resnick, S. (1992). *Adventures in Stochastic Processes*. Birkhäuser, Boston.
- Resnick, S. (1997a). Heavy tail modeling and teletraffic data. *Annals of Statistics* 25, 1805–1869.
- Resnick, S. (1997b). Why non-linearities can ruin the heavy tailed modeler’s day. In *A Practical Guide to Heavy Tails: Statistical Techniques for Analysing Heavy Tailed Distributions*, pp. 219–240. Birkhäuser, Boston.
- Resnick, S. and E. V. D. Berg (1998). Sample correlation behavior for the heavy tailed general bilinear processes. Preprint. Available as TR1210.ps.Z at www.orie.cornell.edu/trlist/trlist.html.
- Resnick, S. and G. Samorodnitsky (1997a). Activity periods of an infinite server queue and performance of certain heavy tailed fluid queues. Preprint. Available as inf-server.ps at www.orie.cornell.edu/gennady/techreports.
- Resnick, S. and G. Samorodnitsky (1997b). Performance decay in a single server exponential queueing model with long range dependence. *Operations Research* 45, 235–243.
- Resnick, S. and G. Samorodnitsky (2001). Steady-state distribution of the buffer content for $M/G/\infty$ input fluid queues. *Bernoulli* 7(2), 191–210.
- Resnick, S. and G. Samorodnitsky (2004). Point processes associated with stationary stable processes. *Stochastic Process. Appl.* 114(2), 191–209.
- Resnick, S., G. Samorodnitsky, and F. Xue (1999). How misleading can sample acf’s of stable ma’s be? (very!). *Annals of Applied Probability* 9, 797–817.
- Resnick, S., G. Samorodnitsky, and F. Xue (2000a). Growth rates of sample covariances of stationary symmetric α -stable processes associated with null recurrent markov chains. *Stochastic Processes and Their Applications* 85, 321–339.
- Resnick, S., G. Samorodnitsky, and F. Xue (2000b). Growth rates of sample covariances of stationary symmetric α -stable processes associated with null recurrent Markov chains. *Stochastic Process. Appl.* 85(2), 321–339.
- Resnick, S. and C. Stărică (1995). Consistency of Hill’s estimator for dependent data. *Journal of Applied Probability* 32, 139–167.

- Resnick, S. I. and C. Stărică (1997). Smoothing the Hill estimator. *Adv. in Appl. Prob. 29*, 271–293.
- Rice, S. (1939). The distribution of the maxima of a random curve. *Amer. J. Math. 61*, 409–416.
- Rice, S. (1944). Mathematical analysis of random noise. *Bell Syst. Tech. J. 23*, 282–332.
- Rice, S. (1945). Mathematical analysis of random noise. *Bell System Tech. J. 24*, 46–156.
- Rio, E. (1992). Covariance inequalities for strongly mixing processes. Preprint.
- Rioul, O. and P. Flandrin (1992). Time-scale energy distributions-A general class extending wavelet transforms. *IEEE Trans. on Signal Proc. SP-40(7)*, 1746–1757.
- Rishmawi, S. (2005). *Fitting concentration data with stable distributions*. Ph. D. thesis, American University, Washington, DC.
- Robertson, A. and W. Robertson (1973). *Topological Vector Spaces*. Cambridge University Press.
- Robinson, G. (2003a, March). High precision computation of density and tail areas for stable distributions. Technical report, CSIRO, Mathematical and Information Sciences.
- Robinson, G. (2003b, March). Rapid computations concerning log maximally-skewed stable distributions. Technical report, CSIRO, Mathematical and Information Sciences.
- Robinson, G. (2003c, March). Use of log maximally skew stable distributions for pricing and evaluating portfolio risk. Technical report, CSIRO, Mathematical and Information Sciences.
- Robinson, P. (1990). Time series with strong dependence. Invited paper, 6th World Congress of the Econometric Society, Barcelona.
- Robinson, P. (1991a). Nonparametric function estimation for long memory time series. In W. Barnett, J. Powell, and G. Tauchen (Eds.), *Nonparametric and Semiparametric Methods in Econometrics and Statistics: Proceedings of the Fifth International Symposium in Economic Theory and Econometrics*, pp. 437–457. Cambridge University Press.
- Robinson, P. (1991b). Semiparametric analysis of long-memory time series. Preprint.
- Robinson, P. (1992a). Log-periodogram regression of time series with long range dependence. Preprint.

- Robinson, P. (1992b). Rates of convergence and optimal bandwidth in spectral analysis of processes with long range dependence. Preprint.
- Robust Analysis Inc (2005). *User Manual for STABLE 4.0*. Software and user manual available online at www.RobustAnalysis.com: Robust Analysis Inc.
- Roll, R. (1970). *The Behavior of Interest Rates; The Application of the Efficient Market Hypothesis to U. S. Treasury Bills*. New York, New York: Basic Books.
- Rosenblatt, M. (1961). Independence and dependence. In *Proc. of 4th Berkeley Sympos. on Math. Statist. and Probab.*, pp. 411–443. Berkeley: Univ. Calif. Press.
- Rosenblatt, M. (1962). *Random Processes*. Chapman and Hall, New York.
- Rosenblatt, M. (1976). Fractional integrals of stationary processes and the central limit theorem. *J. Appl. Probability* 13, 723–732.
- Rosenblatt, M. (1979). Some limit theorems for partial sums of quadratic forms in stationary Gaussian variables. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 49, 125–132.
- Rosenblatt, M. (1981). Limit theorems for Fourier transforms of functionals of Gaussian sequences. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 55, 123–132.
- Rosenblatt, M. (1983). Stochastic processes with short-range and long-range dependence. Preprint.
- Rosenblatt, M. (1987a). Remarks on limit theorems for nonlinear functionals of Gaussian sequences. *Probab. Th. Rel. Fields* 75, 1–10.
- Rosenblatt, M. (1987b). Scale renormalization and random solutions of the Burgers equation. *Journal of Applied Probability* 24, 332–338.
- Rosiński, J. and W. Woyczynski (1985). Moment inequalities for real and vector-valued p -stable stochastic integrals. In A. B. et al. (Ed.), *Probability Theory in Banach Spaces V*, pp. 369–387. Springer Verlag. Lecture Notes in Mathematics. Vol. 1153.
- Rosiński, J. (1984). Random integrals on Banach space valued functions. *Studia Mathematica* 78, 15–38.
- Rosiński, J. (1986). On stochastic integral representation of stable processes with sample paths in Banach spaces. *Journal of Multivariate Analysis* 20, 277–302.
- Rosiński, J. (1989). On path properties of certain infinitely divisible processes. *Stoch. Proc. Appl.* 33, 73–87.

- Rosiński, J. (1990a). An application of series representations to zero-one laws for infinitely divisible random vectors. In J. K. E. Eberlein and M. Marcus (Eds.), *Probability in Banach Spaces 7*, Boston. Birkhäuser.
- Rosiński, J. (1990b). On series representation of infinitely divisible random vectors. *The Annals of Probability* 18, 405–430.
- Rosiński, J. (1991). On a class of infinitely divisible processes represented as mixtures of Gaussian processes. In S. Cambanis, G. Samorodnitsky, and M. Taqu (Eds.), *Stable Processes and Related Topics*, Boston, pp. 27–41. Birkhäuser.
- Rosiński, J. (1992). On series representations of infinitely divisible random vectors. *Ann. Prob.* 18, 405–430.
- Rosiński, J. (1995). On the structure of stationary stable processes. *The Annals of Probability* 23, 1163–1187.
- Rosiński, J. (1997). Structure of stationary stable processes. In R. Adler, R. Feldman, and M. Taqu (Eds.), *A Practical Guide to Heavy Tails: Statistical Techniques for Analysing Heavy Tailed Distributions*, pp. 461–472. Birkhäuser, Boston.
- Rosiński, J. (2004). Tempering stable processes. Preprint, U. Tenn, <http://www.math.utk.edu/~rosinski/Manuscripts/tstable.pdf>.
- Rosiński, J. and G. Samorodnitsky (1993). Distributions of subadditive functionals of sample paths of infinitely divisible processes. *Annals of Probability* 21, 996–1014.
- Rosiński, J. and G. Samorodnitsky (1994). Zero-one laws for multiple stochastic integrals. In C. Houdré and V. Pérez-Abreu (Eds.), *Chaos Expansions, Multiple Wiener-Itô Integrals and Their Applications*, pp. 233–259. CRC Press.
- Rosiński, J. and G. Samorodnitsky (1996). Classes of mixing stable processes. *Bernoulli* 2, 365–378.
- Rosiński, J. and G. Samorodnitsky (1999). Product formula, tails and independence of multiple stable integrals. In *Advances in stochastic inequalities (Atlanta, GA, 1997)*, Volume 234 of *Contemp. Math.*, pp. 169–194. Providence, RI: Amer. Math. Soc.
- Rosiński, J., G. Samorodnitsky, and M. Taqu (1991). Sample path properties of stochastic processes represented as multiple stable integrals. *Journal of Multivariate Analysis* 37, 115–134.
- Rosiński, J., G. Samorodnitsky, and M. Taqu (1993). Zero-one laws for multilinear forms in Gaussian and other infinitely divisible random variables. *Journal of Multivariate Analysis* 46, 61–82.

- Rosiński, J. and W. Woyczynski (1984). Products of random measures, multilinear random forms and multiple stochastic integrals. In *Proc. Measure Theory Conf. Oberwolfach 1983*. Springer's Lecture Notes in Math.
- Rosiński, J. and W. Woyczyński (1986). On Itô stochastic integration with respect to p-stable motion: inner clock, integrability of sample paths, double and multiple integrals. *The Annals of Probability* 14, 271–286.
- Rosiński, J. and W. Woyczynski (1987a). Multilinear forms in Pareto-like random variables and product random measures. *Colloquium Mathematicum* 51, 303–313.
- Rosiński, J. and W. Woyczynski (1987b). On Ito stochastic integration with respect to p-stable motion: inner clock, integrability of sample paths, double and multiple integrals. *Ann. Prob.* 14, 271–286.
- Rosiński, J. and T. Zak (1996). Simple conditions for mixing of infinitely divisible processes. *Stochastic Process. Appl.* 61(2), 277–288.
- Rosiński, J. and T. Zak (1997). The equivalence of ergodicity of weak mixing for infinitely divisible processes. *J. Theoret. Probab.* 10(1), 73–86.
- Ross, S. (1985). *Introduction to Probability Models* (3rd ed.). Orlando: Academic Press.
- Rossberg, H.-J., B. Jesiak, and G. Siegel (1985). *Analytic Methods of Probability Theory*. Berlin: Akademie-Verlag.
- Rotnitzky, A., D. R. Cox, M. Bottai, and J. Robins (2000). Likelihood-based inference with singular information matrix. *Bernoulli* 6(2), 243–284.
- Roughan, M. and C. Kalmanek (2003). Pragmatic modeling of broadband access traffic. *Computer Communications* 26, 804–816.
- Rousseeuw, P. and G. Bassett (1990). The remedian: a robust averaging method for large data sets. *J. Amer. Statist. Assoc.* 85(409), 97–104.
- Rousseeuw, P. and A. Leroy (1987). *Robust Regression and Outlier Detection*. NY: Wiley and Sons.
- Royden, H. (1963). *Real Analysis*. Macmillan.
- Royden, H. (1988). *Real Analysis* (Third ed.). Macmillan.
- Rozanov, Y. (1967). *Stationary Random Processes*. San Francisco: Holden-Day.
- Rvačeva, E. L. (1962). On domains of attraction of multi-dimensional distributions. In *Select. Transl. Math. Statist. and Probability, Vol. 2*, pp. 183–205. Providence, R.I.: American Mathematical Society.

- Ryu, B. and S. Lowen (1995). Modeling, analysis and simulation of self-similar traffic using the fractal-shot-noise-driven Poisson process. *Proceedings of IASTED International Conference on Modeling and Simulation*, Pittsburgh, PA.
- Ryznar, M. (1986). Asymptotic behaviour of stable seminorms near the origin. *Ann. Probab.* *14*, 287–298.
- Sahimi, M. and S. E. Tajer (2005). Self-affine fractal distributions of the bulk density, elastic moduli, and seismic wave velocities of rock. *Phys Rev E* *71*(4), Article Number: 046301.
- Samarov, A. and M. Taqqu (1988). On the efficiency of the sample mean in long memory noise. *Journal of Time Series Analysis* *9*, 191–200.
- Samorodnitsky, G. (1988). Extrema of skewed stable processes. *Stoch. Proc. Appl.* *30*, 17–39.
- Samorodnitsky, G. (1991). Probability tails of Gaussian extrema. *Stoch. Proc. Appl.* *38*, 55–84.
- Samorodnitsky, G. (1993a). Integrability of stable processes. *Probab. Math. Stat.*. To appear.
- Samorodnitsky, G. (1993b). Possible sample paths of α -stable self-similar processes. *Stat. Probab. Letters*. To appear.
- Samorodnitsky, G. (1995a). Association of infinitely divisible random vectors. *Stochastic Processes and Their Applications* *55*, 45–56.
- Samorodnitsky, G. (1995b). A class of shot noise models for financial applications. In C. Heyde, Y. V. Prohorov, R. Pyke, and S. Rachev (Eds.), *Proceeding of Athens International Conference on Applied Probability and Time Series. Volume 1: Applied Probability*, pp. 332–353. Springer.
- Samorodnitsky, G. (1998). Lower tails of self-similar stable processes. *Bernoulli* *4*(1), 127–142.
- Samorodnitsky, G. (2004a). Extreme value theory, ergodic theory and the boundary between short memory and long memory for stationary stable processes. *Ann. Probab.* *32*(2), 1438–1468.
- Samorodnitsky, G. (2004b). Maxima of continuous-time stationary stable processes. *Adv. in Appl. Probab.* *36*(3), 805–823.
- Samorodnitsky, G. (2005). Null flows, positive flows and the structure of stationary symmetric stable processes. *Ann. Probab.* *33*(5), 1782–1803.
- Samorodnitsky, G. (2006). Long memory and self-similar processes. *Ann. Fac. Sci. Toulouse Math. (6)* *15*(1), 107–123.

- Samorodnitsky, G. and J. Szulga (1989). An asymptotic evaluation of the tail of a multiple symmetric α -stable integral. *The Annals of Probability* 17, 1503–1520.
- Samorodnitsky, G. and M. Taqqu (1989). The various linear fractional Lévy motions. In K. A. T.W. Anderson and D. Iglehart (Eds.), *Probability, Statistics and Mathematics: Papers in Honor of Samuel Karlin*, Boston, pp. 261–270. Academic Press.
- Samorodnitsky, G. and M. Taqqu (1990a). $(1/\alpha)$ -self-similar processes with stationary increments. *Journal of Multivariate Analysis* 35, 308–313.
- Samorodnitsky, G. and M. Taqqu (1990b). Existence of joint moments of stable random variables. *Stat. Probab. Letters* 10, 167–172.
- Samorodnitsky, G. and M. Taqqu (1990c). Multiple stable integrals of Banach-valued functions. *Journal of Theoretical Probability* 3, 267–287.
- Samorodnitsky, G. and M. Taqqu (1991a). Conditional moments and linear regression for stable random variables. *Stochastic Processes and their Applications* 39.
- Samorodnitsky, G. and M. Taqqu (1991b). Construction of multiple stable measures and integrals using LePage representation. In S. Cambanis, G. Samorodnitsky, and M. Taqqu (Eds.), *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*, Boston, pp. 121–141. Birkhäuser.
- Samorodnitsky, G. and M. Taqqu (1991c). Probability laws with 1-stable marginals are 1-stable. *The Annals of Probability* 19, 1777–1780.
- Samorodnitsky, G. and M. Taqqu (1992). Linear models with long-range dependence and finite or infinite variance. In D. Brillinger, P. Caines, J. Geweke, E. Parzen, M. Rosenblatt, and M. Taqqu (Eds.), *New Directions in Time Series Analysis, Part II*, New York, pp. 325–340. IMA Volumes in Mathematics and its Applications, Volume 46: Springer-Verlag.
- Samorodnitsky, G. and M. Taqqu (1993). Stochastic monotonicity and Slepian-type inequalities for infinitely divisible and stable random vectors. *The Annals of Probability* 21, 143–160.
- Samorodnitsky, G. and M. Taqqu (1994a). Lévy measures of infinitely divisible random vectors and Slepian inequalities. *The Annals of Probability* 22, 1930–1956.
- Samorodnitsky, G. and M. Taqqu (1994b). *Stable Non-Gaussian Random Processes*. New York: Chapman and Hall.
- Samotij, K. and T. Zak (1989). A note on Marcus example of a nonstable law with all projections stable. *Bull. Polish Acad. Sci. Math.* 37(1-6), 199–202 (1990).

- Samuelson, P. (1965). Rational theory of warrant pricing. *Industrial Management Review* 6, 13–32.
- Samuelson, P. (1967). Efficient portfolio selectin for Pareto-Lévy investments. *J. Finance and Quantitative Analysis* 2, 107–117.
- Sato, K. (1999). *Lévy Processes and Infinitely Divisible Distributions*. Cambridge University Press.
- Sato, K. and M. Yamazato (1978). On distribution functions of class L . *Z. Wahr. verw. Gebiete* 43, 273–308.
- Sato, Y. (1989). Joint distributions of some self-similar stable processes. Preprint. Revised as “Structure of Bivariate Distributions of Linear Fractional Stable and Chentsov type stable processes”.
- Sato, Y. (1990). Structure of Lévy measures of stable random fields of Chentsov type. Preprint.
- Sato, Y. (1991). Distributions of stable random fields of Chentsov type. *Nagoya Math. J.* 123, 119–139.
- Sato, Y. (1992a). Structure of bivariate distributions of linear fractional and Chentsov type stable processes. In A. Shiryaev, V. Korolyuk, S. Watanabe, and M. Fukushima (Eds.), *Probability Theory and Mathematical Statistics*, Singapore, pp. 306–316. Proceedings of the Sixth USSR-Japan Symposium: World Scientific.
- Sato, Y. (1992b). Structure of Lévy measures of stable random fields of Chentsov type. *Probability and Mathematical Statistics* 13, 165–176.
- Sato, Y. and S. Takenaka (1991). On determinism of symmetric α -stable processes of generalized Chentsov type. In K. Itô and T. Hida (Eds.), *Gaussian Random Fields*, pp. 332–345. Singapore: World Scientific. Series on Probability and Statistics, Vol.1.
- Scher, H., M. F. Schlesinger, and J. T. Bendler (1991). Time-scale invariance in transport and relaxation. *Phys. Today* 44, 26–34.
- Schertzer, D., M. Larcheveque, J. Duan, and S. Lovejoy (1999). Generalized stable multivariate distribution and anisotropic dilations.
- Schilder, M. (1970). Some structure theorems for the symmetric stable laws. *Ann. Math. Stat.* 41, 412–421.
- Schlesinger, M. and B.D.Hughes (1981). Analogs of renormalization group transformations in random processes. *Physica* 190(A), 597–608.
- Schlesinger, M. F., G. M. Zaslavsky, and U. Frisch (1995). *Lévy flights and related topics in physics*. Lecture Notes in Physics, No. 450. Springer.

- Schneider, W. R. (1986). Stable distributions: Fox function representation and generalization. In S. Albeverio, G. Casati, and D. Merlini (Eds.), *Stochastic Processes in Classical and Quantum Systems*, pp. 497–511. Berlin: Springer.
- Schoenberg, I. (1937). On certain metric spaces arising from Euclidean spaces by a change of metric and their imbedding in Hilbert space. *Annals of Mathematics* 38(4), 787–793.
- Schönbucher, P. J. (2003). Taken to the limit: simple and not-so-simple loss distributions. *WILMOTT magazine* 2, 63–73.
- Schreiber, M. (1972). Quelques remarques sur les caractéristiques des espaces L^p , $0 \leq p < 1$. *Ann. Inst. Henri Poincaré* 8, 83–92.
- Schumaker, L. L. (1981). *Spline Functions: Basic Theory*. New York: Wiley.
- Schwartz, L. (1981). Geometry and probability in Banach spaces. In *Lecture Notes in Mathematics*. New York: Springer Verlag.
- Segall, A. and T. Kailath (1976). Orthogonal functionals of independent-increment processes. *IEEE Trans. Information Theory* IT(22), 287–298.
- Self, S. G. and K.-Y. Liang (1987). Asymptotic properties of maximum likelihood estimators and likelihood ratio tests under nonstandard conditions. *J. Amer. Statist. Assoc.* 82(398), 605–610.
- Shepp, L. (1966). Radon-Nikodym derivatives of Gaussian measures. *Ann. Math. Statist.* 37, 321–354.
- Shepp, L. (1982). On the integral of the absolute value of a pinned Wiener process. *The Annals of Probability* 10, 234–239.
- Shieh, N.-R. (1991). Conditional local nondeterminism and Hausdorff measure of level sets. *Canad. Math. Bull.* 34(1), 123–127.
- Shieh, N.-R. (1992). Local nondeterminism and self-intersections of certain self-similar stable processes. In *Probability theory and mathematical statistics (Kiev, 1991)*, pp. 317–323. World Sci. Publ., River Edge, NJ.
- Shiryayev, A. (1981). Martingales: recent developments, results and applications. *International Statistical Review* 49, 199–233.
- Shkolnik, S. (1984). Asymptotic properties of a invariant ML-estimator of the characteristic index of stable laws. *UzNIINTI* 234 D, 1–12 (In Russian).
- Šidák, Z. (1968). On multivariate normal probabilities of rectangles: their dependence on correlations. *Ann. Math. Stat.* 39, 1425–1434.
- Siebert, E. (1987). Decomposition of convolution semigroups on Polish groups and zero-one laws. *Hokkaido Math. J.* 16, 235–255.

- Sinai, Y. G. (1976). Self-similar probability distributions. *Theory Probability Appl.* 21, 64–80.
- Sivia, D. S. (1996). *Data analysis*. New York: The Clarendon Press Oxford University Press. A Bayesian tutorial.
- Skorohod, V. (1957). Limit theorems for stochastic processes with independent increments. *Theor. Probab. Appl.* 2, 137–171.
- Slepian, D. (1962). The one-sided barrier problem for Gaussian noise. *Bell System Tech. J.* 41, 463–501.
- Slepian, D. (1972). On the symmetrized Kronecker power of a matrix and extensions of Mehler’s formula for Hermite polynomials. *SIAM J. Math. Analysis* 3, 606–616.
- Slud, E. (1991). Multiple Wiener-Itô integral expansions for level-crossing-count functionals. *Probab. Th. Rel.Flds.* 87, 349–364.
- Slud, E. (1992a). Multiple stochastic integral representation of the number of curve-crossings by a differentiable Gaussian process with applications. Preprint.
- Slud, E. (1992b, July 1992). MWI expansions for functionals related to level-crossing counts. In *Proceedings of CIMAT Workshop on Multiple Wiener-Itô Integrals*, Guanajuato Mexico.
- Smith, R. (1987). Estimating tails of probability distributions. *Ann. Statist.* 15, 1174–1207.
- Solo, V. (1987). Intrinsic random functions and the paradox of 1/f noise. Preprint.
- Solo, V. (1989). Asymptotics of quadratic forms for time series. Preprint.
- Soltani, A. R. (1992). Local nondeterminism for moving average stable processes. *Bull. Iranian Math. Soc.* 18(2), 7–15.
- Sornette, D. (2004). *Critical Phenomena in Natural Sciences* (2nd ed.). Springer.
- Souryal, M. R., B. R. Vojcic, and R. L. Pickholtz (2003, October). Interference model for ad hoc DS/CDMA packet radio networks with variable coherent modulation. In *Proc. MILCOM*, pp. 1–6.
- Sowell, F. (1987). Maximum-likelihood estimation of fractionally integrated time-series models. Research Paper 87-07, Institute of Statistics and Decision Sciences, Duke University, Durham, NC.
- Sowell, F. (1990). The fractional unit-root distribution. *Econometrica* 58, 495–505.

- Spanos, A. (1993). On modeling speculative prices: Student's t autoregressive model with dynamic heteroskedasticity. Technical report, University of Cyprus.
- Spitzer, F. (1964). *Principle of Random walk*. Princeton: D. van Nostrand Company.
- Spitzer, F. (1969). Uniform motion with elastic collision of an infinite particle systems. *J. Math. Mech.* 18, 973–990.
- Springer, M. (1979). *The Algebra of Random Variables*. John Wiley and Sons.
- Stephens, M. A. (1970). Use of the Kolmogorov-Smirnov, Cramer-von Mises and related statistics without extensive tables. *Journal of the Royal Statistical Society, Series B* 32, 115–122.
- Stephens, M. A. (1986). Tests based on EDF statistics. In R. B. D'Agostino and M. A. Stevens (Eds.), *Goodness-of-Fit Techniques*. N.Y.: Marcel Dekker.
- Stephenson, A. G. (2003). Simulating multivariate extreme value distributions of logistic type. *Extremes* 6(1), 49–59.
- Steutel, F. and K. V. Harn (2004). *Infinite divisibility of probability distributions on the real line*. NY, NY: Marcel Dekker.
- Stewart, G. W. (1967). A modification of Davidon's minimization method to accept difference approximations of derivatives. *Journal of the ACM* 14, 72–83.
- Stoyanov, S., G. Samorodnitsky, S. T. Rachev, and S. Ortobelli (2006). Computing the portfolio conditional value-at-risk in the stable case. *Probability and Mathematical Statistics* 26(1), 1–22.
- Strassen, V. (1965). The existence of probability measures with given marginals. *Ann. Math. Stat.* 36, 423–439.
- Strobl, G. R. (1997). *The physics of polymers : concepts for understanding their structures and behavior, 2nd Ed.* Springer.
- Stuck, B. W. (1976a). Distinguishing stable probability measures, part i: Discrete time. *Bell System Technical Journal* 55(8), 1125–1182.
- Stuck, B. W. (1976b). Distinguishing stable probability measures, part ii: Continuous time. *Bell System Technical Journal* 55(8), 1183–1196.
- Stuck, B. W. (1976c). Explicit solutions to some single-period investment problems for risky log-stable stocks. *Journal of Financial Economics* 3, 277–294.
- Stuck, B. W. (1978). Minimum error dispersion linear filtering of scalar symmetric stable processes. *IEEE Transactions on Automatic Control* 23, 507–509.

- Stuck, B. W. (2000). An historical overview of stable probability distributions in signal processing. In *Proceedings of ICASSP 2000*, Volume 6, pp. 3795–3797. IEEE.
- Stuck, B. W. and B. Kleiner (1974). A statistical analysis of telephone noise. *Bell Syst. Tech. J.* 53(7), 1263–1320.
- Sudakov, N. V. (1971). Gaussian random processes and measures of solid angles in Hilbert space. *Soviet Math. Dokl.* 12, 412–415.
- Sun, T. (1963). A central limit theorem for non-linear functions of a normal stationary process. *J. Math. Mech.* 12, 945–978.
- Sun, T. (1965). Some further results on central limit theorems for non-linear functions of a normal stationary process. *J. Math. Mech.* 14, 71–85.
- Surgailis, D. (1981). On l^2 and non- l^2 multiple stochastic integration. In *Stochastic Differential Systems*, New York, pp. 212–226. Lecture Notes in Control and Information Sciences, 36: Springer-Verlag.
- Surgailis, D. (1982). Zones of attraction of self-similar multiple integrals. *Lithuanian Mat. Journal* 22, 327–340.
- Surgailis, D. (1985). On the multiple stable integral. *Z. Wahrsch. verw. Gebiete* 70, 621–632.
- Surgailis, D., J. Rosiński, V. Mandrekar, and S. Cambanis (1993). Stable mixed moving averages. *Probab. Theory Related Fields* 97, 543–558.
- Suzuki, M. (1983). Phase transition and fractals. *Progress of Theoretical Physics* 69, 65–76.
- Suzuki, M. (1984). Finite-size scaling for transient similarity and fractals. *Prog. Theor. Phys.* 71, 1397–1400.
- Swami, A. and B. Sadler (2002). On some detection and estimation problems in heavy-tailed noise. *Signal Processing* 82(12), 1829–1846.
- Sytaya, G. (1974). On some asymptotic representations of the gaussian measure in a Hilbert space. In *Theory of Stochastic Processes*, pp. 93–104. Ukrainian Academy of Sciences. Publication 2.
- Szabo, T. (1994). Time domain wave equations for lossy media obeying a frequency power law. *J. Acoustic Society of America* 96(1), 491–500.
- Szczotka, W. and W. A. Woyczyński (2003). Distributions of suprema of Lévy processes via the heavy traffic invariance principle. *Probab. Math. Statist.* 23(2, Acta Univ. Wratislav. No. 2593), 251–272.
- Szczotka, W. and W. A. Woyczyński (2004). Heavy-tailed dependent queues in heavy traffic. *Probab. Math. Statist.* 24(1, Acta Univ. Wratislav. No. 2646), 67–96.

- Sztencel, R. (1981). On boundedness and convergence of some Banach space valued random series. *Probab. Math. Stat.* 2, 83–88.
- Sztencel, R. (1986). Absolute continuity of the lower tail of stable seminorms. *Bull. Pol. Acad. Sci. Math.* 34, 231–234.
- Szulga, J. (1989). Multiple stochastic integrals with respect to symmetric infinitely divisible random measures. Preprint.
- Szulga, J. and W. Woyczynski (1983). Existence of a double random integral with respect to stable measures. *Journal of Multivariate Analysis* 13, 194–201.
- Takács, L. (1962). *An Introduction to Queueing Theory*. New York: Oxford University Press.
- Takano, T. (1954). On some limit theorems of probability distributions. *Ann. Inst. Stat. Math. Tokyo* 6, 37–113.
- Takashima, K. (1991). Sample path properties of ergodic self-similar processes. *Osaka J. Math.* 26, 159–189.
- Takenaka, S. (1987). Representations of Euclidean random field. *Nagoya Math. J.* 105, 19–31.
- Takenaka, S. (1991). Integral-geometric construction of self-similar stable processes. *Nagoya Math. J.* 123, 1–12.
- Takenaka, S. (1993). Examples of self-similar stable processes. In S. Cambanis, J. Ghosh, R. Karandikar, and P. Sen (Eds.), *Stochastic Processes. A Festschrift in Honour of Gopinath Kallianpur*, pp. 303–311. New York: Springer Verlag.
- Talagrand, M. (1987). Regularity of Gaussian processes. *Acta Mathematica* 159, 99–149.
- Talagrand, M. (1988). Necessary conditions for sample boundedness of p -stable processes. *The Annals of Probability* 16, 1584–1595.
- Talagrand, M. (1990). Characterization of almost surely continuous 1-stable random Fourier series and strongly stationary processes. *The Annals of Probability* 18, 85–91.
- Talagrand, M. (1993). New gaussian estimates for enlarged balls. *Geometric Functional Analysis* 3, 502–520.
- Talagrand, M. (1995). Hausdorff measure of trajectories of multiparameter fractional brownian motion. *The Annals of Probability* 23, 767–775.
- Taqqu, M. (1975). Weak convergence to fractional Brownian motion and to the Rosenblatt process. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 31, 287–302.

- Taqqu, M. (1977). Law of the iterated logarithm for sums of non-linear functions of the Gaussian variables that exhibit a long range dependence. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 40, 203–238.
- Taqqu, M. (1978). A representation for self-similar processes. *Stochastic Proc. and their Applic.* 7, 55–64.
- Taqqu, M. (1979). Convergence of integrated processes of arbitrary Hermite rank. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 50, 53–83.
- Taqqu, M. (1981). Self-similar processes and related ultraviolet and infrared catastrophes. In *Random Fields: Rigorous Results in Statistical Mechanics and Quantum Field Theory*, Amsterdam, pp. 1027–1096. Colloquia Mathematica Societatis Janos Bolyai: North-Holland. Vol.27 Book 2.
- Taqqu, M. (1986a). A bibliographical guide to self-similar processes and long-range dependence. In E. Eberlein and M. Taqqu (Eds.), *Dependence in Probability and Statistics*, Boston, pp. 137–162. Birkhäuser.
- Taqqu, M. (1986b). Sojourn in an elliptical domain. *Stochastic Processes and their Applications* 21, 319–326.
- Taqqu, M. (1987a). Random processes with long-range dependence and high variability. *J. Geophys. Research* 92, 9683–9686.
- Taqqu, M. (1987b). Toeplitz matrices and estimation of time series with long-range dependence. In Y. Prohorov and V. Sazonov (Eds.), *Proceedings of the Bernoulli Congress, Tashkent, USSR*, Holland, pp. 75–83. VNU Science Press BV. Vol. 1.
- Taqqu, M. (1988a). Self-similar processes. In S. Kotz and N. Johnson (Eds.), *Encyclopedia of Statistical Sciences*, pp. 352–357. New York: Wiley. Volume 8.
- Taqqu, M. (1988b). Weak stationary. In S. Kotz and N. Johnson (Eds.), *Encyclopedia of Statistical Sciences*, pp. 540. New York: Wiley. Volume 9.
- Taqqu, M. and C. Czado (1985a). Reproducing kernel Hilbert space for some non-Gaussian processes. In A. B. et al. (Ed.), *Probability in Banach Spaces V*, New York, pp. 128–140. Refereed proceedings of the International Conference held in Medford, USA, July 16-27, 1984: Springer-Verlag, Lecture Notes in Mathematics. Vol.1153.
- Taqqu, M. and C. Czado (1985b). A survey of functional laws of the iterated logarithm for self-similar processes. *Stochastic Models* 1(1), 77–115.
- Taqqu, M. and J. Goldberg (1982). Regular multigraphs and their applications to the Monte Carlo evaluation of moments of non-linear functionals of Gaussian processes. *Stochastic Processes and their Applications* 13, 121–138.

- Taqqu, M. and J. Levy (1986). Using renewal processes to generate long-range dependence and high variability. In E. Eberlein and M. Taqqu (Eds.), *Dependence in Probability and Statistics*, Boston, pp. 73–89. Birkhäuser.
- Taqqu, M. and W. Willinger (1984). A geometric approach to constructing martingale measures: the discrete case. Tech Report 635, School of Operations Research and Industrial Engineering, Cornell University.
- Taqqu, M. and W. Willinger (1987). The analysis of finite security markets using martingales. *Advances in Applied Probability* 19, 1–25.
- Taqqu, M. and R. Wolpert (1983). Infinite variance self-similar processes subordinate to a Poisson measure. *Zeitschrift für Wahrscheinlichkeitstheorie und verwandte Gebiete* 62, 53–72.
- Taroudakis, M. I., G. Tzagkarakis, and P. Tsakalides (2006). Classification of shallow-water acoustic signals via alpha-stable modeling of the one-dimensional wavelet coefficients. *Journal of the Acoustic Society of America* 119, 1396–1405.
- Taylor, S. (1986). *Modelling Financial Time Series*. New York: Wiley.
- Teitler, S., A. Rajagopal, and K. Ngai (1982). Relaxation processes and time scale transformations. *Phys. Rev.* 26, 2906–2912.
- Terrin, N. and M. Taqqu (1990a). A noncentral limit theorem for quadratic forms of Gaussian stationary sequences. *J. Theor. Probab.* 3, 449–475.
- Terrin, N. and M. Taqqu (1990b). Quadratic forms with long-range dependence. In B. Grigelionis, Y. Prohorov, V. Sazonov, and V. Statulevičius (Eds.), *Probability Theory and Mathematical Statistics. Proceedings of the Fifth Vilnius Conference June 25–July 1, 1989*, Volume 2, Utrecht, the Netherlands, pp. 466–473. VSP BV Press.
- Terrin, N. and M. Taqqu (1991a). Convergence in distribution of sums of bivariate Appell polynomials with long-range dependence. *Prob. Th. and Rel. Fields* 90, 57–81.
- Terrin, N. and M. Taqqu (1991b). Convergence to a Gaussian limit as the normalization exponent tends to $1/2$. *Statistics and Probability Letters* 11, 419–427.
- Terrin, N. and M. Taqqu (1991c). Power counting theorem on \mathbb{R}^n . In R. Durrett and H. Kesten (Eds.), *Spitzer Festschrift*. Boston: Birkhäuser. To appear.
- Teugels, J. (1975). The class of subexponential distributions. *The Annals of Probability* 3, 1000–1011.
- Tewfik, A. and M. Kim (1992). Correlation structure of the discrete wavelet coefficients of fractional Brownian motions. *IEEE Trans. on Info. Theory* IT-38(2), 904–909.

- Titchmarsh, E. (1986). *Introduction to the Theory of Fourier Integrals* (3rd ed.). New York: Chelsea.
- Tkachuk, S. (1973a). Large deviations for a class of distributions. *Trudy TashGU* 446, 161–164. In Russian.
- Tkachuk, S. (1973b). Local limit theorems taking into account large deviations in the case of stable limit laws. 2, 30–33. In Russian.
- Tkachuk, S. (1974). A theorem on large deviations in R^d in the case of stable limit law. pp. 178–186. In Russian.
- Tkachuk, S. (1976). Integral limit theorem for the number of renewals. *Trudy TashGU* 490, 185–188. In Russian.
- Todorovic, P. (1987). An extremal problem arising in soil erosion modeling. In *Applied Probability, Stochastic Processes and Sampling Theory*, pp. 65–73. Reidel Dordrecht.
- Todorovic, P. and J. Gani (1987). Modeling of the effect of erosion on crop production. *J. Appl. Prob.* 24, 787–797.
- Tortrat, A. (1975). Pseudo-martingales et lois stables. *C. R. Acad. Sci. Paris* 281(Ser. A), 463–465.
- Tortrat, A. (1980). Lois de zéro-un pour des probabilités semi-stables ou plus générales, dans un espace vectoriel ou un groupe (abélien ou non). In *Colloque de Saint-Flour*. Publication du C.N.R.S.
- Tortrat, A. (1981). Loi stables dans un groupe. *Ann. Inst. Henri Poincaré* 17, 51–61.
- Tortrat, A. (1982). Loi de zéro-un et lois semi-stables dans un group. In *Lecture Notes in Math.*, Volume 928, pp. 452–465. Springer-Verlag.
- Travis, J. (2007). Do wandering albatrosses care about math? *Science* 318(5851), 742 – 743.
- Tsakalides, P. (1995, December). *Array Signal Processing with Alpha-Stable Distributions*. Ph. D. thesis, University Southern California.
- Tsakalides, P. and C. Nikias (1995). Maximum likelihood localization of sources in noise modeled as a stable processes. *IEEE Trans. on Signal Proc.* 43, 2700–2713.
- Tsakalides, P. and C. L. Nikias (1999). Robust space-time adaptive processing (stap) in non-gaussian clutter environments. *IEE Proceedings: Radar, Sonar and Navigation* 146(2), 84–93.
- Tsakalides, P., R. Raspanti, and C. L. Nikias (1999). Angle/doppler estimation in heavy-tailed clutter backgrounds. *IEEE Transactions on Aerospace and Electronic Systems* 35(2), 419436.

- Tsakalides, P., F. Trinic, and C. L. Nikias (2000). Performance assessment of cfar processors in pearson-distributed clutter. *IEEE Transactions on Aerospace and Electronic Systems* 36(4), 1377-1386.
- Tsihrintzis, G. and C. Nikias (1996). Fast estimation of the parameters of alpha-stable impulsive interference. *IEEE Transactions on Signal Processing* 44(6), 1492-1503.
- Tsionas, E. G. (1999). Monte Carlo inference in econometric models with symmetric stable disturbances. *Journal of Econometrics* 88, 365-401.
- Tsionas, E. G. (2000). Numerical Bayesian inference with arbitrary prior. *Statistical Papers [Formerly: Statistischen Hefte]* 41(4), 437-451.
- Tuerlinckx, F. (2004). A multivariate counting process with weibull distributed first-arrival times. *Journal of Mathematical Psychology* 48, 65-79.
- Tunaley, J. (1972). Conduction in a random lattice under a potential gradient. *J. Appl. Phys.* 43, 4783-4786.
- Turkman, K. F. and A. Walker (1984). On the asymptotics of maxima of trigonometric polynomials with random coefficients. *Advances in Applied Probability* 16, 819-842.
- Tweedie, M. C. K. (1947). Functions of a statistical variate with given means, with special reference to Laplacian distributions. *Proc. Cambridge Philos. Soc.* 43, 41-49.
- Tweedie, M. C. K. (1957). Statistical properties of inverse Gaussian distributions. I, II. *Ann. Math. Statist.* 28, 362-377, 696-705.
- Tweedie, M. C. K. (1984). An index which distinguishes between some important exponential families. In *Statistics: applications and new directions (Calcutta, 1981)*, pp. 579-604. Calcutta: Indian Statist. Inst.
- Uchaikin, V. V. and G. G. Gusarov (1999). Simulation of random vectors from three-dimensional spherically symmetric stable distributions. *J. Math. Sci. (New York)* 93(4), 591-599.
- Uchaikin, V. V. and V. M. Zolotarev (1999). *Chance and Stability*. Utrecht: VSP Press.
- Ushakov, N. G. (1999). *Selected Topics in Characteristic Functions*. Utrecht: VSP Press.
- Vamvakos, S. and V. Anantharam (1996). On the departure process of a leaky bucket system with long-range dependent input traffic. Preprint.
- Van Vliet, C. (Ed.) (1987). *Noise in Physical Systems and 1/f Noise*. Singapore: World Scientific.

- van Zyl, J. M. and R. Schall (2009). Weighted estimation of the location parameter of a symmetric stable distribution. Preprint, Univ. of the Free State, S. Africa.
- Varadhan, S. (1962). Limit theorems for sums of independent random variables with values in a Hilbert space. *Sankhya* 24(Ser.A), 213–238.
- Velis, D. R. (2003). Estimating the distribution of primary reflection coefficients. *Geophysics* 68(4), 1417–1422.
- Vere-Jones, D. (1970). Stochastic models for earthquake occurrences. *Journal Royal Stat. Soc., Ser. B* 532, 1–42.
- Vergassola, M. and U. Frisch (1991). Wavelet transforms of self-similar processes. *Physica D* 54, 58–64.
- Vervaat, W. (1979). On a stochastic difference equation and a representation of non-negative infinitely divisible random variables. *Advances in Applied Probability* 11, 750–783.
- Vervaat, W. (1985). Sample paths of self-similar processes with stationary increments. *The Annals of Probability* 13, 1–27.
- Vervaat, W. (1987). Properties of general self-similar processes. *Bulletin of the International Statistical Institute* 52(Book 4), 199–216.
- Viswanathan, G. M., V. Afanasyev, S. V. Buldyrev, E. J. Murphy, P. A. Prince, and H. E. Stanley (1996). Lévy flight search patterns of wandering albatrosses. *Nature* 381, 413 – 415.
- Viswanathan, G. M., S. V. Buldyrev, S. Havlin, M. G. E. da Luz, E. P. Raposo, and H. E. Stanley (1999). Optimizing the success of random searches. *Nature* 401, 911 – 914.
- Vollert, A. (2001). Margrabe’s option to exchange in a paretian-stable subordinate market. *Mathematical and Computer Modelling* 34, 1185–1197.
- Walker, A. (1965). Some asymptotic results for the periodogram of a stationary time series. *Journal of the Australian Mathematical Society* 5, 107–128.
- Walter, C. (1999). Lvy stable distribution and fractal structure of markets. *Mathematical and Computer Modelling* 29, 37–56.
- Wassell, J. T., W. C. Wojciechowski, and D. D. Landen (1999). Recurrent injury event-time analysis. *Statistics in Medicine* 18, 3355–3363.
- Watanabe, T. (2004). Asymptotic estimates of multi-dimensional stable densities and their applications. Preprint, Center for Mathematical Sciences, University of Aizu, Japan.

- Watanabe, T. (2007). Asymptotic estimates of multi-dimensional stable densities and their applications. *Trans. AMS* 359, 2851–2879.
- Wells, R. J. (1999). Rapid approximation to the Voigt/Faddeeva function and its derivatives. *JQSRT* 62, 29–48.
- Weron, A. (1984). Stable processes and measures: A survey. Probability Theory on Vector Spaces III. In D. Szytnal and A. Weron (Eds.), *Lecture Notes in Math.* 1080, pp. 306–364. Berlin: Springer Verlag.
- Weron, A. and K. Weron (1987). A statistical approach to relaxation in glassy materials. In P. B. *et al* (Ed.), *Math. Stat. Prob. Theory*, Volume B, pp. 245 – 254. Reidel.
- Weron, K. (1991). A probabilistic mechanism hidden behind the universal power law for dielectric relaxation: General relaxation equation. *J. Phys.: Condens. Matter* 3, 9151–9162.
- Weron, K. and A. Jurlewicz (1993). Two forms of self-similarity as a fundamental feature of the power-law dielectric response. *J. Phys. A: Math. Gen.* 26, 395–410.
- Weron, K., A. Rajagopal, and K. Ngai (1984). Superposable distributions in condensed matter physics. Preprint.
- Weron, R. (1996). On the Chambers-Mallows-Stuck method for simulating skewed stable random variables. *Statistics and Probability Letters* 28, 165–171.
- Weron, R. (2005, November). Heavy tails and electricity prices. Preprint, BundesBank November 2005 Conference.
- West, B. J. (1999). *Physiology, Promiscuity and Prophecy at the Millennium: A Tail of Tails*. New Jersey: World Scientific.
- Weyl, H. (1916). Über die Gleichverteilung von Zahlen mod Eins. *Mathematische Annalen* 77, 313–352.
- Wiener, N. (1958). *Nonlinear Problems in Random Theory*. Cambridge: MIT Press.
- Willekens, E. (1986). *Higher order theory for subexponential distributions*. Ph. D. thesis, K.U. Leuven. In Dutch.
- Willekens, E. (1987). On the supremum of an infinitely divisible process. *Stoch. Proc. Appl.* 26, 173–175.
- Willemans, K. and P. Dierckx (1994a). Constrained surface fitting using Powell-Sabin splines. In *Wavelets, images, and surface fitting (Chamonix-Mont-Blanc, 1993)*, pp. 511–520. Wellesley, MA: A K Peters.

- Willemans, K. and P. Dierckx (1994b). Surface fitting using convex Powell-Sabin splines. *J. Comput. Appl. Math.* 56(3), 263–282.
- Willemans, K. and P. Dierckx (1995). Nonnegative surface fitting with Powell-Sabin splines. *Numer. Algorithms* 9(3-4), 263–276.
- Willemans, K. and P. Dierckx (1996). Smoothing scattered data with a monotone Powell-Sabin spline surface. *Numer. Algorithms* 12(1-2), 215–232.
- Williams, E. J. (1977). Some representations of stable random variables as products. *Biometrika* 64, 167 – 169.
- Williams, G. and D. C. Watts (1970). Non-symmetrical dielectric relaxation behaviour arising from a simple empirical decay function. *Transactions of the Faraday Society* 66, 80.
- Willinger, W. and M. Taqqu (1988). Pathwise approximations of processes based on the fine structure of their filtrations. In J. Azema, P. Meyer, and M. Yor (Eds.), *Lecture Notes in Mathematics*, New York, pp. 542–599. *Seminaire de Probabilities XXII*: Springer-Verlag.
- Willinger, W. and M. Taqqu (1989). Pathwise stochastic integration and applications to the theory of continuous trading. *Stochastic Processes and their Application* 32, 253–280.
- Willinger, W. and M. Taqqu (1991). Toward a convergence theory for continuous stochastic securities market models. *Mathematical Finance* 1, 55–99.
- Willinger, W., M. Taqqu, M. Leland, and D. Wilson (1995a). Self-similarity in high-speed packet traffic: analysis and modelling of ethernet traffic measurements. *Statistical Science* 10, 67–85.
- Willinger, W., M. Taqqu, M. Leland, and D. Wilson (1995b). Self-similarity through high variability: statistical analysis of ethernet lan traffic at the source level. *Computer Communications Review* 25, 100–113. *Proceedings of the ACM/SIGCOMM'95*, Cambridge, MA.
- Willinger, W., M. Taqqu, R. Sherman, and D. Wilson (1997). Self-similarity through high variability: statistical analysis of ethernet lan traffic at the source level (extended version). *IEEE/ACM Transactions on Networking* 5, 71–96.
- Wintner, A. (1936). On a class of Fourier transforms. *Amer. J. Math.* 58, 45–90.
- Wolf, D. (1978). Noise in physical systems. In *Springer Series in Electro-physics*, New York. Prof. of the Fifth International Conf. of Noise, Bad Nauheim, March 1978: Springer. Vol.2.
- Wolfe, S. J. (1971). On moments of infinitely divisible distribution functions. *Ann. Math. Statist.* 42, 2036–2043.

- Wolfe, S. J. (1973a). On the finite series expansion of multivariate characteristic functions. *J. Multivariate Anal.* 3, 328–335.
- Wolfe, S. J. (1973b). On the local behavior of characteristic functions. *Ann. Probability* 1, 862–866.
- Wolfe, S. J. (1975a). On derivatives of characteristic functions. *Ann. Probability* 3(4), 737–738.
- Wolfe, S. J. (1975b). On moments of probability distribution functions. In *Fractional calculus and its applications (Proc. Internat. Conf., Univ. New Haven, West Haven, Conn., 1974)*, pp. 306–316. Lecture Notes in Math., Vol. 457. Berlin: Springer.
- Wolfe, S. J. (1975c). On the unimodality of spherically symmetric stable distribution functions. *J. Multivariate Anal.* 5, 236–242.
- Wolpert, R. L. and M. S. Taqqu (2005, August). Fractional Ornstein-Uhlenbeck Lévy processes and the Telecom process: Upstairs and downstairs. *Signal Processing* 85(8), 1523–1545.
- Wooster, R. (2009, January). Evolution systems of measures for non-autonomous Ornstein-Uhlenbeck processes with Lévy noise. arXiv:0901.2899v1.
- Wornell, G. (1990). A Karhunen-Loève-like expansion for $1/f$ processes via wavelets. *IEEE Trans. Inform. Theory* 36, 859–861.
- Wornell, G. (1991). Communication over fractal channels. In *Proceedings of the ICASSP 91–1991 International Conference on Acoustics, Speech and Signal Processing*.
- Wornell, G. (1992). Wavelet-based representations for the $1/f$ family of fractal processes. Preprint, Submitted to *Proc. IEEE-Special Section on Applications of Fractals in Electrical Engineering*.
- Wornell, G. and A. V. Oppenheim (1992a). Estimation of fractal signals from noisy measurements using wavelets. *IEEE Transactions on Information Theory* 40(3), 611–623.
- Wornell, G. and A. V. Oppenheim (1992b). Wavelet-based representations for a class of self-similar signals with application to fractal modulation. *IEEE Transactions on Information Theory* 38(2), 785–800.
- Worsdale, G. (1975). Tables of cumulative distribution function for symmetric stable distributions. *Appl. Statistics* 24, 123–131.
- Woyczyński, W. (2001). Lévy processes in the physical sciences. In *Lévy Processes*. Birkhäuser.

- Wu, W. and S. Cambanis (1991). Conditional variance of symmetric stable variables. In S. Cambanis, G. Samorodnitsky, and M. Taqqu (Eds.), *Stable Processes and Related Topics*, Volume 25 of *Progress in Probability*, Boston, pp. 85–99. Birkhäuser.
- Xiao, Y. (2006). Properties of local-nondeterminism of Gaussian and stable random fields and their applications. *Ann. Fac. Sci. Toulouse Math. (6)* 15(1), 157–193.
- Xu, C. W. (1995). Local nondeterminism and the uniform dimension of the inverse image of a Pólya process. *J. Wuhan Univ. Natur. Sci. Ed.* 41(5), 526–532.
- Yaglom, A. (1955). Correlation theory of processes with stationary random increments of order n . *Mat. Sbornik* 37, 141–196. English translation in *Am. Math. Soc. Translations Ser. 2* 8(1958), 87–141.
- Yaglom, A. (1957). Some classes of random fields in n -dimensional space, related to stationary random processes. *Theory of Probability and its Applications* 2, 273–320. Trans. R.A. Silverman.
- Yaglom, A. (1961). Second order homogeneous random fields. *Proc. 4th Berkeley Symp. Math., Stat. and Prob.* 2, 593–622.
- Yajima, Y. (1985). On estimation of long-memory time series models. *Australian J. Statistics* 27(3), 303–320.
- Yajima, Y. (1988). On estimation of a regression model with long-memory stationary errors. *The Annals of Statistics* 16, 791–807.
- Yajima, Y. (1989). A central limit theorem of Fourier transforms of strongly dependent stationary processes. *Journal of Time Series Analysis* 10, 375–383.
- Yajima, Y. (1991). Asymptotic properties of LSE in a regression model with long-memory stationary errors. *Ann. Statist.* 19, 158–177.
- Yamazato, M. (1978). Unimodality of infinitely divisible distribution functions of class L. *Ann. Prob.* 6, 523–531.
- Yang, X. and A. P. Petropulu (2001). Long-range dependent alpha-stable impulsive noise in a poisson field of interferers. In *Proceedings of the 11th IEEE Signal Processing Workshop on Statistical Signal Processing*, pp. 54–57. IEEE.
- Yanushkevichius, R. and O. Yanushkevichiene (2007). Stability of a characterization by the identical distribution of linear forms. *Statistics* 41(4), 345–362.
- Ye, Z. and C. Dang (2003). Parameter estimation for and α -stable self-similar process. Preprint.
- Yor, M. (1993). The distribution of Brownian quantiles. *J. of Appl. Probab.*, to appear.

- Young, M. S. (2008). Revisiting non-normal real estate return distributions by property type in the U. S. *J. of Real Estate Finance and Economics* 36, 233–248.
- Young, M. S. and R. A. Graff (1995). Real estate is not normal: a fresh look at real estate return distributions. *J. of Real Estate Finance and Economics* 10, 225 – 259.
- Young, M. S., S. Lee, and S. Devaney (2006). Non-normal real estate return distributions by property type in the U. K. *J. of Property Research* 23, 109–133.
- Yurinski, V. (1974). Infinitely divisible distributions. *Theory Probab. Appl.* 19, 308–318.
- Zaigraev, A. (1999). Multivariate large deviations with stable limit laws. *Probab. Math. Statist.* 19(2), 323–335.
- Zaigraev, A. (2003). On asymptotic properties of multi-dimensional α -stable densities. Preprint 20, Nicolaus Copernicus University, Toruń.
- Zak, T. (1984). On the continuity of the distribution function of a seminorm of stable random vectors. *Bull. Polish Acad. Sci. Math.* 32(7-8), 519–521.
- Zak, T. (1989). A formula for the density of the norm of stable random vectors in Hilbert spaces. *Probab. Math. Statist.* 10(2), 257–270.
- Zaliapin, I. V., Y. Y. Kagan, and F. Schoenberg (2005). Approximating the distribution of Pareto sums. *Pure Appl. Geophysics* 162, 1187–1228. <http://moho.ess.ucla.edu/kagan/tmoml.pdf>.
- Zha, D. and T. Qiu (2006a). A new blind source separation method based on fractional lower-order statistics. *International Journal of Adaptive Control and Signal Processing* 20(5), 213–223.
- Zha, D. and T. Qiu (2006b). Underwater sources location in non-gaussian impulsive noise environments. *Digital Signal Processing* 16(1), 149–163.
- Zieliński, R. (2000a). A median-unbiased estimator of the characteristic exponent of a symmetric stable distribution. *Statistics* 34(4), 353–355.
- Zieliński, R. (2000b). A reparametrization of the symmetric α -stable distributions and their dispersive ordering. *Teor. Veroyatnost. i Primenen.* 45(2), 410–411.
- Zieliński, R. (2001). High accuracy evaluation of the cumulative distribution function of α -stable symmetric distributions. *J. of Math. Sciences* 105(6), 2631 – 2632.

- Zolotarev, V. M. (1954). Vyrazhenie plotnosti ustoichivogo raspredeleniya s pokazatelem α bolshim edinitsy cherez plotnost s pokazatelem $1/\alpha$. *Doklady Akad. Nauk USSR (N.S.)* 98, 735–738.
- Zolotarev, V. M. (1957). Mellin-Stieltjes transformations in probability theory. *Teor. Veroyatnost. i Primenen.* 2, 444–469.
- Zolotarev, V. M. (1981). Integral transformations of distributions and estimates of parameters of multidimensional spherically symmetric stable laws. In *Contributions to Probability*, pp. 283–305. New York: Academic Press.
- Zolotarev, V. M. (1983). *Odnomernye ustoichivye raspredeleniya*. Moscow: Nauka. Subsequently translated as “One-dimensional Stable Distributions”, American Mathematical Society, 1986.
- Zolotarev, V. M. (1986a). Asymptotic behavior of the Gaussian measure in l_2 . *J. Soviet Math.* 24, 2330–2334.
- Zolotarev, V. M. (1986b). *One-dimensional Stable Distributions*, Volume 65 of Translations of mathematical monographs. American Mathematical Society. Translation from the original 1983 Russian edition.
- Zolotarev, V. M. (1995). On representation of densities of stable laws by special functions. *Theory Probab. Appl.* 39, 354–362.
- Zygmund, A. (1979). *Trigonometric Series*. Cambridge: Cambridge University Press. Volumes I,II.